Journal of
Applied Polymer Science

Volume 111, 2009

EDITORS-IN-CHIEF

Eric Baer
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

Anne Hiltner
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

FOUNDING EDITOR

Herman F. Mark

ASSOCIATE EDITORS

Dr. Andy Chang
The Dow Chemical Company
2301 Brazosport Blvd.
Freeport, TX 77541

Edmund Elce
PROMERUS LLC
9921 Brecksville Road
Brecksville, OH 44141

Brian W. Pengilly
430 Delaware Avenue
Akron, OH 44303-1236

David A. Schiraldi
Dept. of Macromolecular Science
Case Western Reserve University
Cleveland, OH 44106

Mark A. Schubert
Energizer Battery Company
25225 Detroit Road
Westlake, OH 44145

EDITORIAL BOARD

A.-C. Albertsson
T. M. Aminabhavi
F. J. Balta-Calleja
A. N. Banerjee
B. M. Baysal
D. Benko
A. Bhowmick
G. Capaccio
S. H. Carr
B. J. Chisholm
S. Chum
N. Chung
R. E. Cohen
J. R. Collier
J. M. G. Cowie
A. M. Cunha
G. W. Ehrenstein
M. S. El-Aasser
L. Flandin
A. Galeski
G. Gillberg
W. Glasser
D. J. Hourston
A. I. Isayev
R. Jerome
S. H. Kandil
J. L. Kardos
J. Karger-Kocsis
B. K. Kim
J. M. Lagaron
J. L. Leblanc
A. J. Lesser
R. Matheson
K. Mauritz
J. W. Mays
H. E. H. Meijer
G. H. Michler
P. Molyneux
C. L. Myers
T. Nakagawa
L. Nicolais
R. M. Nowak
E. F. Oleynik
D. R. Paul
N. A. Peppas
N. A. Plate
R. E. Prud'homme
Z. Qi
L. Rebenfeld
F. Rodriguez
D. K. Setua
L. Shi
A. Siegmann
A. W. Snow
B. G. Soares
L. H. Sperling
J. Summers
S. C. Tjong
R. Vera-Graziano
I. M. Ward
C. Weder
R. A. Weiss
G. Wilkes
P. Wood-Adams
K. J. Wynne
K. Yamaura

Editorial Production, John Wiley: Cecilia Banzon, Glenn Beck, Melissa Donnelly, AL Liburd

The JOURNAL OF APPLIED POLYMER SCIENCE (Print ISSN: 0021-8995; Online: 1097-4628) is published semi-monthly, four volumes per year, by Wiley Subscription Services, Inc., a Wiley Company, 111 River St., Hoboken, NJ 07030-5774.

Copyright © 2009 Wiley Periodicals, Inc., a Wiley Company. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, (978) 750-8400, fax (978) 750-4470. Periodicals postage paid at Hoboken, NJ, and at additional mailing offices.

The copyright notice appearing at the bottom of the first page of an article in the journal indicates the copyright holder's consent that copies may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 and 108 of the U.S. Copyright Law.

This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Dept, http://www.wiley.com/go/permissions.

Information for Subscribers: The *Journal of Applied Polymer Science* is published in 24 issues per year. Institutional subscription prices for 2009 (Print & Online) are: US$23,245 (US), US$23,749 (Rest of World), €15,322 (Europe), £12,117 (UK). Prices are exclusive of tax. Australian GST, Canadian GST, and European VAT will be applied at the appropriate rates. For more information on current tax rates, please go to www.wiley.com, click on Help, and follow the link through to Journal subscriptions. The institutional price includes online access to the current and all online back files to January 1, 1997, where available. For other pricing options, including access information and terms and conditions, please visit www.interscience.wiley.com/journals.

Journal Customer Services: For ordering information, claims, and any inquiry concerning your journal subscription please go to interscience.wiley.com/support or contact your nearest office: Americas: e-mail: cs-journals@wiley.com; Tel: +1 781 388 8598 or 1 800 835 6770 (toll free in the USA & Canada). Europe, Middle East, and Africa: e-mail: cs-journals@wiley.com; Tel: +44 (0) 1865 778315. Asia Pacific: e-mail: cs-journals@wiley.com; Tel: +65 6511 8000.

Postmaster: Send all address changes to The JOURNAL OF APPLIED POLYMER SCIENCE, Journal Customer Services, John Wiley & Sons, Inc., 350 Main St., Malden, MA 02148-5020.

Advertising/Sales: Inquiries concerning advertising should be forwarded to the Advertising Sales Manager, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030; (201) 748-8832. Advertising Sales, European Contact: Jackie Sibley, c/o John Wiley & Sons, Ltd., The Atrium, Southern Gate, Chichester, West Sussex PO19 8SQ, England. Tel: 44 1243 770 351; Fax: 44 1243 770 432; e-mail: adsales@wiley.co.uk.

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030. Tel: (201) 748-8789.

Other Correspondence: Address all other correspondence to: JOURNAL OF APPLIED POLYMER SCIENCE, Publisher, c/o John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

The contents of this journal are indexed or abstracted in *Chemical Abstracts, Chemical Titles, Chemistry Citation Index, Compendex, Current Contents/Engineering, Computing, and Technology, Current Contents/Physical, Chemical and Earth Sciences, INSPEC, ISI Alerting Services (includes Research Alert), Materials Science Citation Index, Polymer Blends, Alloys & Interpenetrating Polymer Networks Abstracts, Reaction Citation Index, Science Citation Index, SciSearch (also known as Science Citation Index-Expanded), Urethane Abstracts, World Surface Coatings Abstracts,* and *World Textiles.*

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper). ♾

Journal of Applied Polymer Science

Author Index to Volume - 111

Abd El-Aal, S. E. See Maziad, N. A., 1369
Abdoua, L. A. W.
—; Hakeim, O. A.; El-Din, M. S.; El-Gammal, M. S.; El-Naggar, A. W. M.: Pigment Color Printing on Cotton and Polyester Fabrics with Electron Beam Irradiation Curable Formulations, 1892
Abe, M.
—; Tokita, M.; Watanabe, J.; Sakai, Y.; Yamamoto, T.: Synthesis and Chemical Properties of Dielectric Polyphenylenes with Nitro Group, 2426
Abu-Saied, M. A. See Eldin, M. S. M., 2647
Abu-Sharkh, B. See Umar, Y., 125
Açık, L. See Başer, B., 1862
Achilias, D. S. See Verros, G. D., 2171
Agarwal, D. D. See Dubey, V., 928
Aghanouri, A.
—; Zadhoush, A.; Haghighat, M.: Effect of Dry/Wet Spinning on the Photooxidative Degradation of Acrylic Fibers, 945
Agnely, F. See Mrad, O., 3113
Agyei, N. M. See Zvinowanda, C. M., 1923
Ahmad, S. See Cheong, M. Y., 2353
Ahn, K. D. See Kim, J. Y., 1878
Ai, F. See Chang, P. R., 619
Ai, T. See Zhou, W., 255
Aksöz, E. See Perçin, I., 148
Alagar, M. See Ramar, P., 2859
Alanyalıoğlu, M.
—; Arık, M.: Electrochemical Preparation of Pyronin Y Thin Films on Gold Substrates, 94
Albizu, I. See Irusta, L., 2299
Ali, S. A. See Umar, Y., 125
Altankov, G. See Keranov, I., 2637
Alvarado-Méndez, E. See Trejo-Durán, M., 794
Alvarez, V. A. See Tarapow, J. A., 768
Alves, T. L. M. See Figueiredo, K. C. S., 3074
Amico, S. C. See Tanobe, V. O. A., 1842
Amirilargani, M. See Saljoughi, E., 2537
Amnuaypornsri, S.
—; Sakdapipanich, J.; Tanaka, Y.: Green Strength of Natural Rubber: The origin of the Stress–Strain Behavior of Natural Rubber, 2127
Amut, E. See Fu, Q., 2830
An, Q. See Li, M., 2715
Anantawaraskul, S.
—; Ketdee, S.; Supaphol, P.: Stochastic Simulation for Morphological Development During the Isothermal Crystallization of Semicrystalline Polymers: A Case Study of Syndiotactic Polypropylene, 2260
Andersson, A.
—; Lundmark, S.; Magnusson, A.; Maurer, F. H. J.: Shear Behavior of Flexible Polyurethane Foams Under Uniaxial Compression, 2290
Ansarifar, A. See Ostad-Movahed, S., 1644
Antunes, M. See Realinho, V., 2574
Aphashagova, Z. K. See Zaikov, G. E., 2621
Appoh, F. E.
—; Kraatz, H.-B.: Voltammetric Studies of Dendrimer Multilayers: Layer-by-Layer Assembly of Metal-Peptide dendrimers Multilayers, 709
Arık, M. See Alanyalıoğlu, M., 94
Arahman, N.
—; Maruyama, T.; Sotani, T.; Matsuyama, H.: Fouling Reduction of a Poly(ether sulfone) Hollow-Fiber Membrane with a Hydrophilic Surfactant Prepared via Non-Solvent-Induced Phase Separation, 1653
Aranguren, M. I. See Pereda, M., 2777
Arani, A. J. See Shabani, I., 1670
Arencón, D. See Realinho, V., 2574
Argyropoulos, D. S. See Xie, H., 2468
Ariffin, H.
—; Nishida, H.; Shirai, Y.; Hassan, M. A.: Anhydride Production as an Additional Mechanism of Poly(3-hydroxybutyrate) Pyrolysis, 323
Arslan, H. See Macit, H., 2308
Arun, A.
—; Gaymans, R. J.: Tensile and Elastic Properties of Triblock Copolymer Based on Aramide End-Segments and Polyether Mid-Segments, 1780
Aryal, S. See Bajgai, M. P., 1540
Asúa, J. M. See Irusta, L., 2299
Asabe, H. See Watanabe, T., 551
Ashori, A.
—; Nourbakhsh, A.: Mechanical Behavior of Agro-Residue-Reinforced Polypropylene Composites, 2616
—; Nourbakhsh, A.: Polypropylene Cellulose-Based Composites: The Effect of Bagasse Reinforcement and Polybutadiene Isocyanate Treatment on the Mechanical Properties, 1684
Atai, M. See Salimi, A., 2703
Ayoub, A. See Patel, S., 2917

Baek, S. J. See Kim, S. Y., 642
Bai, H.
—; Wang, Y.; Zhang, Q.; Liu, L.; Zhou, Z.: A Comparative Study of Polypropylene Nucleated by Individual and Compounding Nucleating agents. I. Melting and Isothermal Crystallization, 1624
Bajgai, M. P.
—; Aryal, S.; Parajuli, D. C.; Khil, M.-S.; Lee, D. R.; Kim, H. Y.: Synthesis and Characterization of Brush Copolymers Based on Methoxy Poly(ethylene glycol) and Poly(ε-caprolactone), 1540
Bajpai, A. K. See Shukla, S. K., 1300
Bajpai, S. K. See Thomas, V., 934
—; Rohit, V. K.; Namdeo, M.: Removal of Phosphate Anions from Aqueous Solutions Using Polypyrrole-Coated Sawdust as a Novel Sorbent, 3081
Bakar, M. A. See Ong, S., 3094
Balakrishnan, P. S.
—; Murugavel, S. C.: Spectral, Thermal, and Photoreactivity Studies on Epoxy Resin Containing Benzylidene Units in the Main Chain, 2340
Balart, R. See López, R., 2992
Balzano, L. See McDaniel, N. D., 589
Banait, J. S. See Sharma, V., 1816
Bang, D. S. See Jin, S. H., 1028
Bao-Weiwei, See Yin-Guibo, 1471
Barboiu, M. See Nasr, G., 2785
Barghamadi, M. See Ghaemy, M., 1588
Barmar, M.
—: Study of the Effect of PEG Length in Uni-HEUR Thickener Behavior, 1751

Bartnicki, A. See Podkościelna, B., 1257
Bartovská, L. See Randová, A., 1745
Başer, B.
—; Demirel, G. B.; Açık, L.; Çaykara, T.: Preparation of Comb-Type Grafted Hydrogels Composed of Polyacrylamide and Chitosan and Their Use for DNA Adsorption, 1862
Baumann, H. J. See Nase, M., 363
Bazheva, R. C. See Ozden, S., 1755
Becherán, L. See Davidenko, N., 2362
Begenir, A.
—; Michielsen, S.; Pourdeyhimi, B.: Crystallization Behavior of Elastomeric Block Copolymers: Thermoplastic Polyurethane and Polyether-*block*-Amide, 1246
Behari, K. See Srivastava, A., 2872
Belhaneche-Bensemra, N. See Lardjane, N., 525
Bernal, C. R. See Tarapow, J. A., 768
Bestal, H. See Nasr, G., 2785
Bhalla, T. C. See Kaur, I., 2460
Bhandari, H.
—; Sathiyanaranayan, S.; Choudhary, V.; Dhawan, S. K.: Synthesis and Characterization of Proccessible Polyaniline Derivatives for Corrosion Inhibition, 2328
Bhardwaj, Y. K. See Dubey, K. A., 1884
Bhat, D. K. See Selvakumar, M., 452
Bhattacharya, S. N. See Majumder, K. K., 2657; Reddy, M. M., 1426
Bhowmick, A. K. See Ganguly, A., 2104; Kuila, T., 635; Maiti, M., 1094
Biju, P. K. See Nair, M. N. R., 48
Bin, S. See Bo, Y., 1900
Blanco, M. D. See Davidenko, N., 2362
Blankenburg, L.
—; Hager, M. D.; Sell, S.; Sensfuss, S.; Klemm, E.: TPA-PPEs – New Alternating Donor Copolymers for Potential Application in Photovoltaic Devices, 1850
Bo, Y.
—; Yanmo, C.; Hao, Y.; Bin, S.; Meifang, Z.: Kinetics of the Thermal Degradation of Hyperbranched Poly(phenylene Sulfide), 1900
Borges, C. P. See Figueiredo, K. C. S., 3074
Boschetti-de-Fierro, A.
—; Pardey, R.; Savino, V.; Müller, A. J.: Piezoresistive Behavior of Epoxy Matrix-Carbon Fiber Composites with Different Reinforcement Arrangements, 2851
Bourkas, G. D. See Sideridis, E., 203
Brar, A. S. See Hooda, S., 2381
Bresson, B. See Nasr, G., 2785
Broeckert, J. L. See Ruggles-Wrenn, M. B., 228
Brown, F. See Rodríguez, F., 1216
Brünig, H. See Hasan, M. M. B., 805
Burrows, H. D. See Pereira, R. F. P., 1947
Byars, J. A.
—; Jong, L.: Flow Properties of Natural Rubber Composites Filled with Defatted Soy Flour, 2049

Cadenato, A. See Fernández-Francos, X., 2822
Cai, Z.-S.
—; Song, Z.-Q.; Yang, C.-S.; Shang, S.-B.; Yin, Y.-B.: Synthesis of 2-Hydroxypropyl Dimethylbenzylammonium *N,O*-(2-carboxyethyl) Chitosan Chloride and Its Antibacterial Activity, 3010
Cakar, F. See Celik, O., 1328
Calcagno, C. I. W.
—; Mariani, C. M.; Teixeira, S. R.; Mauler, R. S.: Morphology and Crystallization Behavior of the PP/PET Nanocomposites, 29
Camillo, E. C. See Malmonge, J. A., 2986
Cankurtaran, O. See Celik, O., 1328
Cao, D. See Li, W., 701
—; Wu, L.: Poly(L-Lactic Acid)/Silicon Dioxide Nanocomposite Prepared via the *In Situ* Melt Polycondensation of L-Lactic Acid in the Presence of Acidic Silica Sol: Isothermal Crystallization and Melting Behaviors, 1045
Cao, H. See Li, W., 1449; Yin, Y., 1353
Cao, K. See Yao, Z., 2553
Cao, M. See Yin, Y., 1353
Cao, Q.
—; Tian, P.; Wu, Q.: Modeling Diameter Distributions of Poly(*N*-isopropylacrylamide-*co*-methacrylic acid) Nanoparticles, 2584
Cao, W. See Xie, C., 2527
Casis, N.
—; Estenoz, D. A.; Vega, J. R.; Meira, G. R.: Bulk Prepolymerization of Styrene in the Presence of Polybutadiene: Determination of Grafting Efficiency by Size Exclusion Chromatography Combined with a New Extended Model, 1508
Castaño, V. M. See Rodríguez, F., 1216; Trejo-Durán, M., 794
Castillo-Ortega, M. M. See Rodríguez, F., 1216
Castrillo, P. D.
—; Olmos, D.; González-Benito, J.: Novel Polymer Composites Based on a Mixture of Preformed Nanosilica-Filled Poly(methyl methacrylate) Particles and a Diepoxy/Diamine Thermoset System, 2062
Caykara, T. See Turan, E., 108; Başer, B., 1862
Celik, O.
—; Sakar, D.; Cakar, F.; Cankurtaran, O.; Karaman, F.: A Study on Swelling Behavior of Poly(*p*-chloro styrene) Networks in Some Aromatic Hydrocarbons and Linear Poly(*p*-chloro styrene) Solutions, 1328
Cerqueira, D. A. See Pereira, R. F. P., 1947
Chai, S. See Zhang, J., 2092
Chakraborty, B. C. See Praveen, S., 264
Chakraborty, D. See Mandal, P. K., 2345
Chaloupková, K.
—; Zatloukal, M.: Effect of Die Design on Die Drool Phenomenon for Metallocene Based LLDPE: Theoretical and Experimental Investigation, 1728
Chan, K. H. K.
—; Kotaki, M.: Fabrication and Morphology Control of Poly(methyl methacrylate) Hollow Structures via Coaxial Electrospinning, 408
Chan, P. K. See Lee, K.-W. D., 396
Chanda, M.
—; Pillay, S. A.; Sarkar, A.; Modak, J. M.: A Thermally Regenerable Composite Sorbent of Crosslinked Poly(acrylic acid) and Ethoxylated Polyethyleneimine for Water Desalination by Sirotherm Process, 2741
Chandramohan, G. See Suresha, B., 685
Chang-Jian, C.-W. See Kuo, J.-K., 1440
Chang, C.-J.
—; Wu, M.-W.; Wu, C.-M.: Effect of Chemical Structure and Shear Force on the Morphology and Properties of Jet Printed Black Micropatterns Using Imide Epoxy Binders, 1391

Chang, C. See Fu, Q., 2830
Chang, K.-W. See Chen, R.-S., 517
Chang, P. R.
—; Ai, F.; Chen, Y.; Dufresne, A.; Huang, J.: Effects of Starch Nanocrystal-*graft*-Polycaprolactone on Mechanical Properties of Waterborne Polyurethane-Based Nanocomposites, 619
Changfeng, G. See Fengxiang, L., 1005
Charayev, A. M. See Ozden, S., 1755
Chattopadhyay, S. See Praveen, S., 264
Chaudhari, C. V. See Dubey, K. A., 1884
Chee, C. K. See Ong, S., 3094
Chee, S. Y.
—; Gan, S. N.: Swelling Properties of Copolymers of Styrene and Divinylbenzene Containing Sulfonic and Carboxylic Acid Groups, 1185
Chen, B. See Wu, W., 730
Chen, C.-H.
—; Lu, H.-Y.; Chen, M.; Peng, J.-S.; Tsai, C.-J.; Yang, C.-S.: Synthesis and Characterization of Poly(ethylene succinate) and Its Copolyesters Containing Minor Amounts of Butylene Succinate, 1433
Chen, C.-K. See Kuo, J.-K., 1440
Chen, D.
—; Shi, Y.; Fu, Z.: Synthesis of Poly(vinyl acetate) Containing Diblock Copolymer by DPE Method, 1581
Chen, F.
—; Lu, Z.: Liquefaction of Wheat Straw and Preparation of Rigid Polyurethane Foam from the Liquefaction Products, 508
Chen, G.-Q. See Ni, C., 1720
Chen, H. See Cui, H., 3144; Yu, M., 2761
Chen, H. Q. See Xiong, X. Y., 2445
Chen, J. See Wang, Z.-Q., 2134; Xie, M., 890; Yang, L., 988
Chen, J. H.
—; Johnston, A.; Petrescue, L.; Hojjati, M.: Investigation of Influence Factors in Electron Beam Curing of Epoxy Resins Using a calorimetry Technique, 2318
Chen, K.-Y.
—; Kuo, J.-F.: Influence of Fluorocarbon Chains on the Crystallization Behaviors of Aliphatic Polyurethanes, 371
Chen, M. See Chen, C.-H., 1433
Chen, P. See Li, J., 2590
Chen, R.-S.
—; Cheng, Y.-L.; Chang, K.-W.: Synthesis and Properties of Novel Poly(urethane-imide) Dispersions Based on 2,2-Bis[*N*-(3-hydroxyphenyl)phthalimidyl]-hexafluoropropane, 517
Chen, S. See Ma, W., 1235
Chen, T.
—; Zhang, C.; Chen, X.; Li, L.: Numerical Computation of the Fiber Diameter of Melt Blown Nonwovens Produced by the Inset Die, 1775
Chen, W.-S. See Su, Y.-J., 1615
Chen, X. See Chen, T., 1775; Qiao, X., 2908
Chen, X. G. See Li, Y. Y., 2269
Chen, X.-N. See Su, Z.-Q., 786
Chen, Y. See Chang, P. R., 619; Wang, J., 658; Xiong, S., 963
Chen, Y.-T. See Huang, J.-M., 628
Chen, Z. See Kong, Y., 2044; Ran, R., 2011
Cheng, S. See Zhang, J., 2092
Cheng, S.-H. See Su, Y.-J., 1615
Cheng, Y. See Ji, C., 2148; Miao, Q., 3137
Cheng, Y.-L. See Chen, R.-S., 517
Cheong, M. Y.
—; Ooi, T. L.; Ahmad, S.; Yunus, W. Md Z. W.; Kuang, D.: Synthesis and Characterization of Palm-Based Resin for UV Coating, 2353
Cherif, Ch. See Hasan, M. M. B., 805
Chiou, B.-s. See Rosa, M. F., 612
Chiu, H.-T.
—; Shong, Z.-J.: Application of Ultraviolet Photografting Technology to Acrylamide/Polyethylene to Improve the Interfacial Adhesion of Polyethylene/Unsaturated Polyester Resin Composites, 2507
Chiu, T.-P.
—; Don, T.-M.: Thermal Degradation Behavior of PMMA Synthesized by Emulsifier-Free Emulsion Polymerization with a Cu^{2+}/HSO_3^- Redox System, 388
Chivers, R. A. See de Oca, H. M., 1013
Cho, J. S. See Kim, B. S., 1706
Chodur, C. A. See Mrad, O., 3113
Choi, H. Y. See Park, S. H., 1828
Choi, H.-S. See Choi, J.-H., 2186
Choi, J. H. See Lee, H. W., 132
Choi, J.-H.
—; Jegal, J.; Kim, W.-N.; Choi, H.-S.: Incorporation of Multiwalled Carbon Nanotubes into Poly(vinyl alcohol) Membranes for Use in the Pervaporation of Water/Ethanol Mixtures, 2186
Chonung, K. See Zheng, Y., 917
Choudhary, V. See Bhandari, H., 2328; Mohamed, R., 1478
Chu, H. See Kong, Y., 2044
Chu, S. Y. See Sui, J., 876
Chuanglong, H. See Xiaoqiang, L., 1564
Chung, I. See Rao, K. S. V. K., 845
Cireli, A. A. See Erdem, N., 2085
Coates, P. D. See Sweeney, J., 1190
Collier, B. J. See Collier, J. R., 1019
Collier, J. R.
—; Watson, J. L.; Collier, B. J.; Petrovan, S.: Rheology of 1-Butyl-3-Methylimidazolium Chloride Cellulose Solutions. II. Solution Character and Preparation, 1019
Corona, M. A. See Ovando-Medina, V. M., 329
Costa, G. See Li, L., 1268
Coughlin, B. E. See Moon, S., 301
Critchlow, G. See Yu, S., 2957
Cruz, S. A.
—; Zanin, M.; de Moraes, M. A. B.: Accelerated Aging and Contact with Food Simulants in Adhesion of Amorphous Hydrogenated Carbon Films Obtained by the PECVD Process from Recycled PET from Packaging, 281
Cui, H. See Yu, M., 2761
—; Chen, H.; Qu, R.; Wang, C.; Sun, C.; Zhou, W.; Yu, M.; Jiang, H.: Highly Crosslinked Poly(styrene-*co*-divinylbenzene) Microspheres Prepared by Precipitation Polymerization: Effects of the Polymerization Parameters on the Characteristics of the Particles, 3144
Cui, W. See Xu, W., 2204
Cui, X. See Yu, M., 2761
Cui, Z. See Fu, T., 1335

Dahoun, A. See Fayolle, B., 469
Dai, C.-A. See Ho, C.-C., 1571
Dai, L.
—; Zhang, Z.; Zhao, Y.; Liu, H.; Xie, Z.: Effects of Polymeric Curing Agent Modified with Silazanes on the Mechanical Properties of Silicone Rubber, 1057
Dai, Z. See Li, Y., 1454
Dakhel, H. R. See Shabani, I., 1670

Dalton, W. S. See Peramo, A., 70
Daniels, E. S. See Saygı-Arslan, Ö., 735
Danner, R. P. See Pourdarvish, R., 417
Das, B. N. See Saraswathy, G., 2387
Das, C. K. See Pal, K., 348
Das, T. See Pal, K., 348
Davaran, S. See Salehi, R., 1905
Davidenko, N.
—; Blanco, M. D.; Peniche, C.; Becherán, L.; Guerrero, S.; Teijón, J. M.: Effects of Different Parameters on the Characteristics of Chitosan–Poly(acrylic acid) Nanoparticles Obtained by the Method of Coacervation, 2362
de Moraes, M. A. B. See Cruz, S. A., 281
de Oca, H. M.
—; Ward, I. M.; Chivers, R. A.; Farrar, D. F.: Structure Development during Crystallization and Solid-State Processing of Poly(glycolic acid), 1013
De-bing, See Yin-Guibo, 1471
Debra E, P. See Mohamed, A., 114
Deepika, N. See Kaur, I., 2460
Deighton, M. See Reddy, M. M., 1426
Deka, S. R.
—; Kakati, D. K.: Benzoin-Terminated Polyurethane as Macrophotoinitiator for Synthesis of Polyurethane–Polymethyl Methacrylate Block Copolymers, 3089
del Carmen Aguirre, M. See Rivas, B. L., 2720
Demirci, S. See Turan, E., 108
Demirel, G. B. See Başer, B., 1862
Deng, Y. See Lee, H. W., 132
Denizli, A. See Perçin, I., 148
Deshpande, V. D.
—; Jape, S.: Nonisothermal Crystallization Kinetics of Nucleated Poly(ethylene terephthalate), 1318
Dhawan, S. K. See Bhandari, H., 2328
di Massimo, G. See Jockusch, S., 2163
Dineff, P. See Keranov, I., 2637
Ding, X. See Gao, Z., 1293; Li, W., 1449
Ding, Y. See Majumder, K. K., 2657
D'Ilario, L. See Martinelli, A., 2669, 2675
Do, H.-S.
—; Park, J.-H.; Kim, H.-J.: Synthesis and Characteristics of Photoactive-Hydrogenated Rosin Epoxy Methacrylate for Pressure Sensitive Adhesives, 1172
Domingo, C. See López-Periago, A., 291
Don, T.-M. See Chiu, T.-P., 388
Dong, J. See Li, R., 826
Dong, L. See Jia, Z., 1530
Dou, Q. See Wang, J., 194
—; Wang, J.: Study on Transparent Poly(propylene) Nucleated by the *"In Situ"* Reaction Products of Dehydroabietic Acid and Sodium Stearate, 2436
—; Effect of *N,N'*-Diphenyl Adipamide on the Formation of the β-Crystalline Form in Isotactic Polypropylene, 1738
Du, W.-L.
—; Niu, S.-S.; Xu, Z.-R.; Xu, Y.-L.: Preparation, Characterization, and Adsorption Properties of Chitosan Microspheres Crosslinked by Formaldehyde for Copper (II) from Aqueous Solution, 2881
Du, W. See Jiang, T., 2625
Du, Y. See Feng, T., 545
Du, Z. See Wang, J., 746
Duanmu, Q. See Fu, S., 2157
Dubey, K. A.
—; Bhardwaj, Y. K.; Chaudhari, C. V.; Kumar, V.; Goel, N. K.; Sabharwal, S.: Evidences of Solvent-Induced Miscibility in Polychloroprene-*co*-Ethylene-Propene Diene Terpolymer Blends, 1884
Dubey, V.
—; Parmar, T.; Saxena, A.; Agarwal, D. D.: Thiocompounds as Simulants of Sulphur Mustard for Testing of Protective Barriers, 928
Duda, J. L. See Pourdarvish, R., 417
Düdükcü, M.
—; Udum, Y. A.; Ergün, Y.; Köleli, F.: Electrodeposition of Poly(4-methyl carbazole-3-carboxylic acid) on Steel Surfaces and Corrosion Protection of Steel, 1496
Dufresne, A. See Chang, P. R., 619
Dugonjić-Bilić, F. See Plank, J., 2018
Dutschk, V. See Hasan, M. M. B., 805

El-Aasser, M. S. See Saygı-Arslan, Ö., 735
El-Din, M. S. See Abdoua, L. A. W., 1892
Eldin, M. S. M. See Elzatahry, A. A., 2452
—; Soliman, E. A.; Hassan, E. A.; Abu-Saied, M. A.: Immobilized Metal Ions Cellophane–PGMA-Grafted Membranes for Affinity Separation of β-Galactosidase Enzyme. I. Preparation and Characterization, 2647
El-Gammal, M. S. See Abdoua, L. A. W., 1892
El-Kelesh, N. A. See Maziad, N. A., 1369
El-Naggar, A. W. M. See Abdoua, L. A. W., 1892
El-Sayed, N. H. See Mohamed, O. A., 1488
Elsabbagh, A.
—; Steuernagel, L.; Ziegmann, G.: Effect of Fiber/Matrix Chemical Modification on the Mechanical Properties and Water Absorption of Extruded Flax/Polypropylene Composite, 2279
Elzatahry, A. A.
—; Eldin, M. S. M.; Soliman, E. A.; Hassan, E. A.: Evaluation of Alginate–Chitosan Bioadhesive Beads as adrug Delivery System for the Controlled Release of Theophylline, 2452
Emrick, T. See Moon, S., 301
Encinas, J. C. See Rodríguez, F., 1216
Entezami, A. A. See Salehi, R., 1905
Erdem, N.
—; Cireli, A. A.; Erdogan, U. H.: Flame Retardancy Behaviors and Structural Properties of Polypropylene/Nano-SiO_2 Composite Textile Filaments, 2085
Erdogan, U. H. See Erdem, N., 2085
Ergün, Y. See Düdükcü, M., 1496
Ertan, E.
—; Gülfen, M.: Separation of Gold(III) Ions from Copper(II) and Zinc(II) Ions Using Thiourea–Formaldehyde or Urea–Formaldehyde Chelating Resins, 2798
Espi, E. See Irusta, L., 2299
Estenoz, D. A. See Casis, N., 1508
Extrand, C. W. See Monson, L., 141

Faghihi, K. See Nasr-Isfahani, H., 1769
Fan, L. See Zhao, X.-J., 2210
Fang, F.
—; Yang, W.; Zhang, M. Z.; Wang, Z.: Electric Fatigue of Ceramic–Polymer Composite Film Under Cyclic Electric Field, 1105
Fang, Q. See Fu, Q., 2830

Fang, S.
—; Gao, L.; Zhou, L.; Zheng, Z.; Guo, B.; Zhang, C.: Synthesis and Characterization of Excellent Transparency Poly(urethane-methacrylate), 724
Farahat, M. S. See Nikles, D. E., 3058
Farrar, D. F. See de Oca, H. M., 1013
Farrell, J. B. See Foy, E., 217
Farris, R. J. See Moon, S., 301
Fayolle, B.
—; Verdu, J.; Piccoz, D.; Dahoun, A.; Hiver, J. M.; G'sell, C.: Thermooxidative Aging of Polyoxymethylene, Part 2: Embrittlement Mechanisms, 469
Feng, H.
—; Zhang, X.; Zhao, S.: Tin-Coupled Star-Shaped Block Copolymer of Styrene and Butadiene (II) Properties and Application, 602
Feng, J. See Xiao, W., 1076
Feng, T.
—; Gong, J.; Du, Y.; Huang, Z.: Free Radical Scavenging Activity of Cellulase-Treated Chitosan, 545
Feng, Y. See Xie, C., 2527
—; Jia, Y.; Xu, H.: Preparation and Thermal Properties of Hybrid Nanocomposites of Poly(methyl methacrylate)/Octavinyl Polyhedral Oligomeric Silsesquioxane Blends, 2684
Feng, Z. See Zhang, A., 1462
Fengxiang, L.
—; Yumei, D.; Hua, Y.; Changfeng, G.; Weimin, Y.: Multistep Analysis of the Mechanical Performance of an Air Spring, 1005
Fenollar, O. See López, R., 2992
Fernández, A. I. See Realinho, V., 2574
Fernández-Berridi, M. J. See Irusta, L., 2299
Fernández-Francos, X.
—; Salla, J. M.; Cadenato, A.; Morancho, J. M.; Serra, A.; Mantecón, A.; Ramis, X.: A New Strategy for Controlling Shrinkage of DGEBA Resins Cured by Cationic Copolymerization with Hydroxyl-Terminated Hyperbranched Polymers and Ytterbium Triflate as an Initiator, 2822
Feuchter, M. See Laske, S., 2253
Figueiredo, K. C. S.
—; Alves, T. L. M.; Borges, C. P.: Poly(vinyl alcohol) Films Crosslinked by Glutaraldehyde Under Mild Conditions, 3074
Finkenstadt, V. L. See Mohamed, A. A., 175; Mohamed, A., 114
Flohr, A. See Jockusch, S., 2163
Fontecha, A. See Irusta, L., 2299
Fouchet, B.
—: Diffusion of Mineral Oil in Styrene-Butadiene Polymer Films, 2886
Foy, E.
—; Farrell, J. B.; Higginbotham, C. L.: Synthesis of Linear Aliphatic Polycarbonate Macroglycols Using Dimethylcarbonate, 217
Francis, S.
—; Varshney, L.; Mitra, D.; Sabharwal, S.: Thermogravimetric Approach for Determining the Degree of Conversion in Radiation-Polymerized DAD-MAC, 668
Francolini, I. See Martinelli, A., 2669, 2675
Friesenbichler, W. See Laske, S., 2253
Fu, Q.
—; He, L.; Zhang, Q.; Amut, E.; Fang, Q.; Chang, C.: Uniformly Sized Molecularly Imprinted Polymers for On-Line Concentration, Purification, and Measurement of Nimodipine in Plasma, 2830
Fu, S.
—; Hu, W.; Xie, M.; Liu, Y.; Duanmu, Q.: Erasure Mechanisms of Polarization Holographic Gratings in Spirooxazine-Doped Polymer Films, 2157
Fu, T.
—; Zhong, S.; Cui, Z.; Zhao, C.; Shi, Y.; Yu, W.; Na, H.; Xing, W.: Sulfonated Poly(ether ether ketone)/Epoxy/Phenol Novolac Blend Proton-Exchange Membranes with Low Methanol Permeability, 1335
Fu, Z. See Chen, D., 1581
Fujitani, T. See Xia, W., 1869
Furukawa, M. See Watanabe, T., 551

Gan, S. N. See Chee, S. Y., 1185
Ganguly, A.
—; Bhowmick, A. K.: Quantification of Surface Forces of Thermoplastic Elastomeric Nanocomposites Based on Poly(styrene-ethylene-*co*-butylene-styrene) and Clay by Atomic Force Microscopy, 2104
Gao, H. See Wang, D., 2116
Gao, L. See Fang, S., 724
Gao, Z.
—; Wu, D.; Su, W.; Ding, X.: Polyurethane-Solid Wood Composites Prepared with Various Catalysts. I. Mechanical Properties and Dimensional Stabilities, 1293
García-González, C. A. See López-Periago, A., 291
García, D. See López, R., 2992
García, Y. See Irusta, L., 2299
Garmabi, H. See Javadi, A., 2691; Saeb, M. R., 1600
Gautam, N. See Kaur, I., 2460
Gawdzik, B. See Podkościelna, B., 1257
Gaymans, R. J. See Arun, A., 1780
Geißler, G. See Nase, M., 363
Geng, Y. See Zhao, Y., 1799
Ghaemy, M.
—; Barghamadi, M.: Synthesis of Polyamides from Substituted Fluorene and Diamides in the Presence of a Copper(I) Catalyst, 1588
Ghasemi-Mobarakeh, L. See Semnani, D., 317
Ghim, H. D. See Lee, H. W., 132
Ghimici, L.
—; Nichifor, M.: Transport Properties of Some Cationic Amphiphilic Polysaccharides: Effects of the Side-Chain Length and Solvent Polarity, 3031
Ghosh, S. See Sannigrahi, A., 2194
Goel, N. K. See Dubey, K. A., 1884
Gomathi, N.
—; Prasad, V. K.; Neogi, S.: Preparation and Characterization of Thin Films of the Poly(*p*-phenylene vinylene) Semiconducting Polymer, 1917
Gong, J. See Feng, T., 545
Gong, S. See Pilla, S., 37
González, A. See Irusta, L., 2299
González-Benito, J. See Castrillo, P. D., 2062
González, L.
—; Ramis, X.; Salla, J. M.; Mantecón, A.; Serra, A.: Anionic Copolymerization of Diglycidyl Ether of Bisphenol a with Meldrum's Acid Derivatives Initiated by 4-(*N*,*N*-Dimethylamino) Pyridine, 1805
Gopalakrishna, G. See Saraswathy, G., 2387
Gordon, S. H. See Mohamed, A., 114
Goyal, A. K. See Hooda, S., 2381

Goyal, R. K.
—; Jagadale, P. A.; Mulik, U. P.: Thermal, Mechanical, and Dielectric Properties of Polystyrene/Expanded Graphite Nanocomposites, 2071
Grellmann, W. See Nase, M., 363, 2245
Grijalva, H. See Rodríguez, F., 1216
Gschweitl, M. See Laske, S., 2253
G'sell, C. See Fayolle, B., 469
Guan, G. See Yuan, X., 566
Guan, J. See Zhou, J., 2477
Guang, S. See Yang, B., 2963
Guedea-Miranda, R. See Sánchez-Valdes, S., 953
Guerrero, S. See Davidenko, N., 2362
Gülfen, M. See Ertan, E., 2798
Gunari, N. See Shukla, S. K., 1300
Gunesoglu, C. See Orhan, M., 1344
Guo, B. See Fang, S., 724
Guo, F.
—; Zhang, Z.; Zhang, H.; Liu, W.: Tribological Behavior of Kevlar Fabric Composites Filled with Nanoparticles, 2419
Guo, J. See Yin, Y., 1353
Guo, L.
—; Liu, J.; Xing, G.; Wen, Q.: Adsorption and Desorption of Zinc(II) on Water-Insoluble Starch Phosphates, 1110
Guo, X. See Zhao, Y., 1799
Guorong, S.
—; Zhihai, C.: A New Polymerization Method and Kinetics for Acrylamide: Aqueous Two-phase Polymerization, 1409
Gupta, A.
—; Kumar, R.; Upadhyay, N. K.; Surekha, P.; Roy, P. K.: Synthesis, Characterization and Efficacy of Chemically Crosslinked PVA Hydrogels for Dermal Wound Healing in Experimental Animals, 1400
Gupta, R. K. See Reddy, M. M., 1426
Gupta, V. K. See Kaur, S., 87
Gurnule, W. B. See Mane, V. D., 3039
Guzmán, C. See Rivas, B. L., 78

Ha, C.-S. See Rao, K. S. V. K., 845
Hager, M. D. See Blankenburg, L., 1850
Haghighat, M. See Aghanouri, A., 945
Hakeim, O. A. See Abdoua, L. A. W., 1892
Han, C. See Jia, Z., 1530
Han, H.
—; Hong, C. K.; Hong, J.; Park, D. W.; Shim, S. E.: Synthesis of Poly(styrene-*co*-4-vinylpyridine) Microspheres via Dispersion Polymerization: Effect of the Concentration of 4-Vinylpyridine, 2900
Han, J. See Tan, H., 1936
Han, T.-H. See Su, Y.-J., 1615
Han, Y.
—; Lu, Y.: Preparation and Characterization of Exfoliated Organic Montmorillonite/Poly(3,4-Ethyldioxythiophene) Nanocomposites, 2400
Hao, E.-X. See Wang, R.-M., 1999
Hao, Y. See Bo, Y., 1900
Harris, T. A. L.
—; Walczyk, D.: A Study of the Rheological Behavior of High-Temperature Polymer Electrolyte Membrane Solutions, 1286
Harper, D. P.
—; Laborie, M.-P. G.; Wolcott, M. P.: The Impact of Polypropylene-*graft*-Maleic Anhydride on the Crystallization and Dynamic Mechanical Properties of Isotactic Polypropylene, 753
Hasan, M. M. B.
—; Dutschk, V.; Brünig, H.; Mäder, E.; Häussler, L.; Hässler, R.; Cherif, Ch.; Heinrich, G.: Comparison of Tensile, Thermal, and Thermo-Mechanical Properties of Polyester Filaments Having Different Cross-Sectional Shape, 805
Hassan, E. A. See Elzatahry, A. A., 2452; Eldin, M. S. M., 2647
Hassan, M. A. See Ariffin, H., 323
Hässler, R. See Hasan, M. M. B., 805
Häussler, L. See Hasan, M. M. B., 805
Hazer, B. See Macit, H., 2308
He, L. See Fu, Q., 2830
He, S. See Yin, Y., 1353
He, X.
—; Liang, L.; Wang, K.; Lin, S.; Yan, D.; Zhang, Y.: A New Synthetic Approach to Asymmetric Amphiphilic ABA′ Block Copolymers by ATRP and Click Reactions, 560
He, Y.-F. See Wang, R.-M., 1999
Hegemann, D. See Hossain, M. M., 2545
Heinrich, G. See Hasan, M. M. B., 805
Herrmann, A. S. See Hossain, M. M., 2545
Higginbotham, C. L. See Foy, E., 217
Hinchiranan, N.
—; Lertweerasirikun, W.; Poonsawad, W.; Rempel, G. L.; Prasassarakich, P.: Cure Characteristics and Mechanical Properties of Hydrogenated Natural Rubber/Natural Rubber Blends, 2813
Hirth, T. See Roelofs, K. S., 2998
Hiver, J. M. See Fayolle, B., 469
Ho, C.-C.
—; Dai, C.-A.; Su, W.-F.: High Yield Synthesis of Diverse Well-Defined End-Functionalized Polymers by Combination of Anionic Polymerization and "Click" Chemistry, 1571
Hobbs, G. See Majumder, K. K., 2657
Hojjati, M. See Chen, J. H., 2318
Hong, C. K. See Han, H., 2900
Hong, J. See Han, H., 2900
—; Huang, J.; Liu, S.; Yu, J.; Luo, S.: Stability and Activity of Chymotrypsin Immobilized on Magnetic Nanogels Covered with Carboxyl Groups, 2844
Hongsheng, W. See Xiaoqiang, L., 1564
Hooda, S.
—; Goyal, A. K.; Brar, A. S.: Stereochemical Elucidation of Complex α-Methyl and β-Methylene Carbon Resonances in Poly(2-hydroxy ethyl methacrylate-*co*-methacrylonitrile) by 2D NMR, 2381
Hossain, M. M.
—; Müssig, J.; Herrmann, A. S.; Hegemann, D.: Ammonia/Acetylene Plasma Deposition: An Alternative Approach to the Dyeing of Poly(ethylene terephthalate) Fabrics at Low Temperatures, 2545
Hovorka, S. See Randová, A., 1745
Hruby, M.
—; Kucka, J.; Mackova, H.; Konak, C.; Vetrik, M.; Kozempel, J.; Lebeda, O.: New Binary Thermoresponsive Polymeric System for Local Chemoradiotherapy, 2220
Hsieh, F.-H. See Tu, Y.-C., 1311
Hu, C. See Zhang, Y., 651
Hu, J. See Meng, Q., 1156
Hu, J.-S. See Zhang, B.-Y., 3016
Hu, W. See Fu, S., 2157
Hu, Y. See Meng, Q., 1156
—; Wang, B.; Su, Z.: Synthesis and Properties of a New Green Water-Soluble Polymer for Proton and Metal-Cation Sensing, 1931
Hua, Y. See Fengxiang, L., 1005
Huang, C.-L. See Lin, K.-Y., 1501

Huang, G. See Zhang, P., 673
Huang, H. See Yin, Y., 1353
Huang, H.-J. See Huang, J.-M., 628
Huang, H.-X.
—; Zhang, J.-J.: Effects of Filler–Filler and Polymer–Filler Interactions on Rheological and Mechanical Properties of HDPE–Wood Composites, 2806
Huang, J. See Chang, P. R., 619; Hong, J., 2844
Huang, J.-M.
—; Kuo, S.-W.; Huang, H.-J.; Wang, Y.-X.; Chen, Y.-T.: Preparation of VB-a/POSS Hybrid Monomer and Its Polymerization of Polybenzoxazine/POSS Hybrid Nanocomposites, 628
Huang, L. See Li, M., 2715
Huang, M. See Qi, R., 1069
Huang, W. See Li, W., 1449
Huang, W.-J.
—; Lee, W.-F.: Effect of Silane Coupling Agent on Swelling Behaviors and Mechanical Properties of Thermosensitive Hybrid Gels, 2025
Huang, X. See Miao, Q., 3137; Yang, J., 2751
Huang, Y.-C.
—; Royappa, A. T.; Tundel, S.; Tsukamoto, K.; Sharma, V.: Biocompatibility of Polyglycidol with Human Peripheral Blood Mononuclear Cells, 2275
Huang, Z. See Feng, T., 545
Hussain, M. R. See Maji, T. K., 779
Hussein, I. See Umar, Y., 125
Hwang, T. S. See Son, B., 2892

Ibanescu, C. See Rusu, M. C., 2493
Ibarzabal, A. See Irusta, L., 2299
Ichim, I. C. See Rusu, M. C., 2493
Imam, S. H. See Rosa, M. F., 612
Inagaki, N.
—; Kimura, H.: Electroless Copper Plating on Acrylonitrile Butadiene Styrene Material Surfaces Without Chromic Acid Etching and a Palladium Catalyst, 1034
Inoue, M.
—; Tada, Y.; Suganuma, K.; Ishiguro, H.: Variations in Polymeric Structure of Ferroelectric Poly(vinylidene fluoride) Films During Annealing at Various Temperatures, 2837
Iranmehr, Gh. See Shabani, I., 1670
Iruin, J. J. See Irusta, L., 2299
Irusta, L.
—; González, A.; Fernández-Berridi, M. J.; Iruin, J. J.; Asúa, J. M.; Albizu, I.; Ibarzabal, A.; Salmerón, A.; Espi, E.; Fontecha, A.; García, Y.; Real, A. I. Migration of Antifog Additives in Agricultural Films of Low-Density Polyethylene and Ethylene-Vinyl Acetate Copolymers, 2299
Ishiguro, H. See Inoue, M., 2837
Işıklan, N. See Şanlı, O., 2731
Ismail, J. See Ong, S., 3094
Iwamura, T. See Jockusch, S., 2163
Izák, P. See Randová, A., 1745

Jagadale, P. A. See Goyal, R. K., 2071
Jain, A. K. See Singh, H., 1115
Jana, T. See Sannigrahi, A., 2194
Jape, S. See Deshpande, V. D., 1318
Jarvi, P. See Xie, H., 2468
Javadi, A.
—; Mohammadi, N.; Garmabi, H.; Pourrahimi, A. M.; Mashayekhi, J.: Influence of Impact Load-Temperature Conformity on Toughening of Poly(vinyl chloride) by Core-Shell Rubber Particles, 2691
Jayashree, V. See Sukumar, P., 19
Jayendran, S. See Praveen, S., 264
Jegal, J. See Choi, J.-H., 2186
Ji, C.
—; Qu, R.; Xu, Q.; Sun, C.; Wang, C.; Cheng, Y.; Song, Y.: Macroporous Chelating Resins Incorporating Heterocyclic Functional Groups via Hydrophilic Poly(ethylene oxide) Spacer Arms. II. Adsorption Properties, 2148
Jia, R. See Xu, C., 1763
Jia, Y. See Feng, Y., 2684
Jia, Z.
—; Zhang, K.; Tan, J.; Han, C.; Dong, L.; Yang, Y.: Crystallization Behavior and Mechanical Properties of Crosslinked Plasticized Poly(L-lactic Acid), 1530
Jiang, H. See Cui, H., 3144
Jiang, P. See Zheng, Y., 917
Jiang, T.
—; Du, W.; Zhang, L.; Song, X.; Zhang, G.; Ning, Y.: Copolymerization of Ethylene and Propylene Catalyzed by Novel Magnesium Chloride Supported, Vanadium-Based Catalysts, 2625
Jiang, W. See Wang, D., 2116
Jiang, Z. See Wang, D., 2116
Jin, F. See Kawasaki, S., 461
Jin, S. H.
—; Kang, C. H.; Yoon, K. H.; Bang, D. S.; Park, Y.-B.: Effect of Compatibilizer on Morphology, Thermal, and Rheological Properties of Polypropylene/Functionalized Multi-Walled Carbon Nanotubes Composite, 1028
Jockusch, S.
—; Turro, N. J.; Mitsukami, Y.; Matsumoto, M.; Iwamura, T.; Lindner, T.; Flohr, A.; di Massimo, G.: Photoinduced Surface Crosslinking of Superabsorbent Polymer Particles, 2163
Johnston, A. See Chen, J. H., 2318
Jones, I. A. See Khan, R. A., 246
Jong, L. See Byars, J. A., 2049
Jongvisuttisun, P. See Rimdusit, S., 1225
Jubsilp, C. See Rimdusit, S., 1225
Jung, M.-s. See Zhang, H.-x., 2697

Kagemoto, M. See Matsuguchi, M., 1086
Kakati, D. K. See Deka, S. R., 3089
Kaliske, M. See Nase, M., 363
Kamal, M. R. See Lee, K.-W. D., 396
Kampa, A. See Roelofs, K. S., 2998
Kang, C. H. See Jin, S. H., 1028
Kang, G. B.
—; Kim, M. H.; Son, Y.; Park, O. O.: Extrusion Coating Performances of iPP/LDPE Blends, 3121
Kaniappan, K.
—; Murugavel, S. C.: Photocrosslinkable Phosphorus Containing Homo- and Copolyesters: Synthesis, Characterization, and Photosensitive Properties, 1606
Karaca, İ. See Şanlı, O., 2731
Karaman, F. See Celik, O., 1328
Karesoja, M. See Xie, H., 2468
Kariduraganavar, M. Y. See Varghese, J. G., 2408
Karim, M. R. See Lee, H. W., 132
Kasanen, J.
—; Suvanto, M.; Pakkanen, T. T.: Self-Cleaning, Titanium Dioxide Based, Multilayer Coating Fabricated on Polymer and Glass Surfaces, 2597
Katbab, A. A. See Sabet, S. S., 1954
Kaur, I.
—; Bhalla, T. C.; Deepika, N.; Gautam, N.: Study of the

Biodegradation Behavior of Soy Protein-Grafted Polyethylene by the Soil Burial Method, 2460

Kaur, S.
—; Singh, G.; Kothari, A. V.; Gupta, V. K.: Methyl Acrylate/1-Octene Copolymers: Lewis Acid-Mediated Polymerization, 87

Kawasaki, S.
—; Yamada, M.; Kobori, K.; Sakamoto, H.; Kondo, Y.; Jin, F.; Takata, T.: Preparation of a Novel Alloy Composed of Fluorene-Based Polyester and Polycarbonate and their Properties for the Optical Uses, 461

Keranov, I.
—; Vladkova, T. G.; Minchev, M.; Kostadinova, A.; Altankov, G.; Dineff, P.: Topography Characterization and Initial Cellular Interaction of Plasma-Based Ar^+ Beam-Treated PDMS Surfaces, 2637

Ketdee, S. See Anantawaraskul, S., 2260

Khan, R. A.
—; Parsons, A. J.; Jones, I. A.; Walker, G. S.; Rudd, C. D.: Surface Treatment of Phosphate Glass Fibers Using 2-Hydroxyethyl Methacrylate: Fabrication of Poly(caprolactone)-Based Composites, 246

Khandelwal, A.
—; Singhania, M.; Vinjamur, M.: Optimization of Operating Conditions in a Single-Zone Drier for Two-Layer Polymer Coatings, 308

Khang, G. See Kim, B. S., 1706

Khil, M.-S. See Bajgai, M. P., 1540

Kilmartin, P. A. See Sui, J., 876

Kilpelainen, I. See Xie, H., 2468

Kim, B. K. See Park, S. H., 1828

Kim, B. S.
—; Oh, J. M.; Cho, J. S.; Lee, S. H.; Lee, B.; Khang, G.; Lee, H. B.; Kim, M. S.: Comparison of Micelles Formed by Amphiphilic Poly(ethylene glycol)-*b*-Poly(trimethylene carbonate) Star Block Copolymers, 1706

Kim, D. S. See Lee, H., 2769

Kim, E. Y. See Park, S. H., 1828

Kim, H. Y. See Bajgai, M. P., 1540

Kim, H.-J. See Do, H.-S., 1172

Kim, J. See Kim, J. Y., 1878

Kim, J. H.
—; Solid-State Polymerization of Bisphenol A Polycarbonate with a Spray-Crystallizing Method, 883

Kim, J.-H. See Moon, J. R., 998

Kim, J. K. See Xu, D., 1358

Kim, J.-K.
—; Taki, K.; Nagamine, S.; Ohshima, M.: Preparation of a Polymeric Membrane with a Fine Porous Structure by Dry Casting, 2518

Kim, J. Y.
—; Kim, N. S.; Patil, P. S.; Ahn, K. D.; Kim, J.; Kim, T. H.: Novel Piperidinium Salts as Latent Initiators for Cationic Polymerization of Epoxide and Vinyl Ether, 1878

Kim, K. See Lee, H. W., 132

Kim, M. H. See Kang, G. B., 3121; Moon, H. S., 237

Kim, M. S. See Kim, B. S., 1706

Kim, N. S. See Kim, J. Y., 1878

Kim, S. H. See Kim, S. Y., 642

Kim, S. Y.
—; Kim, S. H.; Oh, H. J.; Lee, S. H.; Baek, S. J.; Youn, J. R.; Lee, S. H.; Kim, S.-W.: Molded Geometry and Viscoelastic Behavior of Film Insert Molded Parts, 642

Kim, S.-W. See Kim, S. Y., 642

Kim, N. H. See Li, P., 1786

Kim, T. H. See Kim, J. Y., 1878

Kim, W.-N. See Choi, J.-H., 2186

Kimmer, D.
—; Slobodian, P.; Petráš, D.; Zatloukal, M.; Olejník, R.; Sáha, P.: Polyurethane/Multiwalled Carbon Nanotube Nanowebs Prepared by an Electrospinning Process, 2711

Kimura, H. See Inagaki, N., 1034

King, A. See Xie, H., 2468

Kishi, A.
—; Tanaka, M.; Mochizuki, A.: Comparative Study on Water Structures in PolyHEMA and PolyMEA by XRD-DSC Simultaneous Measurement, 476

Kissin, Y. V.
—; Schwab, F. C.: Post-Oligomerization of α-Olefin Oligomers: A Route to Single-Component and Multicomponent Synthetic Lubricating Oils, 273

Kittur, A. A. See Varghese, J. G., 2408

Klein, A. See Saygı-Arslan, Ö., 735

Klemm, E. See Blankenburg, L., 1850

Ko, T.-H. See Su, Y.-J., 1615

Kobori, K. See Kawasaki, S., 461

Köleli, F. See Düdükcü, M., 1496

Kolská, Z. See Randová, A., 1745

Konak, C. See Hruby, M., 2220

Kondo, Y. See Kawasaki, S., 461

Kong, Y.
—; Shao, J.; Wang, W.; Chen, Z.; Chu, H.: Surface Modification and Metallization of Polyimide Using Gold Colloids as a Seed Layer, 2044

Konovalova, V. See Nigmatullin, R., 1697

Konstantinova, T. N.
—; Miladinova, P. M.: Synthesis and Properties of Some Fluorescent 1,8-Naphthalimide Derivatives and Their Copolymers with Methyl Methacrylate, 1991

Kostadinova, A. See Keranov, I., 2637

Kotaki, M. See Chan, K. H., 408

Kothari, A. V. See Kaur, S., 87

Kouisni, L.
—; Rochefort, D.: Confocal Microscopy Study of Polymer Microcapsules for Enzyme Immobilisation in Paper Substrates, 1

Koul, V. See Mohamed, R., 1478

Kozempel, J. See Hruby, M., 2220

Kozlov, G. V. See Zaikov, G. E., 2621
—; Shustov, G. B.; Zaikov, G. E.: The Fractal Analysis of Copolymerization Processes, 3026

Kraatz, H.-B. See Appoh, F. E., 709

Kracalik, M. See Laske, S., 2253

Ku, B.-C. See Moon, S., 301

Kuang, D. See Cheong, M. Y., 2353

Kucka, J. See Hruby, M., 2220

Küçükyavuz, Z. See Yılmaz, F., 680

Kuila, B. K.
—; Nandi, A. K.: Poly(3-dodecyl thiophene)—Organically Modified Montmorillonite Clay Nanocomposites: Influence of Chain Regioregularity and Preparation Condition on Physical, Mechanical, Optical, and Conductivity Properties, 155

Kuila, T.
—; Srivastava, S. K.; Bhowmick, A. K.: Rubber/LDH Nanocomposites by Solution Blending, 635

Kulkarni, R. A. See Shukla, S. K., 1300

Kumar, B. S. See Murali, M., 2562

Kumar, M. N. S.
—; Siddaramaiah: Thermogravimetric Analysis and Morphological Behavior of Melamine-Formaldehyde Filled Polyvinyl

Acetate—Polyester Nonwoven Fabric Composites, 1165
Kumar, R. See Gupta, A., 1400
—; Wang, L.; Zhang, L.: Structure and Mechanical Properties of Soy Protein Materials Plasticized by Thiodiglycol, 970
Kumar, V. See Dubey, K. A., 1884
Kumaraswamy, G. N. See Ranganathaiah, C., 577
Kundu, P. P. See Sharma, V., 1816
Kuo, J.-F. See Chen, K.-Y., 371
Kuo, J.-K.
—; Chang-Jian, C.-W.; Chen, C.-K.: Numerical Investigation of the Performance and Transport Phenomena of a Proton-Exchange Membrane Fuel Cell with a Wavelike Gas Flow Channel Design, 1440
Kuo, S.-W. See Huang, J.-M., 628
Kut, D. See Orhan, M., 1344
Kytopoulos, V. N. See Sideridis, E., 203
Kyu, T. See Pérez, L. D., 2229

Laborie, M.-P. G. See Harper, D. P., 753
Lalnuntluanga, J. See Sannigrahi, A., 2194
Langecker, G. R. See Laske, S., 2253
Langer, B. See Nase, M., 363, 2245
Lardjane, N.
—; Belhaneche-Bensemra, N.: Migration of Additives in Simulated Landfills and Soil Burial Degradation of Plasticized PVC, 525
Laske, S.
—; Kracalik, M.; Gschweitl, M.; Feuchter, M.; Maier, G.; Pinter, G.; Thomann, R.; Friesenbichler, W.; Langecker, G. R.: Estimation of Reinforcement in Compatibilized Polypropylene Nanocomposites by Extensional Rheology, 2253
Lau, E. See Zhou, W., 255
Lebeda, O. See Hruby, M., 2220
Lee, B. See Kim, B. S., 1706
Lee, C.-S. See Son, B., 2892
Lee, D. R. See Bajgai, M. P., 1540
Lee, D. W. See Park, S. H., 1828
Lee, D.-h. See Zhang, H.-x., 2697
Lee, E. M. See Park, S. H., 1828
Lee, H.
—; Kim, D. S.: Preparation and Physical Properties of Wood/Polypropylene/Clay Nanocomposites, 2769
Lee, H. B. See Kim, B. S., 1706
Lee, H. J.
—; Ramaraj, B.; Yoon, K. R.: Esterification on Solid Support by Surface-Initiated Ring-Opening Polymerization of ε-Caprolactone from Benzylic Hydroxyl-Functionalized Wang Resin Bead, 839
Lee, H. W.
—; Karim, M. R.; Park, J. H.; Ghim, H. D.; Choi, J. H.; Kim, K.; Deng, Y.; Yeum, J. H.: Poly(vinyl alcohol)/Chitosan Oligosaccharide Blend Submicrometer Fibers Prepared from Aqueous Solutions by the Electrospinning Method, 132
Lee, J.-H. See Li, P., 1786
Lee, K.-W. D.
—; Chan, P. K.; Kamal, M. R.: Determination of the Phase Diagram of HBA-HNA Liquid Crystalline Polymer/Polycarbonate Blends, 396
Lee, S. H. See Kim, B. S., 1706; Kim, S. Y., 642
Lee, S. K. See Park, S. H., 1828
Lee, W.-F. See Huang, W.-J., 2025
Lei, Z.
—; Yang, Q.; Wu, S.; Song, X.: Reinforcement of Polyurethane/Epoxy Interpenetrating Network Nanocomposites with an Organically Modified Palygorskite, 3150
Lei, Z.-Q. See Wang, R.-M., 1999
Leng, J. Q. See Xiong, X. Y., 2445
Lertweerasirikun, W. See Hinchiranan, N., 2813
Li, B. See Li, W., 1449; Yin, Y., 1353
Li, C. See Lu, Y., 3050; Wang, J., 746; Wang, Q., 1417; Yang, B., 2963; Yuan, X., 566
Li, C.-X. See Tan, K.-L., 63
Li, D. See Yu, M., 2761
Li, H. See Wang, J., 746; Xie, M., 890; Xu, X., 1523; Yang, L., 988
Li, H.-S. See Zhao, X.-J., 2210
Li, J. See Xie, C., 2527; Yang, B., 2963
—; Chen, P.; Ma, Z.; Ma, K.; Wang, B.: Reaction Kinetics and Thermal Properties of Cyanate Ester-Cured Epoxy Resin with Phenolphthalein Poly(ether ketone), 2590
Li, K.
—; Zhang, J.; Zhang, Z.-W.; Xiang, Y.-Z.; Lin, H.-H.; Yu, X.-Q.: Immobilization Cyclen Copper (II) on Merrifield Resin: Efficient Oxidative Cleavage of Plasmid DNA, 2485
Li, K. C. See Sui, J., 876
Li, L. See Chen, T., 1775
—; Yan, G.; Wu, J.: Modification of Polysulfone Membranes via Surface-Initiated Atom Transfer Radical Polymerization and Their Antifouling Properties, 1942
—; Yin, J.; Costa, G.; Stagnaro, P.: Preparation and Physical Properties of LLDPE Grafted with Novel Nonionic Surfactants, 1268
Li, M.
—; An, Q.; Huang, L.; Yang, G.; Wang, Q.: Synthesis of *N*-β-Aminoethyl-γ-aminopropyl Polydimethyl-*co*-polydiphenylsiloxane and Its Film Morphology and Orientation, 2715
Li, P.
—; Kim, N. H.; Yoo, G.-H.; Lee, J.-H.: Poly(Acrylamide/laponite) Nanocomposite Hydrogels: Swelling and Cationic Dye Adsorption Properties, 1786
Li, Q. See Zhou, J., 2477
Li, R. See Zhou, J., 2477
—; Zhang, X.; Zhou, L.; Dong, J.; Wang, D.: *In Situ* Compatibilization of Polypropylene/Polystyrene Blend by Controlled Degradation and Reactive Extrusion, 826
Li, S. See Wang, Q., 1417; Yang, J., 2751
Li, W. See Qiao, X., 2908; Xu, W., 2204; Yang, J., 2751; Yin, Y., 1353; Zhou, W., 255
—; Tu, W.; Cao, D.: Synthesis of Thermoresponsive Polymeric Micelles of PNIPAAm-*b*-OMMa as a Drug Carrier for Loading and Controlled Release of Prednisolone, 701
—; Zhu, M.; Ding, X.; Li, B.; Huang, W.; Cao, H.; Yang, Z.; Yang, H.: Studies on Electro-Optical Properties of Polymer matrix/LC/SiO_2 Nanoparticles Composites, 1449
Li, X. See Li, Y., 1454; Zhao, L., 3104
Li, Y. See Liu, K., 1976; Xu, C., 1763; Zou, Y., 978
—; Yang, S.; Liu, H.; Li, X.; Dai, Z.; Zhao, N.; Xu, J.: Polymethylsilsesquioxane and Hydroxyl-Terminated Polydimethylsiloxane Composite: Vapor Incubation before Thermal Curing, 1454

Li, Y.-H. See Wang, J.-W., 2078
Li, Y. P. See Xiong, X. Y., 2445
Li, Y. Y.
—; Chen, X. G.; Zhang, J.; Liu, C. S.; Xue, Y. P.; Sun, G. Z.; Zhang, W. F.: *In Vitro* release of Rifampicin and Biocompatibility of Oleoylchitosan Nanoparticles, 2269
Li, Z. L. See Xiong, X. Y., 2445
Li, Z.-M. See Ye, L., 2372
Liang, L. See He, X., 560
Liang, M. See Lin, K.-Y., 1501
Liang, Y. See Yu, M., 2761
Lim, C. H. See Park, S. H., 1828
Lin, H.-H. See Li, K., 2485
Lin, J.-H. See Su, Y.-J., 1615
Lin, K.-Y.
—; Su, C.-T.; Wang, L.-J.; Huang, C.-L.; Liang, M.: New Manganese Catalyzed Regiocontrolled Synthesis of Poly(2,5-dialkyl-1,4-Phenylene Oxide)s, 1501
Lin, S. See He, X., 560
Lindner, T. See Jockusch, S., 2163
Ling, Q.
—; Sun, J.; Zhao, Q.; Zhou, Q.: Microwave-Absorbing Properties of Linear Low-Density Polyethylene/Ethylene–Octene Copolymer/Carbonyl Iron Powder Composites, 1911
Linh, N. T. T. See Pramoda, K. P., 2938
Liu, A.-H. See Zhang, L.-L., 168
Liu, B. See Xia, W., 1869
Liu, C. See Zhang, B.-Y., 3016
Liu, C. S. See Li, Y. Y., 2269
Liu, D. See Tian, H., 1549; Wang, S., 1151
Liu, G. See Zang, Y., 813; Zhang, F., 2930
—; Zhang, H.; Yang, X.; Wang, Y.: Facile Synthesis of Functional Silica/Polymer Composite Materials and Hydrophilic Hollow Polymer Microspheres, 1964
Liu, H. See Dai, L., 1057; Li, Y., 1454; Wang, Q., 1417
Liu, J. See Guo, L., 1110; Min, T., 444; Shang, H., 1594
Liu, J.-G. See Zhao, X.-J., 2210
Liu, K.
—; Li, Y.; Yang, M.: Novel 1,4-Diketo-3,6-diphenyl pyrrolo[3,4-c]pyrrole (DPP)-based Copolymers with Large Stokes Shift, 1976
Liu, L. See Bai, H., 1624; Wei, Z., 429
Liu, P.-J. See Yao, R.-S., 358
Liu, Q. See Qi, R., 1069
Liu, S. See Hong, J., 2844; Zhou, J., 2477
Liu, T. See Pramoda, K. P., 2938
Liu, W. See Guo, F., 2419
Liu, X. See Xu, W., 2204
Liu, X.-M. See Ye, L., 2372
Liu, Y. See Fu, S., 2157; Miao, Q., 3137
Liu, Z. See Zhang, P., 673
Lobo, V. M. M. See Pereira, R. F. P., 1947
Lohi, A. See Tendulkar, J., 380
López, B. L. See Pérez, L. D., 2229
López, J. F. See Pérez, L. D., 2229
López, R.
—; Sanchis, R.; García, D.; Fenollar, O.; Balart, R.: Surface Characterization of Hydrophilic Coating Obtained by Low-Pressure CH_4—O_2 Plasma Treatment on a polypropylene Film, 2992
López-Periago, A.
—; García-González, C. A.; Domingo, C.: Solvent- and Thermal-Induced Crystallization of Poly-L-Lactic Acid in Supercritical CO_2 Medium, 291
Lu, F. See Xu, T., 3128
Lu, G. See Zhang, J., 2092
Lu, H.-Y. See Chen, C.-H., 1433
Lu, W. See Zeng, Z., 437
Lu, Y. See Han, Y., 2400
—; Tan, K.; Sun, A.; Li, C.; Wang, Z.: Preparation of Microporous Particles of Isotactic Polypropylene via a Thermally Induced Phase Separation Method, 3050
Lu, Y.-Z. See Tan, K.-L., 63
Lu, Z. See Chen, F., 508; Xie, C., 2527
Lu, Z.-Q. See Yao, Z., 2553
Lummer, N. R. See Plank, J., 2018
Lundmark, S. See Andersson, A., 2290
Luo, R. See Ni, C., 1720
Luo, S. See Hong, J., 2844
Luo, Y. See Wu, W., 730

Ma, G.-H. See Zhao, Y.-J., 1638
Ma, K. See Li, J., 2590
Ma, W.
—; Chen, S.; Zhang, J.; Wang, X.; Miao, W.: Membrane Formation of Poly(vinylidene fluoride)/Poly(methyl Methacrylate)/Diluents via Thermally Induced Phase Separation, 1235
Ma, Z. See Li, J., 2590
Macit, H.
—; Hazer, B.; Arslan, H.; Noda, I.: The Synthesis of PHA-*g*-(PTHF-*b*-PMMA) Multiblock/Graft Copolymers by Combination of Cationic and Radical Polymerization, 2308
Mackova, H. See Hruby, M., 2220
Mäder, E. See Hasan, M. M. B., 805
Mae, H.
—: Characterization of Material Ductility of PP/EPR/talc Blend Under Wide Range of Stress Triaxiality at Intermediate and High Strain Rates, 854
Magnusson, A. See Andersson, A., 2290
Mahapatra, S. P. See Xu, D., 1358
Maier, G. See Laske, S., 2253
Maiti, M.
—; Bhowmick, A. K.: Synthesis and Properties of New Fluoroelastomer Nanocomposites from Tailored Anionic Layered Magnesium Silicates (hectorite), 1094
Maiti, P. K.
—: An Antitracking Varnish for Rated Electrical Application, 3065
Maji, T. K.
—; Hussain, M. R.: Microencapsulation of *zanthoxylum limonella* Oil (ZLO) in Genipin Crosslinked Chitosan–Gelatin Complex for Mosquito Repellent Application, 779
Majumder, K. K.
—; Ding, Y.; Hobbs, G.; Bhattacharya, S. N.: Prediction and Experimental Verification of Bubble and Processing Characteristics in Blown-Film Extrusion, 2657
Malek, F.
—; Radi, S.: Transport Abilities of New Synthesised Membrane Materials Incorporating Tetrapyrazolic Tripods, 57
Mallakpour, S.
—; Meratian, S.: Preparation and Characterization of Thermostable Chiral Extended Polyamides Bearing *N*-Phthaloyl-L-leucine Pendent Architectures in Green Media, 1209
Malmonge, J. A.
—; Camillo, E. C.; Moreno, R. M. B.; Mattoso, L. H. C.; McMahan, C. M.: Comparative Study on the Technological Properties of Latex and Natural Rubber from

Hancornia Speciosa Gomes and *Hevea Brasiliensis*, 2986
Malviya, T. See Singh, V., 539
Mandal, P. K.
—; Chakraborty, D.: Studies on Morphology, Mechanical, Thermal, and Dynamic Mechanical Behavior of Extrusion Blended Polypropylene and Thermotropic Liquid Crystalline Polymer in Presence of Compatibilizer, 2345
Mane, V. D.
—; Wahane, N. J.; Gurnule, W. B.: Copolymer Resin. VII. 8-Hydroxyquinoline-5-sulfonic Acid–Thiourea–Formaldehyde Copolymer Resins and Their Ion-Exchange Properties, 3039
Mantecón, A. See Fernández-Francos, X., 2822; González, L., 1805
Mao, B. See Wang, S., 1151
Marcovich, N. E. See Pereda, M., 2777
Mariani, C. M. See Calcagno, C. I. W., 29
Martínez-Gutiérrez, H. See Ovando-Medina, V. M., 329
Martínez-Richa, A. See Trejo-Durán, M., 794
Martinelli, A.
—; Tighzert, L.; D'Ilario, L.; Francolini, I.; Piozzi, A.: Poly(vinyl acetate)/Polyacrylate Semi-Interpenetrating Polymer Networks, Part 1: Synthesis and Polymerization Kinetics, 2669
—; Tighzert, L.; D'Ilario, L.; Francolini, I.; Piozzi, A.: Poly(vinyl acetate)/Polyacrylate Semi-Interpenetrating Polymer Networks. II. Thermal, Mechanical, and Morphological Characterization, 2675
Maruyama, T. See Arahman, N., 1653
Mashayekhi, J. See Javadi, A., 2691
Matsuguchi, M.
—; Kagemoto, M.: Toluene-Vapor Sorption of Chemically Modified Methyl Methacrylate-*co*-Chloromethyl Styrene Copolymers with *N,N,*-Dimethyl-1,3-Propanediamine Measured with a Quartz Crystal Microbalance, 1086
Matsumoto, M. See Jockusch, S., 2163
Matsuyama, H. See Arahman, N., 1653
Matthews, W. G. See Peramo, A., 70
Mattoso, L. H. C. See Malmonge, J. A., 2986; Rosa, M. F., 612
Mauler, R. S. See Calcagno, C. I. W., 29
Maureira, A. See Rivas, B. L., 78
Maurer, F. H. J. See Andersson, A., 2290
Maziad, N. A.
—; Abd El-Aal, S. E.; El-Kelesh, N. A.: Equilibrium Adsorption Isotherm and Controlled Release of Antibiotic Drug Chloroamphenicol from Poly(2-vinyl pyridine/acrylic acid) Hydrogels Prepared by Gamma Radiation, 1369
McDaniel, M. P. See McDaniel, N. D., 589
McDaniel, N. D.
—; McDaniel, M. P.; Balzano, L.; Resasco, D. E.: Silica Supported Single-Walled Carbon Nanotubes as a Modifier in Polyethylene Composites, 589
McMahan, C. M. See Malmonge, J. A., 2986
Meads, M. B. See Peramo, A., 70
Medeiros, E. S. See Rosa, M. F., 612
Medellín-Rodríguez, F. J. See Sánchez-Valdes, S., 953
Mehawed, M. A. See Mohamed, O. A., 1488
Meifang, Z. See Bo, Y., 1900
Meira, G. R. See Casis, N., 1508
Mendizábal, E. See Ovando-Medina, V. M., 329
Meng, F.-B. See Wang, J.-W., 2078
Meng, Q.
—; Hu, J.; Yeung, L. Y.; Hu, Y.: The Influence of Heat Treatment on the Properties of Shape Memory Fibers. II. Tensile Properties, Dimensional Stability, Recovery Force Relaxation, and Thermomechanical Cyclic Properties, 1156
Meng, X.-Y. See Ye, L., 2372
Meratian, S. See Mallakpour, S., 1209
Miao, Q.
—; Huang, X.; Cheng, Y.; Liu, Y.; Zong, L.; Cheng, Y.: Fluorescent Chemosensor Based on the Conjugated Polymer Incorporating 2,2′-Bipyridyl Moiety for Transition Metal Ions, 3137
Miao, W. See Ma, W., 1235
Michielsen, S. See Begenir, A., 1246
Mikitaev, A. K. See Zaikov, G. E., 2621
Miladinova, P. M. See Konstantinova, T. N., 1991
Milani, G.
—: Optimization of Power Cable Production Lines for EPM/EPDM Elastomers by Genetic Algorithm with Different Peroxides, 482
Milani, F. See Milani, G., 482
Min, T.
—; Ye, H.; Zhang, P.; Liu, J.; Zhang, C.; Shen, W.; Wang, W.; Shen, L.: Water-Soluble Poly(ethylene glycol) Prodrug of Pemetrexed: Synthesis, Characterization, and Preliminary Cytotoxicity, 444
Minchev, M. See Keranov, I., 2637
Ming, H. See Wu, W., 730
Mirabedini, M. See Salimi, A., 2703
Mishra, D. K. See Srivastava, A., 2872
Mitchell, B. S. See Moster, A. L., 1144
Mitra, D. See Francis, S., 668
Mitsukami, Y. See Jockusch, S., 2163
Miyazaki, K.
—; Moriya, K.; Okazaki, N.; Terano, M.; Nakatani, H.: Cellulose/Polypropylene Composites: Influence of the Molecular Weight and Concentration of Oxidatively Degraded and Maleated Polypropylene Compatibilizers on Tensile Behavior, 1835
Mochizuki, A. See Kishi, A., 476
Modak, J. M. See Chanda, M., 2741
Mohamed, A.
—; Finkenstadt, V. L.; Rayas-Duarte, P.; Debra E, P.; Gordon, S. H.: Thermal Properties of Extruded and Injection-Molded Poly(lactic acid)-Based Cuphea and Lesquerella Bio-composites, 114
Mohamed, A. A.
—; Finkenstadt, V. L.; Palmquist, D. E.; Rayas-Duarte, P.: Thermal Properties of Extruded Injection-Molded Poly(lactic acid) and Milkweed Composites: Degradation Kinetics and Enthalpic Relaxation, 175
Mohamed, O. A.
—; Moustafa, A. B.; Mehawed, M. A.; El-Sayed, N. H.: Styrene and Butyl Methacrylate Copolymers and Their Application in Leather Finishing, 1488
Mohamed, R.
—; Choudhary, V.; Koul, V.: Synthesis and Characterization of Biodegradable Interpenetrating Polymer Networks Based on Gelatin and Divinyl Ester Synthesized from Poly(caprolactone diol), 1478
Mohammadi, N. See Javadi, A., 2691

Mohammadi, T. See Saljoughi, E., 2537
Mohseni, M. See Salimi, A., 2703; Yari, H., 2946
Mondaca, M. A. See Rivas, B. L., 78
Monson, L.
—; Moon, S. I.; Extrand, C. W.: Gas Permeation Resistance of Various Grades of Perfluoroalkoxy–Polytetrafluoroethylene Copolymers, 141
Moon, H. S.
—; Kim, M. H.; Park, O. O.: Mechanical and Thermal Properties of Poly(vinyl chloride)/α-Methyl-styrene-acrylonitrile Blends Prepared by Melt Extrusion, 237
Moon, J. R.
—; Park, Y. H.; Kim, J.-H.: Synthesis and Characterization of Novel Thermo- and pH-Responsive Copolymers Based on Amphiphilic Polyaspartamides, 998
Moon, S.
—; Ku, B.-C.; Emrick, T.; Coughlin, B. E.; Farris, R. J.: Flame Resistant Electrospun Polymer Nanofibers From Deoxybenzoin-based Polymers, 301
Moon, S. I. See Monson, L., 141
Morancho, J. M. See Fernández-Francos, X., 2822
Moreno, R. M. B. See Malmonge, J. A., 2986
Moriya, K. See Miyazaki, K., 1835
Morshed, M. See Semnani, D., 317
Mostafa, T. B.
—: Chemical Modification of Polypropylene Fibers Grafted Vinyl Imidazole/Acrylonitrile Copolymer Prepared by Gamma Radiation and Its Possible Use for the Removal of Some Heavy Metal Ions, 11
Moster, A. L.
—; Mitchell, B. S.: Mechanical and Hydration Properties of Nafion®/Ceramic Nanocomposite Membranes Produced by Mechanical Attrition, 1144
Moustafa, A. B. See Mohamed, O. A., 1488
Mrad, O.
—; Saunier, J.; Chodur, C. A.; Agnely, F.; Yagoubi, N.: Influence of Electron Beam Sterilization on Polymers When Incubated in Different Media, 3113
Mulik, U. P. See Goyal, R. K., 2071
Müller, A. J. See Boschetti-de-Fierro, A., 2851
Murakami, N. See Watanabe, T., 551
Murali, M.
—; Sudhakar, P.; Kumar, B. S.; Samui, A. B.: Synthesis and Characterization of High Molecular Weight Side Chain Liquid Crystalline/Photoactive Polymers, 2562
Murthy, C. N. See Shown, I., 2056
Murugavel, S. C. See Balakrishnan, P. S., 2340; Kaniappan, K., 1606
Müssig, J. See Hossain, M. M., 2545

Na, H. See Fu, T., 1335
Nagamine, S. See Kim, J.-K., 2518
Nair, M. N. R. See Sukumar, P., 19
—; Biju, P. K.; Thomas, G. V.; Nair, M. R. G.: Blends of PVC and Epoxidized Liquid Natural Rubber: Studies on Impact Modification, 48
Nair, M. R. G. See Sukumar, P., 19; Nair, M. N. R., 48
Nakason, C. See Sahakaro, K., 2035; Thitithammawong, A., 819
Nakatani, H. See Miyazaki, K., 1835
Namdeo, M. See Bajpai, S. K., 3081
Nandi, A. K. See Kuila, B. K., 155
Nase, M.
—; Langer, B.; Baumann, H. J.; Grellmann, W.; Geißler, G.; Kaliske, M.: Evaluation and Simulation of the Peel Behavior of Polyethylene/Polybutene-1 Peel Systems, 363
—; Langer, B.; Schumacher, S.; Grellmann, W.: Toughness Optimization of Glass-Fiber Reinforced PA 6/PA 66-Based Composites: Effect of Matrix Composition and Colorants, 2245
Nasr-Esfahani, M.-H. See Semnani, D., 317
Nasr-Isfahani, H.
—; Faghihi, K.; Valikhani, N.: Synthesis and Characterization of New Polyamides Derived from 1,3-(4-carboxy phenoxy) Propane and Aromatic Diamines, 1769
Nasr, G.
—; Bestal, H.; Barboiu, M.; Bresson, B.; Thami, T.: Functionalization of Polymethylhydrosiloxane Gels with an Allyl Ureido Benzocrown Ether Derivative: Complexation Properties, 2785
Natori, I.
—; Natori, S.: Synthesis of ω-Pyrenyl-Functionalized Poly(1,3-Cyclohexadiene), 2006
Natori, S. See Natori, I., 2006
Navarchian, A. H. See Pourmehr, M., 338
Navarrete, M.
—; Pineda, J.; Vera-Graziano, R.: Multifractality in the Copolymerization of Bis-GMA/TEGDMA by Pulsed Photoacoustics, 1199
Naz, S. See Sweeney, J., 1190
Nedjar, M.
—: Effect of Thermal Aging on the Electrical Properties of Crosslinked Polyethylene, 1985
Neogi, S. See Gomathi, N., 1917
Ni, C.
—; Luo, R.; Xu, K.; Chen, G.-Q.: Thermal and Crystallinity Property Studies of Poly (L-Lactic Acid) Blended with Oligomers of 3-Hydroxybutyrate or Dendrimers of Hydroxyalkanoic Acids, 1720
Nichifor, M. See Ghimici, L., 3031
Nie, J. See Tan, H., 1936
Nigmatullin, R.
—; Konovalova, V.; Pobigay, G.: Development of Antimicrobial Membranes via the Surface Tethering of Chitosan, 1697
Nikles, D. E.
—; Farahat, M. S.: New Ultraviolet-Curable Formulations for Bonding Poly(vinyl chloride)-Coated Fiberglass Wire Mesh for Reinforcement Applications, 3058
Ning, Y. See Jiang, T., 2625
Nishida, H. See Ariffin, H., 323
Niu, S.-S. See Du, W.-L., 2881
Noda, I. See Macit, H., 2308
Noordermeer, J. W. M. See Thitithammawong, A., 819
Nourbakhsh, A. See Ashori, A., 1684, 2616

O'Neill, E. See Pilla, S., 37
Oh, H. J. See Kim, S. Y., 642
Oh, J. M. See Kim, B. S., 1706
Ohshima, M. See Kim, J.-K., 2518
Ohtake, Y. See Watanabe, T., 551
Okazaki, N. See Miyazaki, K., 1835
Okonkwo, J. O. See Zvinowanda, C. M., 1923
Olejník, R. See Kimmer, D., 2711
Olmos, D. See Castrillo, P. D., 2062

Ong, S.
—; Ismail, J.; Bakar, M. A.; Rahman, I. A.; Sipaut, C. S.; Chee, C. K.: Polyurethane-Modified Epoxy Resin: Solventless Preparation and Properties, 3094
Ooi, T. L. See Cheong, M. Y., 2353
Orhan, M.
—; Kut, D.; Gunesoglu, C.: Improving the Antibacterial Activity of Cotton Fabrics Finished with Triclosan by the Use of 1,2,3,4-Butanetetracarboxylic Acid and Citric Acid, 1344
Orozco, V. H. See Pérez, L. D., 2229
Ortega-Ortiz, H. See Sánchez-Valdes, S., 953
Orts, W. J. See Rosa, M. F., 612
Ostad-Movahed, S.
—; Ansarifar, A.; Song, M.: Using Modulated-Temperature Differential Scanning Calorimetry to Study Interphases in Blends of Styrene–Butadiene and Polybutadiene Rubbers Filled with a Silanized Silica Nanofiller, 1644
Ouyang, C. See Xu, C., 1763; Yin, Y., 1353
Ovando-Medina, V. M.
—; Martínez-Gutiérrez, H.; Mendizábal, E.; Corona, M. A.; Peralta, R. D.: Reactivity Ratios and Monomer Partitioning in the Microemulsion Copolymerization of Vinyl Acetate and Butyl Acrylate, 329
Ozden, S.
—; Charayev, A. M.; Bazheva, R. C.: Synthesis and Modification of Aromatic Polyesters with Chloroacetyl 3,5-Dibromo-*p*-hydroxybenzoic Acid, 1755

Pakkanen, T. T. See Kasanen, J., 2597
Pal, K.
—; Das, T.; Rajasekar, R.; Pal, S. K.; Das, C. K.: Wear Characteristics of Styrene Butadiene Rubber/Natural Rubber Blends with Varying Carbon Blacks by DIN Abrader and Mining Rock Surfaces, 348
Pal, S. See Saraswathy, G., 2387
—: Carboxymethyl Guar: Its Synthesis and Macromolecular Characterization, 2630
Pal, S. K. See Pal, K., 348
Palmquist, D. E. See Mohamed, A. A., 175
Pan, C. See Zou, Y., 978
Papadopoulos, G. A. See Sideridis, E., 203
Parajuli, D. C. See Bajgai, M. P., 1540
Pardey, R. See Boschetti-de-Fierro, A., 2851
Park, D. W. See Han, H., 2900
Park, J. H. See Lee, H. W., 132
Park, J.-H. See Do, H.-S., 1172
Park, O. O. See Moon, H. S., 237; Kang, G. B., 3121
Park, S. H.
—; Lee, S. K.; Choi, H. Y.; Lee, E. M.; Kim, E. Y.; Lim, C. H.; Lee, D. W.; Kim, B. K.: Mechanical and Surface Properties and Hydrolytic Stability of Cycloaliphatic Polyester-Based Waterborne Polyurethanes Modified with Fluoro Oligomer, 1828
Park, Y. H. See Moon, J. R., 998
Park, Y.-B. See Jin, S. H., 1028
Parmar, T. See Dubey, V., 928
Parsons, A. J. See Khan, R. A., 246
Parthasarathy, R. See Reddy, M. M., 1426
Patel, S.
—; Venditti, R. A.; Pawlak, J. J.; Ayoub, A.; Rizvi, S. S. H.: Development of Cross-Linked Starch Microcellular Foam by Solvent Exchange and Reactive Supercritical Fluid Extrusion, 2917
Patil, P. S. See Kim, J. Y., 1878
Pawar, V. U. See Shinde, V. S., 2607
Pawlak, J. J. See Patel, S., 2917
Pei, X. See Zhang, X., 2980
Peng, J.-S. See Chen, C.-H., 1433
Peng, X. See Xu, W., 2204
Peniche, C. See Davidenko, N., 2362
Perçin, I.
—; Yavuz, H.; Aksöz, E.; Denizli, A.: *N*-Acetyl-D-galactosamine-Specific Lectin Isolation from Soyflour with Poly(HPMA-GMA) Beads, 148
Peralta, R. D. See Ovando-Medina, V. M., 329
Peramo, A.
—; Meads, M. B.; Dalton, W. S.; Matthews, W. G.: Polymer Model of Cancer Cell Adhesion to Glycosaminoglycan Substrates Using the Radius of Gyration, 70
Pereda, M.
—; Aranguren, M. I.; Marcovich, N. E.: Water Vapor Absorption and Permeability of Films Based on Chitosan and Sodium Caseinate, 2777
Pereira, R. F. P.
—; Cerqueira, D. A.; Valente, A. J. M.; Polishchuk, A. Y.; Burrows, H. D.; Lobo, V. M. M.: Effects of pH and Temperature on the Sorption of Sodium Dodecyl Sulfate by Cellulose Acetate/Polyaniline Blend Membranes, 1947
Pérez, L. D.
—; López, J. F.; Orozco, V. H.; Kyu, T.; López, B. L.: Effect of the Chemical Characteristics of Mesoporous Silica MCM-41 on Morphological, Thermal, and Rheological Properties of Composites Based on Polystyrene, 2229
Petráš, D. See Kimmer, D., 2711
Petrescue, L. See Chen, J. H., 2318
Petrovan, S. See Collier, J. R., 1019
Piccoz, D. See Fayolle, B., 469
Pielichowski, K. See Stachurek, I., 1690
Pilla, S.
—; Gong, S.; O'Neill, E.; Yang, L.; Rowell, R. M.: Polylactide-Recycled Wood Fiber Composites, 37
Pillay, S. A. See Chanda, M., 2741
Pineda, J. See Navarrete, M., 1199
Pinter, G. See Laske, S., 2253
Piozzi, A. See Martinelli, A., 2669, 2675
Plank, J.
—; Dugonjić-Bilić, F.; Lummer, N. R.: Modification of the Molar Anionic Charge Density of Acetone–Formaldehyde–Sulfite Dispersant to Improve Adsorption Behavior and Effectiveness in the Presence of CaAMPS®-*co*-NNDMA Cement Fluid Loss Polymer, 2018
Pobigay, G. See Nigmatullin, R., 1697
Podkościelna, B.
—; Bartnicki, A.; Gawdzik, B.: Porous Microspheres, Copolymers of Bis[4-(2-hydroxy-3-methacryloyloxypropoxy)phenyl]sulfide, and Divinylbenzene as Stationary Phase for HPLC, 1257
Polishchuk, A. Y. See Pereira, R. F. P., 1947
Poloncarzová, M. See Randová, A., 1745
Pongpaiboon, C. See Sahakaro, K., 2035
Poonsawad, W. See Hinchiranan, N., 2813
Popa, M. See Rusu, M. C., 2493

Pourdarvish, R.
—; Danner, R. P.; Duda, J. L.: Mechanism of Bubble Formation in the Drying of Polymer Films, 417
Pourdeyhimi, B. See Begenir, A., 1246
Pourmehr, M.
—; Navarchian, A. H.: Batch Emulsion Polymerization of Vinyl Chloride: Application of Experimental Design to Investigate the Effects of Operating Variables on Particle Size and Particle Size Distribution, 338
Pourrahimi, A. M. See Javadi, A., 2691
Pramoda, K. P.
—; Linh, N. T. T.; Zhang, C.; Liu, T.: Multiwalled Carbon Nanotube Nucleated Crystallization Behavior of Biodegradable Poly(butylene succinate) Nanocomposites, 2938
Prasad, V. K. See Gomathi, N., 1917
Prasassarakich, P. See Hinchiranan, N., 2813
Prasopnatra, P.
—; Saeoui, P.; Sirisinha, C.: Rheological Properties of Recycled Chlorinated Polyethylene/Natural Rubber Blends Vulcanized by Sulfur, 1051
Praveen, S.
—; Chakraborty, B. C.; Jayendran, S.; Raut, R. D.; Chattopadhyay, S.: Effect of Filler Geometry on Viscoelastic Damping of Graphite/Aramid and Carbon Short Fiber-Filled SBR Composites: A New Insight, 264
Praveena, M. See Ramaprasad, A. T., 1063

Qi, M. See Wei, Z., 429
Qi, R.
—; Liu, Q.; Wang, Y.; Huang, M.: Properties of Poly(ethylene 1-octene)-*g*-Maleic Anhydride Copolymers Prepared via Solvothermal Process, 1069
Qi, S. See Zhou, W., 255
Qi, X. See Xu, X., 1523
Qiao, X.
—; Li, W.; Sun, K.; Xu, S.; Chen, X.: Nonisothermal Crystallization Behaviors of Silk-Fibroin-Fiber-Reinforced Poly(*ε*-caprolactone) Biocomposites, 2908
Qiu, D. See Zang, Y., 813
Qu, B.-W. See Yao, Z., 2553
Qu, R. See Cui, H., 3144; Ji, C., 2148
Qu, Y. See Zhao, Y., 1799

Radhakrishnan, G. See Saraswathy, G., 2387
Radi, S. See Malek, F., 57
Rahman, I. A. See Ong, S., 3094
Rajasekar, R. See Pal, K., 348
Ramanani, S. P. See Ramaprasad, A. T., 1063
Ramaprasad, A. T.
—; Rao, V.; Praveena, M.; Sanjeev, G.; Ramanani, S. P.; Sabharwal, S.: Preparation of Crosslinked Chitosan by Electron Beam Irradiation in the Presence of CCl_4, 1063
Ramar, P.
—; Alagar, M.: Studies on Mechanical and Morphological Behavior of Hybrid Nanoclay-Reinforced EPDM-*g*-TMEVS/PS Blends, 2859
Ramaraj, B. See Lee, H. J., 839
Ramezanzadeh, B. See Yari, H., 2946
Ramis, X. See Fernández-Francos, X., 2822; González, L., 1805
Ramos-de Valle, L. F. See Sánchez-Valdes, S., 953
Ran, R.
—; Chen, Z.; Wang, X. L.: Substituent Effects on Trithiocarbonates-Mediated Polymerization of Styrene, 2011
Randová, A.
—; Bartovská, L.; Hovorka, Š.; Poloncarzová, M.; Kolská, Z.; Izák, P.: Application of the Group Contribution Approach to Nafion Swelling, 1745
Ranganathaiah, C.
—; Kumaraswamy, G. N.: New Method of Determining Miscibility in Binary Polymer Blends Through Hydrodynamic Interaction: The Free Volume Approach, 577
Rao, K. S. V. K.
—; Chung, I.; Reddy, K. M.; Ha, C.-S.: PMMA-Based Microgels for Controlled Release of an Anticancer Drug, 845
Rao, V. See Ramaprasad, A. T., 1063
Rashidi, M. R. See Salehi, R., 1905
Raut, R. D. See Praveen, S., 264
Rayas-Duarte, P. See Mohamed, A. A., 175; Mohamed, A., 114
Real, A. I. See Irusta, L., 2299
Realinho, V.
—; Antunes, M.; Arencón, D.; Fernández, A. I.; Velasco, J. I.: Effect of a Dodecylsulfate-Modified Magnesium–Aluminum Layered Double Hydroxide on the Morphology and Fracture of Polystyrene and Poly(styrene-*co*-acrylonitrile) Composites, 2574
Reddy, K. M. See Rao, K. S. V. K., 845
Reddy, M. M.
—; Deighton, M.; Gupta, R. K.; Bhattacharya, S. N.; Parthasarathy, R.: Biodegradation of Oxo-Biodegradable Polyethylene, 1426
Rempel, G. L. See Hinchiranan, N., 2813
Ren, F. See Wang, S., 532
Ren, S.-C. See Zhang, B.-Y., 3016
Ren, W. See Zeng, Z., 437
Renganathan, N. G. See Selvakumar, M., 452
Renukappa, N. M. See Suresha, B., 685
Resasco, D. E. See McDaniel, N. D., 589
Riess, G. See Rusu, M. C., 2493
Rimdusit, S.
—; Jongvisuttisun, P.; Jubsilp, C.; Tanthapanichakoon, W.: Highly Processable Ternary Systems Based on Benzoxazine, Epoxy, and Phenolic Resins for Carbon Fiber Composite Processing, 1225
Rivas, B. L.
—; del Carmen Aguirre, M.; Yáñez, J.: Synthesis and Characterization of New Water-Soluble Metal–Polymer Complex and Its Application for Arsenite Retention, 2720
—; Maureira, A.; Guzmán, C.; Mondaca, M. A.: Poly(2-acrylamido glycolic acid-*co*-2-acrylamido-2-methyl-1-propane sulfonic acid): Synthesis, Characterization, and Retention Properties for Environmentally Impacting Metal Ions, 78
Rizvi, S. S. H. See Patel, S., 2917
Rochefort, D. See Kouisni, L., 1
Rodríguez, F.
—; Castillo-Ortega, M. M.; Encinas, J. C.; Grijalva, H.; Brown, F.; Sánchez-Corrales, V. M.; Castaño, V. M.: Preparation, Characterization, and Adsorption Properties of Cellulose Acetate-Polyaniline Membranes, 1216
Roelofs, K. S.
—; Kampa, A.; Hirth, T.; Schiestel, T.: Behavior of Sulfonated Poly(ether

ether ketone) in Ethanol–Water Systems, 2998
Rohit, V. K. See Bajpai, S. K., 3081
Rosa, M. F.
—; Chiou, B.-s.; Medeiros, E. S.; Wood, D. F.; Mattoso, L. H. C.; Orts, W. J.; Imam, S. H.: Biodegradable Composites Based on Starch/EVOH/Glycerol Blends and Coconut Fibers, 612
Rowell, R. M. See Pilla, S., 37
Roy, P. K. See Gupta, A., 1400
Royappa, A. T. See Huang, Y.-C., 2275
Rudd, C. D. See Khan, R. A., 246
Ruggles-Wrenn, M. B.
—; Broeckert, J. L.: Effects of Prior Aging at 288°C in Air and in Argon Environments on Creep Response of PMR-15 Neat Resin, 228
Rui, C. See Xiaoqiang, L., 1564
Rusu, D. See Rusu, M. C., 2493
Rusu, M. See Rusu, M. C., 2493
Rusu, M. C.
—; Ibanescu, C.; Ichim, I. C.; Riess, G.; Popa, M.; Rusu, D.; Rusu, M.: Radiopaque Acrylic Bone Cements with Bromine-Containing Monomer, 2493

Sabet, S. S.
—; Katbab, A. A.: Interfacially Compatibilized Poly(lactic acid) and Poly(lactic acid)/Polycaprolactone/Organoclay Nanocomposites with Improved Biodegradability and Barrier Properties: Effects of the Compatibilizer Structural Parameters and Feeding Route, 1954
Sabharwal, S. See Dubey, K. A., 1884; Francis, S., 668; Ramaprasad, A. T., 1063
Saeb, M. R.
—; Garmabi, H.: Investigation of Styrene-Assisted Free-Radical Grafting of Glycidyl Methacrylate onto High-Density Polyethylene Using Response Surface Method, 1600
Saeoui, P. See Prasopnatra, P., 1051
Sáha, P. See Kimmer, D., 2711
Sahakaro, K.
—; Pongpaiboon, C.; Nakason, C.: Improved Mechanical Properties of NR/EPDM Blends by Controlling the Migration of Curative and Filler viareactive Processing Technique, 2035
Sahakaro, K. See Thitithammawong, A., 819
Sakai, Y. See Abe, M., 2426
Sakamoto, H. See Kawasaki, S., 461
Sakar, D. See Celik, O., 1328
Sakdapipanich, J. See Amnuaypornsri, S., 2127
Salla, J. M. See González, L., 1805
Salehi, R.
—; Davaran, S.; Rashidi, M. R.; Entezami, A. A.: Thermosensitive Nanoparticles Prepared from Poly(*N*-isopropylacrylamide-acrylamide-vinilpyrrolidone) and Its blend with poly(lactide-*co*-glycolide) for Efficient Drug Delivery System, 1905
Salimi, A.
—; Atai, M.; Mirabedini, M.; Mohseni, M.: Thermooxidative Reactions of Polypropylene Wax in the Molten State, 2703
Saljoughi, E.
—; Amirilargani, M.; Mohammadi, T.: Effect of Poly(vinyl pyrrolidone) Concentration and Coagulation Bath Temperature on the Morphology, Permeability, and Thermal Stability of Asymmetric Cellulose Acetate Membranes, 2537
Salla, J. M. See Fernández-Francos, X., 2822
Salmerón, A. See Irusta, L., 2299
Samui, A. B. See Murali, M., 2562
Sánchez-Corrales, V. M. See Rodríguez, F., 1216
Sánchez-Valdes, S.
—; Ortega-Ortiz, H.; Ramos-de Valle, L. F.; Medellín-Rodríguez, F. J.; Guedea-Miranda, R.: Mechanical and Antimicrobial Properties of Multilayer Films with a Polyethylene/Silver Nanocomposite Layer, 953
Sanchis, R. See López, R., 2992
Sanghi, R. See Singh, V., 539
Sanjeev, G. See Ramaprasad, A. T., 1063
Şanlı, O.
—; Karaca, İ.; Işıklan, N.: Preparation, Characterization, and Salicylic Acid release Behavior of Chitosan/Poly(vinyl alcohol) Blend Microspheres, 2731
Sannigrahi, A.
—; Ghosh, S.; Lalnuntluanga, J.; Jana, T.: How the Monomer Concentration of Polymerization Influences Various Properties of Polybenzimidazole: A Case Study with Poly(4,4′-diphenylether-5,5′-bibenzimidazole), 2194
Saprykina, N. N. See Slabospitskaya, M. Y., 692
Saraswathy, G.
—; Gopalakrishna, G.; Das, B. N.; Radhakrishnan, G.; Pal, S.: Development of Polyurethane-Based Sheets by Phase Inversion Method for Therapeutic Footwear Applications: Synthesis, Fabrication, and Characterization, 2387
Sarkar, A. See Chanda, M., 2741
Sathiyanaranayan, S. See Bhandari, H., 2328
Saunier, J. See Mrad, O., 3113
Savino, V. See Boschetti-de-Fierro, A., 2851
Saxena, A. See Dubey, V., 928
Saygı-Arslan, Ö.
—; Sudol, E. D.; Daniels, E. S.; El-Aasser, M. S.; Klein, A.: *In Situ* Surfactant Generation as a Means of Miniemulsification? 735
Schiestel, T. See Roelofs, K. S., 2998
Schumacher, S. See Nase, M., 2245
Schwab, F. C. See Kissin, Y. V., 273
Sell, S. See Blankenburg, L., 1850
Selvakumar, M.
—; Bhat, D. K.; Renganathan, N. G.: Miscibility of Polymethylmethacrylate and Polyethyleneglycol Blends in Tetrahydrofuran, 452
Semnani, D.
—; Ghasemi-Mobarakeh, L.; Morshed, M.; Nasr-Esfahani, M.-H.: A Novel Method for the Determination of Cell Infiltration into Nanofiber Scaffolds Using Image Analysis for Tissue Engineering Applications, 317
Sensfuss, S. See Blankenburg, L., 1850
Serra, A. See Fernández-Francos, X., 2822; González, L., 1805
Shabalala, P. N. See Zvinowanda, C. M., 1923
Shabani, I.
—; Arani, A. J.; Dakhel, H. R.; Iranmehr, Gh.: Using of Leather Fibers as an Additive in Elastomeric Compounds: Its Effect on Curing Behavior and Physico-Mechanical Properties, 1670
Shaikh, A. W. See Shukla, S. K., 1300
Shang, H.
—; Liu, J.; Zheng, Y.; Wang, L.: Synthesis, Characterization, and

Flocculation Properties of Poly(acrylamide-methacryloxyethyltrimethyl Ammonium Chloride-Methacryloxypropyltrimethoxy Silane), 1594
Shang, S.-B. See Cai, Z.-S., 3010
Shao, J. See Kong, Y., 2044
Sharma, V. See Huang, Y.-C., 2275
—; Banait, J. S.; Kundu, P. P.: Swelling Kinetics of Linseed Oil-Based Polymers, 1816
Shen, G.-R. See Wang, R.-M., 1999
Shen, L. See Min, T., 444
Shen, W. See Min, T., 444
Shen, Z.-C. See Yao, Z., 2553
Shi, Y. See Chen, D., 1581; Fu, T., 1335
Shim, S. E. See Han, H., 2900
Shin, Y.-j. See Zhang, H.-x., 2697
Shinde, V. S.
—; Pawar, V. U.: Synthesis of Thermosensitive Glycopolymers Containing D-Glucose Residue: Copolymers with *N*-isopropylacrylamide, 2607
Shirai, Y. See Ariffin, H., 323
Shong, Z.-J. See Chiu, H.-T., 2507
Shou, C.
—; Zhang, Z.: Preparation and Characterization of Hyperbranched Polyester Capillary Columns Used for the Separation of Basic Proteins, 2141
Shown, I.
—; Murthy, C. N.: Grafting of Cotton Fiber by Water-Soluble cyclodextrin-Based Polymer, 2056
Shukla, S. K.
—; Shaikh, A. W.; Gunari, N.; Bajpai, A. K.; Kulkarni, R. A.: Self Assembled Hydrophobic Nanoclusters of Poly(methyl methacrylate) Embedded into Polyvinyl Alcohol Based Hydrophilic Matrix: Preparation and Water Sorption Study, 1300
Shustov, G. B. See Kozlov, G. V., 3026
Siddaramaiah, See Suresha, B., 685; Kumar, M. N. S., 1165; Li, P., 1176
Sideridis, E.
—; Kytopoulos, V. N.; Papadopoulos, G. A.; Bourkas, G. D.: The Effect of Low-Filler Volume Fraction on the Elastic Modulus and Thermal Expansion Coefficient of Particulate Composites Simulated by a Multiphase Model, 203
Singh, G. See Kaur, S., 87
Singh, H. See Tyagi, C., 1381
—; Jain, A. K.: Ignition, Combustion, Toxicity, and Fire Retardancy of Polyurethane Foams: A Comprehensive Review, 1115
Singh, V.
—; Tripathi, D. N.; Malviya, T.; Sanghi, R.: Persulfate/Ascorbic Acid Initiated Synthesis of Poly(acrylonitrile)-Grafted Tamarind Seed Gum: A Potential Commercial Gum, 539
Singhania, M. See Khandelwal, A., 308
Sipaut, C. S. See Ong, S., 3094
Sirisinha, C. See Prasopnatra, P., 1051
Slabospitskaya, M. Y.
—; Vlakh, E. G.; Saprykina, N. N.; Tennikova, T. B.: Synthesis and Investigation of a New Macroporous Monolithic Material Based on an *N*-Hydroxyphthalimide Ester of Acrylic Acid-*co*-Glycidyl Methacrylate-*co*-Ethylene Dimethacrylate Terpolymer, 692
Slobodian, P. See Kimmer, D., 2711
Soliman, E. A. See Elzatahry, A. A., 2452; Eldin, M. S. M., 2647
Son, B.
—; Yeom, B.-Y.; Song, S. H.; Lee, C.-S.; Hwang, T. S.: Antibacterial Electrospun Chitosan/Poly(vinyl alcohol) Nanofibers Containing Silver Nitrate and Titanium Dioxide, 2892
Son, Y. See Kang, G. B., 3121
Song, M. See Ostad-Movahed, S., 1644
Song, S. H. See Son, B., 2892
Song, X. See Jiang, T., 2625; Lei, Z., 3150
Song, Y. See Ji, C., 2148
Song, Z.-Q. See Cai, Z.-S., 3010
Sotani, T. See Arahman, N., 1653
Sreedhar, B. See Thomas, V., 934
Sridhar, V. See Xu, D., 1358
Srivastava, A.
—; Mishra, D. K.; Tripathy, J.; Behari, K.: One Pot Synthesis of Xanthan gum-*g*-*N*-vinyl-2-pyrrolidone and Study of Their Metal Ion Sorption Behavior and Water Swelling Property, 2872
Srivastava, S. K. See Kuila, T., 635
Stachurek, I.
—; Pielichowski, K.: Preparation and Thermal Characterization of Poly(ethylene oxide)/Griseofulvin Solid Dispersions for Biomedical Applications, 1690
Stagnaro, P. See Li, L., 1268
Steuernagel, L. See Elsabbagh, A., 2279
Su, C.-T. See Lin, K.-Y., 1501
Su, S. See Zang, Y., 813
Su, W. See Gao, Z., 1293
Su, W.-F. See Ho, C.-C., 1571
Su, Y.-J.
—; Ko, T.-H.; Cheng, S.-H.; Chen, W.-S.; Han, T.-H.; Lin, J.-H.: Activation of Ultra-Thin Activated Carbon Fibers as Electrodes for High Performance Electrochemical Double Layer Capacitors, 1615
Su, Z. See Hu, Y., 1931
Su, Z.-G. See Zhao, Y.-J., 1638
Su, Z.-Q.
—; Chen, X.-N.; Yu, Z.-Z.; Zhang, L.: Morphological Distribution of Polymeric Nucleating Agents in Injection-Molded Isotactic Polypropylene Plates and Its Influence on Nucleating Efficiency, 786
Sudhakar, P. See Murali, M., 2562
Sudol, E. D. See Saygı-Arslan, Ö., 735
Suganuma, K. See Inoue, M., 2837
Sui, J.
—; Travas-Sejdic, J.; Chu, S. Y.; Li, K. C.; Kilmartin, P. A.: The Actuation Behavior and Stability of *p*-Toluene Sulfonate Doped Polypyrrole Films Formed at Different Deposition Current Densities, 876
Sukumar, P.
—; Jayashree, V.; Nair, M. R. G.; Nair, M. N. R.: Synthesis and Thermal Studies of Block Copolymers from NR and MDI-Based Polyurethanes, 19
Sun, A.-J. See Tan, K.-L., 63
Sun, A. See Lu, Y., 3050
Sun, C. See Cui, H., 3144; Ji, C., 2148
Sun, G. Z. See Li, Y. Y., 2269
Sun, J. See Ling, Q., 1911
Sun, K. See Qiao, X., 2908
Sun, Y.-Q. See Wang, Z.-Q., 2134
Supaphol, P. See Anantawaraskul, S., 2260
Suppes, G. J. See Tu, Y.-C., 1311
Surekha, P. See Gupta, A., 1400
Suresha, B.
—; Chandramohan, G.; Renukappa, N. M.; Siddaramaiah: Influence of Silicon Carbide Filler on Mechanical and Dielectric Properties of Glass Fabric Reinforced Epoxy Composites, 685
Suvanto, M. See Kasanen, J., 2597

Sweeney, J.
—; Naz, S.; Coates, P. D.: Viscoplastic Constitutive Modeling of Polymers—Flow Rules and the Plane Strain Response, 1190
Sydenstricker, T. H. D. See Tanobe, V. O. A., 1842

Tada, Y. See Inoue, M., 2837
Takata, T. See Kawasaki, S., 461
Taki, K. See Kim, J.-K., 2518
Tam, K. C. See Xiong, X. Y., 2445
Tan, H.
—; Yang, D.; Xiao, M.; Han, J.; Nie, J.: Preparation of Silica/Polyurethane Nanocomposites by UV-Induced Polymerization from Surfaces of Silica, 1936
Tan, J. See Jia, Z., 1530
Tan, K.-L.
—; Lu, Y.-Z.; Sun, A.-J.; Li, C.-X.; Wang, Z.-H.: Union Production of Low Chlorinated Polyethylene and Chlorinated Paraffin via a Carbon Tetrachloride Solvent Free Process, 63
Tan, K. See Lu, Y., 3050
Tan, T. See Yang, J., 1557
Tanaka, M. See Kishi, A., 476
Tanaka, Y. See Amnuaypornsri, S., 2127
Tang, J.-H. See Ye, L., 2372
Taniike, T. See Xia, W., 1869
Tanthapanichakoon, W. See Rimdusit, S., 1225
Tanobe, V. O. A.
—; Sydenstricker, T. H. D.; Amico, S. C.; Vargas, J. V. C.; Zawadzki, S. F.: Evaluation of Flexible Postconsumed Polyurethane Foams Modified by Polystyrene Grafting as Sorbent Material for Oil Spills, 1842
Tarapow, J. A.
—; Bernal, C. R.; Alvarez, V. A.: Mechanical Properties of Polypropylene/Clay Nanocomposites: Effect of Clay Content, Polymer/Clay Compatibility, and Processing Conditions, 768
Teijón, J. M. See Davidenko, N., 2362
Teixeira, S. R. See Calcagno, C. I. W., 29
Tendulkar, J.
—; Upreti, S. R.; Lohi, A.: Experimental Determination of Concentration-Dependent Carbon Dioxide Diffusivity in LDPE, 380
Teng, H. See Xie, C., 2527
Tennikova, T. B. See Slabospitskaya, M. Y., 692
Terano, M. See Miyazaki, K., 1835; Xia, W., 1869
Thami, T. See Nasr, G., 2785
Thitithammawong, A.
—; Nakason, C.; Sahakaro, K.; Noordermeer, J. W. M.: Multifunctional Peroxide as Alternative Crosslink Agents for Dynamically Vulcanized Epoxidized Natural Rubber/Polypropylene Blends, 819
Thomann, R. See Laske, S., 2253
Thomas, G. V. See Nair, M. N. R., 48
Thomas, V.
—; Yallapu, M. M.; Sreedhar, B.; Bajpai, S. K.: Breathing-In/Breathing-Out Approach to Preparing Nanosilver-Loaded Hydrogels: Highly Efficient Antibacterial Nanocomposites, 934
Tian, H.
—; Liu, D.; Zhang, L.: Structure and Properties of Soy Protein Films Plasticized with Hydroxyamine, 1549
Tian, P. See Cao, Q., 2584
Tighzert, L. See Martinelli, A., 2669, 2675
Tokita, M. See Abe, M., 2426
Tomar, L. K. See Tyagi, C., 1381
Tong, M. N. See Yu, S., 2957
Tonosaki, K. See Xia, W., 1869
Travas-Sejdic, J. See Sui, J., 876
Trejo-Durán, M.
—; Martínez-Richa, A.; Vera-Graziano, R.; Alvarado-Méndez, E.; Castaño, V. M.: Structural and Thermal Characterization of Hybrid Materials Based on TEOS and DCN, 794
Tripathi, D. N. See Singh, V., 539
Tripathy, J. See Srivastava, A., 2872
Tsai, C.-J. See Chen, C.-H., 1433
Tsai, F.-J. See Tsai, Y., 2099
Tsai, Y.
—; Wu, J.-H.; Tsai, F.-J.: GPC Observations of Branching Effects in Anionic Polymerization of Methyl Methacrylate: A Preliminary Study, 2099
Tsukamoto, K. See Huang, Y.-C., 2275
Tu, W. See Li, W., 701
Tu, Y.-C.
—; Suppes, G. J.; Hsieh, F.-H.: Thermal and Mechanical Behavior of Flexible Polyurethane-Molded Plastic Films and Water-Blown Foams with Epoxidized Soybean Oil, 1311
Tundel, S. See Huang, Y.-C., 2275
Turan, E.
—; Demirci, S.; Caykara, T.: Preparation of Polyacrylamide Hydrogels at Various Charge Densities by Postmodification, 108
Turro, N. J. See Jockusch, S., 2163
Tyagi, C.
—; Tomar, L. K.; Singh, H.: Surface Modification of Cellulose Filter Paper by Glycidyl Methacrylate Grafting for Biomolecule Immobilization: Influence of Grafting Parameters and Urease Immobilization, 1381

Udum, Y. A. See Düdükcü, M., 1496
Umar, Y.
—; Ali, S. A.; Hussein, I.; Abu-Sharkh, B.: Rheological Behavior of Ph-Responsive Associating Ionic Polymers of Diallyammonium Salts and Sulfur Dioxide, 125
Upadhyay, N. K. See Gupta, A., 1400
Upreti, S. R. See Tendulkar, J., 380

Valente, A. J. M. See Pereira, R. F. P., 1947
Valikhani, N. See Nasr-Isfahani, H., 1769
Vargas, J. V. C. See Tanobe, V. O. A., 1842
Varghese, J. G.
—; Kittur, A. A.; Kariduraganavar, M. Y.: Dehydration of THF-Water Mixtures Using Zeolite-Incorporated Polymeric Membranes, 2408
Varshney, L. See Francis, S., 668
Vega, J. R. See Casis, N., 1508
Velasco, J. I. See Realinho, V., 2574
Venditti, R. A. See Patel, S., 2917
Vera-Graziano, R. See Navarrete, M., 1199; Trejo-Durán, M., 794
Verdu, J. See Fayolle, B., 469
Verros, G. D.
—; Achilias, D. S.: Modeling Gel Effect in Branched Polymer Systems: Free-Radical Solution Homopolymerization of Vinyl Acetate, 2171
Vetrik, M. See Hruby, M., 2220
Vinjamur, M. See Khandelwal, A., 308
Vladkova, T. G. See Keranov, I., 2637
Vlakh, E. G. See Slabospitskaya, M. Y., 692

Wahane, N. J. See Mane, V. D., 3039
Walczyk, D. See Harris, T. A. L., 1286

Walker, G. S. See Khan, R. A., 246
Wang, B. See Hu, Y., 1931; Li, J., 2590
Wang, C. See Cui, H., 3144; Ji, C., 2148; Zhao, Y., 3163
Wang, D. See Li, R., 826
—; Jiang, W.; Gao, H.; Jiang, Z.: Controlling Cellular Morphology by Supercritical Carbon Dioxide, 2116
Wang, F. See Yang, J., 1557
Wang, G. See Zheng, Y., 917
Wang, H.-H.
—: Accessibility of Acrylic Fiber to Basic Dye, 189
Wang, J. See Dou, Q., 2436; Wang, J., 658; Yang, B., 2963
—; Chen, Y.; Wang, J.: Synthesis of Hyperbranched Organo-Montmorillonite and Its Application Into High-Temperature Vulcanizated Silicone Rubber Systems, 658
—; Dou, Q.: Polypropylene/Linear Low-Density Polyethylene Blends: Morphology, Crystal Structure, Optical, and Mechanical Properties, 194
—; Du, Z.; Li, C.; Li, H.; Zhang, C.: A Study on Formation and Stability of Epoxy Resin Inverse Concentrated Water/Oil Emulsion, 746
Wang, J.-W.
—; Meng, F.-B.; Li, Y.-H.; Zhang, B.-Y.: Synthesis and Characterization of Side-Chain Cholesteric Liquid-Crystalline Polysiloxanes Containing Different Space Groups, 2078
Wang, K. See He, X., 560
Wang, L. See Kumar, R., 970; Shang, H., 1594; Zhao, Y., 1799
Wang, L.-J. See Lin, K.-Y., 1501
Wang, P. See Wei, Z., 429
Wang, Q. See Li, M., 2715; Xiong, S., 963; Zhang, X., 2980
—; Li, S.; Wang, Z.; Liu, H.; Li, C.: Preparation and Characterization of a Positive Thermoresponsive Hydrogel for Drug Loading and Release, 1417
Wang, R.-M.
—; Hao, E.-X.; Shen, G.-R.; He, Y.-F.; Lei, Z.-Q.: Polymeric Salphen-Phthalocyanine Dinuclear Metal Complexes for Activation of Molecular Oxygen, 1999
Wang, S.
—; Liu, D.; Mao, B.: Characterization of Compositional Heterogeneity in the Polyethylene Prepared with Bis(imino)pyridyl Iron(II) Precatalyst and Triethylaluminum, 1151
—; Xu, W.; Zhou, Z.; Ren, F.: New Hyperdispersant Agent for Polypropylene/$CaSO_4$ Composites, 532
Wang, W. See Kong, Y., 2044; Min, T., 444
Wang, X. See Ma, W., 1235; Xu, C., 1763; Xu, W., 2204
Wang, X. L. See Ran, R., 2011
Wang, Y.-X. See Huang, J.-M., 628
Wang, Y. See Bai, H., 1624; Liu, G., 1964; Qi, R., 1069; Xiong, X. Y., 2445; Zhao, Y., 3163
Wang, Z. See Fang, F., 1105; Lu, Y., 3050; Wang, Q., 1417
Wang, Z.-H. See Tan, K.-L., 63
Wang, Z.-Q.
—; Zhou, Y.-M.; Ye, X.-Y.; Chen, J.; Sun, Y.-Q.: Synthesis and Characterization of Novel Optically Active Poly(urethane urea)s: Effect of Left/Right Rotation Conformation, 2134
Ward, I. M. See de Oca, H. M., 1013
Watanabe, J. See Abe, M., 2426
Watanabe, T.
—; Ohtake, Y.; Asabe, H.; Murakami, N.; Furukawa, M.: Biodegradability and Degrading Microbes of Low-Density Polyethylene, 551
Watson, J. L. See Collier, J. R., 1019
Wei-guo, F. See Yin-Guibo, 1471
Wei, P. See Zheng, Y., 917
Wei, Q. See Zhang, Y., 651
Wei, Z.
—; Liu, L.; Yu, F.; Wang, P.; Qi, M.: Synthesis and Characterization of Poly(ε-caprolactone)-*b*-Poly(ethylene glycol)-*b*-Poly(ε-caprolactone) Triblock Copolymers with Dibutylmagnesium as Catalyst, 429
Weick, B. L.
—: Viscoelastic Characteristics of Magnetic Tapes with PEN Substrates, 899
Weimin, Y. See Fengxiang, L., 1005
Wen, Q. See Guo, L., 1110
Weng, Y. See Xie, D., 869
Wolcott, M. P. See Harper, D. P., 753
Wood, D. F. See Rosa, M. F., 612
Wu, C.-M. See Chang, C.-J., 1391
Wu, D. See Gao, Z., 1293
Wu, G. See Zou, Y., 978
Wu, J. See Li, L., 1942
Wu, J.-H. See Tsai, Y., 2099
Wu, L. See Cao, D., 1045
Wu, M.-W. See Chang, C.-J., 1391
Wu, P. See Xiao, W., 1076
Wu, Q. See Cao, Q., 2584
Wu, S. See Lei, Z., 3150
Wu, T.
—; Xie, T.; Yang, G.: Synthesis and Properties of Monomer Casting Polyamide 6/Poly(methyl methacrylate) Blends, 101
—; Yang, G.: Synthesis and Characterization of Monomer-Casting Polyamide 6/Polymethacrylic Ionomer Blends, 2970
Wu, W.
—; Xu, J.; Luo, Y.; Yang, J.; Ming, H.; Chen, B.; Zhang, Q.: Design and Fabrication of SCPOF Preform Doped with Rare Earth Complexes, 730
Wu, Y. See Xu, T., 3128
Wu-Jialin, See Yin-Guibo, 1471

Xi, P. See Yang, J., 2751
Xia, W.
—; Tonosaki, K.; Taniike, T.; Terano, M.; Fujitani, T.; Liu, B.: Copolymerization of Ethylene and Cyclopentene with the Phillips CrO_x/SiO_2 Catalyst in the Presence of an Aluminum Alkyl Cocatalyst, 1869
Xiang, Y.-Z. See Li, K., 2485
Xiao, M. See Tan, H., 1936
Xiao, W.
—; Wu, P.; Feng, J.; Yao, R.: Influence of a Novel β-Nucleating Agent on the Structure, Morphology, and Nonisothermal Crystallization Behavior of Isotactic Polypropylene, 1076
Xiao, Y. See Yuan, X., 566
Xiaoqiang, L.
—; Yan, S.; Rui, C.; Chuanglong, H.; Hongsheng, W.; Xiumei, M.: Fabrication and Properties of Core-Shell Structure P(LLA-CL) Nanofibers by Coaxial Electrospinning, 1564
Xie, C.
—; Feng, Y.; Cao, W.; Teng, H.; Li, J.; Lu, Z.: Novel Biodegradable Flocculating Agents Prepared by Grafting Polyacrylamide to Konjac, 2527
Xie, D.
—; Weng, Y.; Zhao, J.: Alternative Methacrylate-Tethering Methods for Resin-Modified Glass-Ionomer Cements, 869

Xie, H.
—; Jarvi, P.; Karesoja, M.; King, A.; Kilpelainen, I.; Argyropoulos, D. S.: Highly Compatible Wood Thermoplastic Composites from Lignocellulosic Material Modified in Ionic Liquids: Preparation and Thermal Properties, 2468
Xie, M. See Fu, S., 2157
—; Chen, J.; Li, H.: Morphology and Mechanical Properties of Injection-Molded Ultrahigh Molecular Weight Polyethylene/Polypropylene Blends and Comparison with Compression Molding, 890
Xie, T. See Wu, T., 101; Xing, Z., 1676; Yan, D., 1278
Xie, Z. See Dai, L., 1057; Zhang, A., 1462; Zhao, Y., 1799
Xing, G. See Guo, L., 1110
Xing, W. See Fu, T., 1335
Xing, Z.
—; Xie, T.; Yang, G.: Novel Biodegradable Amphiphilic Poly(ε-caprolactone)/Poly(*N*-vinylpyrrolidone) Blends via Successive *In Situ* Polymerizations, 1676
Xiong, S.
—; Wang, Q.; Chen, Y.: Template Synthesis and Magnetic Response of Polyaniline/Fe_3O_4 Composite Microtubes, 963
Xiong, X. Y.
—; Li, Z. L.; Tam, K. C.; Li, Y. P.; Leng, J. Q.; Chen, H. Q.; Wang, Y.: Comparison Between the Self-Assembling Behaviors of PLLA-PEO-PLLA Triblock Copolymers and PLLA-PEO-PPO-PEO-PLLA Pentablock Copolymers, 2445
Xiong, Y. See Zhang, F., 2930
Xiumei, M. See Xiaoqiang, L., 1564
Xu, C. See Zeng, Z., 437
—; Ouyang, C.; Jia, R.; Li, Y.; Wang, X.: Magnetic and Optical Properties of Poly(vinylidene difluoride)/Fe_3O_4 Nanocomposite Prepared by Coprecipitation Approach, 1763
Xu, D.
—; Sridhar, V.; Mahapatra, S. P.; Kim, J. K.: Dielectric Properties of Exfoliated Graphite Reinforced Flouroelastomer Composites, 1358
Xu, H. See Feng, Y., 2684; Yang, B., 2963
Xu, J. See Li, Y., 1454; Wu, W., 730
Xu, K. See Ni, C., 1720
Xu, Q. See Ji, C., 2148
Xu, S. See Qiao, X., 2908
Xu, T.
—; Lu, F.; Wu, Y.: Novel Hollow-Fiber Anion-Exchange Hybrid Membranes: Preparation and Characterization, 3128
Xu, W. See Wang, S., 532; Zang, Y., 813; Zhang, F., 2930
—; Wang, X.; Cui, W.; Peng, X.; Li, W.; Liu, X.: Characterization of Superfine Down Powder, 2204
Xu, X.
—; Li, H.; Zhang, Z.; Qi, X.: Hydrodynamic Properties of Aqueous Dextran Solutions, 1523
Xu, Y.-F. See Yao, R.-S., 358
Xu, Y.-L. See Du, W.-L., 2881
Xu, Z.-R. See Du, W.-L., 2881
Xue, Y. P. See Li, Y. Y., 2269

Yagoubi, N. See Mrad, O., 3113
Yallapu, M. M. See Thomas, V., 934
Yamada, M. See Kawasaki, S., 461
Yamamoto, T. See Abe, M., 2426
Yan, D. See He, X., 560
—; Xie, T.; Yang, G.: *In Situ* Synthesis of Polyamide 6/MWNTs Nanocomposites by Anionic Ring Opening Polymerization, 1278
Yan, G. See Li, L., 1942
Yan, S. See Xiaoqiang, L., 1564
Yáñez, J. See Rivas, B. L., 2720
Yang, B.
—; Li, J.; Wang, J.; Xu, H.; Guang, S.; Li, C.: Poly(vinyl pyrrolidone-*co*-octavinyl polyhedral oligomeric silsesquioxane) Hybrid Nanocomposites: Preparation, Thermal Properties, and T_g Improvement Mechanism, 2963
Yang, C.-S. See Cai, Z.-S., 3010; Chen, C.-H., 1433
Yang, D. See Tan, H., 1936
Yang, G. See Li, M., 2715; Wu, T., 101, 2970; Xing, Z., 1676; Yan, D., 1278; Yao, C., 1713
Yang, H. See Li, W., 1449; Yin, Y., 1353
Yang, J. See Wu, W., 730
—; Li, W.; Yu, A.; Xi, P.; Huang, X.; Li, S.: Sequence Distribution, Thermal Properties, and Crystallization Studies of Poly(trimethylene terephthalate-*co*-1,4-cyclohexylene dimethylene terephthalate) copolyesters, 2751
—; Wang, F.; Tan, T.: Controlling Degradation and Physical Properties of Chemical Sand Fixing Agent-Poly(aspartic acid) by Crosslinking Density and Composites, 1557
Yang, L. See Pilla, S., 37
—; Chen, J.; Li, H.: Investigation on the Microstructure and the Electric Property of Poly(propylene)/Chlorinated Poly(propylene)/Poly(aniline) Composites, 988
Yang, M. See Liu, K., 1976
Yang, Q. See Lei, Z., 3150
Yang, S. See Li, Y., 1454
Yang, S.-Y. See Zhao, X.-J., 2210
Yang, W. See Fang, F., 1105
Yang, X. See Liu, G., 1964
Yang, Y. See Jia, Z., 1530
Yang, Z. See Li, W., 1449
Yanmo, C. See Bo, Y., 1900
Yao, C.
—; Yang, G.: Cracking in Poly(trimethylene terephthalate) Spherulites, 1713
Yao, R. See Xiao, W., 1076
Yao, R.-S.
—; You, Q.-D.; Liu, P.-J.; Xu, Y.-F.: Synthesis and pH-Induced Phase Transition Behavior of PAA/PVA Nanogels in Aqueous Media, 358
Yao, Z.
—; Lu, Z.-Q.; Zhao, X.; Qu, B.-W.; Shen, Z.-C.; Cao, K.: Synthesis and Characterization of High-Density Polypropylene-Grafted Polyethylene via a Macromolecular Reaction and Its Rheological Behavior, 2553
Yari, H.
—; Mohseni, M.; Ramezanzadeh, B.: Comparisons of Weathering Performance of Two Automotive Refinish Coatings: A Case Study, 2946
Yavuz, H. See Perçin, I., 148
Ye, H. See Min, T., 444
Ye, L. See Zhao, X., 759
—; Meng, X.-Y.; Liu, X.-M.; Tang, J.-H.; Li, Z.-M.: Flame-Retardant and Mechanical Properties of High-Density Rigid Polyurethane Foams Filled with Decabrominated Dipheny Ethane and Expandable Graphite, 2372
—; Zhang, Y.: *In-Situ* Polymerized Phenolic Resin for Reinforcement of Chloroprene and Ethylene–Propylene Rubber Vulcanizates, 1177
Ye, X.-Y. See Wang, Z.-Q., 2134
Yeom, B.-Y. See Son, B., 2892
Yeum, J. H. See Lee, H. W., 132
Yeung, L. Y. See Meng, Q., 1156

Yi, C. See Zhang, Y., 651
Yılmaz, F.
—; Küçükyavuz, Z.: Conducting Polymer Composites of Multiwalled Carbon Nanotube Filled Doped Polyaniline, 680
Yin, J. See Li, L., 1268
Yin, Y.
—; Li, W.; Cao, H.; Guo, J.; Li, B.; He, S.; Ouyang, C.; Cao, M.; Huang, H.; Yang, H. Effects of Monomer Structure on the Morphology of Polymer Network and the Electro-Optical Property of Reverse-Mode Polymer-Stabilized Cholesteric Texture, 1353
Yin, Y.-B. See Cai, Z.-S., 3010
Yin-Guibo,
—; Zhang-Youzhu; Bao-Weiwei; Wu-Jialin; De-bing, S.; Zhi-hui, D.; Wei-guo, F.: Study on the Properties of the Electrospun Silk Fibroin/Gelatin Blend Nanofibers for Scaffolds, 1471
Yongzhong, B. See Zhenqian, Z., 1659
Yoo, G.-H. See Li, P., 1786
Yoon, K. H. See Jin, S. H., 1028
Yoon, K. R. See Lee, H. J., 839
Yoon, K.-b. See Zhang, H.-x., 2697
You, Q.-D. See Yao, R.-S., 358
Youn, J. R. See Kim, S. Y., 642
Yu, A. See Yang, J., 2751
Yu, F. See Wei, Z., 429
Yu, J. See Hong, J., 2844
Yu, M. See Cui, H., 3144
—; Chen, T.; Liang, Y.; Cui, H.; Zhou, W.; Cui, X.; Li, D.: Porous Acrylonitrile/Itaconic Acid Copolymers Prepared by Suspended Emulsion Polymerization, 2761
Yu, S.
—; Tong, M. N.; Critchlow, G.: Wedge Test of Carbon-Nanotube-Reinforced Epoxy Adhesive Joints, 2957
Yu, W. See Fu, T., 1335
Yu, X.-Q. See Li, K., 2485
Yu, Z.-Z. See Su, Z.-Q., 786
Yuan, X. See Zhao, L., 3104
—; Li, C.; Guan, G.; Xiao, Y.; Zhang, D.: Surface Grafting Modification of Fibrous Silicates with Polyvinylpyrrolidone and Its Application in Nanocomposites, 566
Yumei, D. See Fengxiang, L., 1005
Yunus, W. Md Z. W. See Cheong, M. Y., 2353
Zadhoush, A. See Aghanouri, A., 945
Zaikov, G. E.
—; Kozlov, G. V.; Aphashagova, Z. K.; Mikitaev, A. K.: Plasticity Structural Analysis of Polymer Nanocomposites Filled with Carbon Nanotubes, 2621
Zaikov, G. E. See Kozlov, G. V., 3026
Zang, Y.
—; Xu, W.; Liu, G.; Qiu, D.; Su, S.: Preparation of Ultraviolet-Cured Bisphenol A Epoxy Diacrylate/Montmorillonite Nanocomposites with A Bifunctional, Reactive, Organically Modified Montmorillonite as the Only Initiator via *In Situ* Polymerization, 813
Zanin, M. See Cruz, S. A., 281
Zatloukal, M. See Chaloupková, K., 1728; Kimmer, D., 2711
Zawadzki, S. F. See Tanobe, V. O. A., 1842
Zeng, X.-R. See Zhang, L.-L., 168
Zeng, Z.
—; Ren, W.; Xu, C.; Lu, W.; Zhang, Y.; Zhang, Y.: Effect of Bis(3-triethoxysilylpropyl) Tetrasulfide on the Crosslink Structure, Interfacial Adhesion, and Mechanical Properties of Natural Rubber/Cotton Fiber Composites, 437
Zhai, Y.-Q. See Zhao, Y.-J., 1638
Zhang, A.
—; Feng, Z.; Xie, Z.: Long-Term Investigation on Hydrolytic Degradation and Morphology of Poly(ethylene glycol terephthalate)-*b*-Poly(butylene terephthalate) Copolymer Films, 1462
Zhang, B.-Y. See Wang, J.-W., 2078
—; Hu, J.-S.; Ren, S.-C.; Liu, C.: Synthesis, Structure, and Phase Behavior of New Chiral Liquid-Crystalline Polysiloxanes Based on Mesogenic Menthyl Monomers, 3016
Zhang, C. See Chen, T., 1775; Fang, S., 724; Min, T., 444; Pramoda, K. P., 2938; Wang, J., 746
Zhang, D. See Yuan, X., 566
Zhang, F.
—; Zhou, L.; Xiong, Y.; Liu, G.; Xu, W.: Isothermal Crystallization Kinetics of High-Flow Nylon 6 by Differential Scanning Calorimetry, 2930
Zhang, G. See Jiang, T., 2625
Zhang, H. See Guo, F., 2419; Liu, G., 1964; Zhao, L., 3104
Zhang, H.-x.
—; Jung, M.-s.; Shin, Y.-j.; Yoon, K.-b.; Lee, D.-h.: Preparation and Properties of Ethylene/POSS Copolymer with *rac*-Et(Ind)$_2$ZrCl$_2$ Catalyst, 2697
Zhang, J. See Li, K., 2485; Li, Y. Y., 2269; Ma, W., 1235
—; Cheng, S.; Lu, G.; Chai, S.: Kinetics and Particle Nucleation Mechanism of St/BA/QBVPBr Emulsifier-Free Cationic Emulsion Polymerization, 2092
Zhang, J.-J. See Huang, H.-X., 2806
Zhang, K. See Jia, Z., 1530
Zhang, L. See Jiang, T., 2625; Kumar, R., 970; Su, Z.-Q., 786; Tian, H., 1549; Zhou, J., 2477
Zhang, L.-L.
—; Liu, A.-H.; Zeng, X.-R.: Flame-Retardant Epoxy Resin from a Caged Bicyclic Phosphate Quadridentate Silicon Complex, 168
Zhang, M. See Zhou, W., 255
Zhang, M. Z. See Fang, F., 1105
Zhang, P. See Min, T., 444
—; Huang, G.; Liu, Z.: An Effect of OMMT on the Anti-Reversion in NR/CR Blend System, 673
Zhang, Q. See Bai, H., 1624; Fu, Q., 2830; Wu, W., 730
Zhang, W. F. See Li, Y. Y., 2269
Zhang, X.
—; Pei, X.; Wang, Q.: Friction and Wear Properties of Polyimide Matrix Composites Reinforced with Short Basalt Fibers, 2980
Zhang, X. See Feng, H., 602; Li, R., 826
Zhang, Y. See He, X., 560; Ye, L., 1177; Zeng, Z., 437
—; Wei, Q.; Yi, C.; Hu, C.; Zhao, W.; Zhao, C.: Preparation of Polyethersulfone–Alginate Microcapsules for Controlled Release, 651
Zhang, Z. See Dai, L., 1057; Guo, F., 2419; Shou, C., 2141; Xu, X., 1523
Zhang, Z.-W. See Li, K., 2485
Zhao, C. See Fu, T., 1335; Zhang, Y., 651; Zhao, L., 3104
Zhao, H. See Zhou, W., 255
Zhao, J. See Xie, D., 869; Zhao, L., 3104
Zhao, L.
—; Zhang, H.; Li, X.; Zhao, J.; Zhao, C.; Yuan, X.: Modification of Electrospun Poly(vinylidene

fluoride-*co*-hexafluoropropylene) Membranes Through the Introduction of Poly(ethylene glycol) Dimethacrylate, 3104
Zhao, N. See Li, Y., 1454
Zhao, Q. See Ling, Q., 1911
Zhao, S. See Feng, H., 602
Zhao, W. See Zhang, Y., 651
Zhao, X. See Yao, Z., 2553
—; Ye, L.: Study on the Thermal Conductive Polyoxymethylene/Graphite Composites, 759
Zhao, X.-J.
—; Liu, J.-G.; Li, H.-S.; Fan, L.; Yang, S.-Y.: Synthesis and Properties of Fluorinated Polyimides from 1,1-Bis(4-amino-3,5-Dimethylphenyl)-1-(3,4,5-trifluorophenyl)-2,2,2-trifluoroethane and Various Aromatic Dianhydrides, 2210
Zhao, Y. See Dai, L., 1057
—; Guo, X.; Xie, Z.; Qu, Y.; Geng, Y.; Wang, L.: Solvent Vapor-Induced Self Assembly and its Influence on Optoelectronic Conversion of Poly(3-hexylthiophene): Methanofullerene Bulk Heterojunction Photovoltaic Cells, 1799
—; Wang, C.; Wang, Y.; Zhu, B.: Aqueous Deposited Copolymerization of Acrylonitrile and Itaconic Acid, 3163
Zhao, Y.-J.
—; Zhai, Y.-Q.; Ma, G.-H.; Su, Z.-G.: Kinetic Analysis and Improvement of the Williamson Reaction for the Synthesis of Poly(ethylene glycol) Propionaldehyde, 1638
Zheng, Y. See Shang, H., 1594
—; Chonung, K.; Wang, G.; Wei, P.; Jiang, P.: Epoxy/Nano-Silica Composites: Curing Kinetics, Glass Transition Temperatures, Dielectric, and Thermal–Mechanical Performances, 917
Zheng, Z. See Fang, S., 724
Zhenqian, Z.
—; Yongzhong, B.; Zhiming, H.; Zhixue, W.: Preparation of Polystyrene/Poly(methyl methacrylate) Core-Shell Composite Particles by Suspension-Emulsion Combined Polymerization, 1659
Zhi-hui, D. See Yin-Guibo, 1471
Zhihai, C. See Guorong, S., 1409
Zhiming, H. See Zhenqian, Z., 1659
Zhixue, W. See Zhenqian, Z., 1659
Zhong, S. See Fu, T., 1335
Zhou, J.
—; Li, R.; Liu, S.; Li, Q.; Zhang, L.; Zhang, L.; Guan, J.: Structure and Magnetic Properties of Regenerated Cellulose/Fe_3O_4 Nanocomposite Films, 2477
Zhou, L. See Fang, S., 724; Li, R., 826; Zhang, F., 2930
Zhou, Q. See Ling, Q., 1911
Zhou, W. See Cui, H., 3144; Yu, M., 2761
—; Qi, S.; Ai, T.; Zhao, H.; Zhang, M.; Li, W.; Lau, E.: Toughened Epoxy Resin Matrix for a Membrane Shell by Wet Filament Winding, 255
Zhou, X.-M.
—: Thermal Behavior of PES/PEES Copolymers with Different Sequence Distribution: Comparative Study of the Kinetics of Degradation, 833
Zhou, Y. See Zou, Y., 978
Zhou, Y.-M. See Wang, Z.-Q., 2134
Zhou, Z. See Bai, H., 1624; Wang, S., 532
Zhu, B. See Zhao, Y., 3163
Zhu, M. See Li, W., 1449
Ziegmann, G. See Elsabbagh, A., 2279
Zong, L. See Miao, Q., 3137
Zou, Y.
—; Zhou, Y.; Wu, G.; Li, Y.; Pan, C.: Electroluminescent Fluorene-Based Alternating Polymers Bearing Triarylamine or carbazole Moieties in the Main Chain: Synthesis and Properties, 978
Zvinowanda, C. M.
—; Okonkwo, J. O.; Agyei, N. M.; Shabalala, P. N.: Physicochemical Characterization of Maize Tassel as an Adsorbent. I. Surface Texture, Microstructure, and Thermal Stability, 1923

Journal of Applied Polymer Science

Subject Index to Volume 111

αMSAN, 237
α-chymotrypsin, 2844
Abiotic oxidation, 1426
Accelerated aging, 281
Accelerated weathering, 2946
Acidic alumina, 87
Acrylamide, 1409
Acrylic bone cements, 2493
Acrylonitrile, 11, 3163
Activation energies, 833
Activation energy, 2408, 2703
Active sites, 1869
Additives, 589, 1115, 2537, 3113
Adhesion, 281, 363, 437, 1034, 2507, 2957
Adhesives, 2957
Adsorption, 1086, 1110, 1369, 1786, 1862, 1923, 2018, 2148, 2881, 3081
Affinity chromatography, 148
AFM, 94, 2104, 2637
Aging, 228
Agricultural film, 2299
Air spring, 1005
Alginate, 651
Alkyd/melamine, 2946
Alloys, 461
Amino-PPE, 1850
Amorphous, 2116
Amorphous hydrogenated carbon films, 281
Amphiphilic, 1676
Amphiphilic copolymer, 998
AMPS®, 2018
Anionic polymerization, 1571, 2006, 2099, 2970
Anionic ring opening, 1278
Annealing, 642, 2837
Antifog additive, 2299
Antimicrobial properties, 953
Antireversion, 673
Antitracking varnish, 3065
Apparent activity energy, 388
Aqueous deposit copolymerization, 3163
Aqueous solution, 358
Aqueous two-phase polymerization, 1409
Aramid short fiber, 264
Aromatic diamines, 1769
Association, 125
Associative, 1751
Atom transfer radical polymerization (ATRP), 560, 1942
Atomic force microscopy (AFM), 2062, 2715
Auries, 1369
Avrami, 1246
Azo polymers, 2562

β-cyclodextrin, 2056
1,3-Bis(4-benzoyl chloride phenoxy) propane, 1769
2,2-Bis[*N*-(3-hydroxyphenyl)phthalimidyl]hexafluoropropane, 517
2,2′-Bipyridine, 3137
Bacterial polyesters, 2308
Barrier, 928, 1954
Bioactive paper, 1
Biobased, 37
Biocompatibility, 2445
Biocomposites, 612
Biodegradation, 551, 2527
Biodegradable, 508, 839, 1045, 1540, 1954, 2362, 2460, 2777, 2892
Biodegradation, 525
Biofibers, 132, 317
Biological applications of polymers, 934, 1344, 1638, 1697, 2362, 3010
Biomaterials, 317, 1013, 2493
Biopolymer, 70
Biopolymers, 323, 1697, 2452, 2908, 2917
Birefringence, 461
Bis(4-hydroxy-3-methoxy benzylidene) acetone, 2340
Bis(4-hydroxyphenyl)sulfide, 1257
Blend, 1905
Blending, 1644, 2813
Blends, 48, 101, 132, 237, 396, 577, 1051, 1335, 1676, 1720, 1884, 1947, 1954, 2035, 2590, 2684, 2970, 3121
Blisters, 308
Block and graft copolymers, 2308
Block copolymer, 19, 3089
Block copolymers, 560, 602, 1581, 1780, 2387, 2445
Branched, 2553
Branching reaction, 2099
Bromine-containing acrylic monomer, 2493
Brush copolymers, 1540
Butyllithium, 2099

^{13}C NMR, 1151
Crystallization, 2930
Calculations, 482
Calorimetry, 2318
Cancer cell, 70
Carbazole, 978
Carbon dioxide, 380
Carbon nanotubes, 1278
Carbon short fiber, 264
Carbon tetrachloride, 63, 1063
Catalyst, 1293
Catalysts, 1440, 1501, 2625
Catalytic oxidation, 1999
Cationic polymerization, 273, 1594, 1878, 2822
Cellulase, 545
Cellulose, 2468
Cellulose dissolution, 1019
Cellulose filter paper, 1381
Ceramic–polymer composite, 1105
Ceric ammonium nitrate, 1381
Chain propagation mechanism, 1869
Chalcone containing, 1606
Characterization, 658
Charge transport, 1799
Chelating resin, 2798
Chemical grafting, 1381
Chemical modification, 3010
Chiral, 1209, 2078, 2134, 3016
Chitosan, 545, 779, 1063, 2408
Chitosan microspheres, 2881
Chlorinated poly(propylene), 988
Chlorinated polyethylene, 63
Chlorination, 63
Chloroprene rubber, 673, 1177
Cholesteric phase, 3016
Chromatography, 273, 1991, 2647
Chromophores, 794
Cis-1-4-polyisoprene, 2986
Clay, 155, 566, 1094
Click reaction, 560, 1571
CO_2, 291
Coagent, 819
Coated paper, 2886
Coating, 3121
Coatings, 417, 1496, 2597, 2992, 3058, 3081
Coaxial electrospinning, 408
Coir fiber, 612
Colorant, 2245
Cold plasma, 2637, 2992
Colloidal silica, 746
Colloids, 1947, 2900
Color strength, 1892
Compatibilization, 1028
Compatibility, 48, 101, 1391, 1884, 2186, 2345
Composite, 37, 988
Composite sorbent, 2741

Composites, 168, 175, 255, 532, 589, 1165, 1225, 1293, 1835, 1911, 1954, 2049, 2279, 2419, 2507, 2806, 2851, 2908, 2957, 2980
Compression, 1684, 2290
Compression molding, 246
Concentrated emulsion, 746
Concentration dependence, 380
Conducting polymer, 2328
Conducting polymers, 589, 680, 1216, 1496, 1947, 2400
Conductivity, 2071
Configuration, 2381
Confocal laser scanning microscopy, 1
Conjugated polymer, 1799, 3137
Conjugated polymers, 444, 1917, 1976
Controlled degradation, 826
Controlled polymerization, 2011
Controlled radical polymerization, 1581
Controlled release, 651, 701, 845, 2731
Cooperative effects, 753
Copolymer, 753, 2328
Copolymerization, 87, 125, 329, 1257, 1433, 1594, 1869, 1976, 1991, 2220, 2279, 2381, 2460, 2607, 2697, 2761, 2900, 3026, 3144
Copper (II), 2881
Cord-rubber composite aeolotropy, 1005
Core-shell structure, 1564
Corrosion inhibitor, 2328
Covulcanization, 673
Crack resistance curve, 2245
Crazing, 854, 1713
Creep, 228, 899
Crosslink density, 1816
Crosslinking, 1063, 1185, 1344, 1400, 1530, 1805, 2163, 3074, 3094, 3144, 3150
Crosslinking density, 1557
Crosslinking, silicones, 2785
Crown ether, 2785
Crystal structures, 883
Crystallinity, 114
Crystallization, 29, 37, 101, 291, 429, 476, 532, 753, 786, 883, 1013, 1045, 1069, 1076, 1235, 1246, 1318, 1501, 1530, 1720, 1738, 2260, 2657, 2751, 2908, 2938, 2970
Crystallization behavior, 371
Crystallization structure, 1624
Cuphea, 114
Curable formulations, 1892
Curing behavior, 1670
Curing of polymers, 813, 1225, 3058
Curing polymers, 1199
Current density, 876
Cut method, 2245
Cyclen, 2485
Cyclic voltammetry, 709
Cycloaliphatic structure, 1828
Cyclopentene, 1869
Cytotoxicity, 2269

1,1-Diphenylethene, 1581
Damping, 264
Decabrominated dipheny ethane, 2372
Defatted soy flour, 2049
Degradation, 1051, 1478, 1557, 1985
Degradation kinetics, 175
Degradation mechanism, 114
Degradations, 3113
Degree of conversion, 668
Dehydroabietic acid, 2436
Dendrimer, 1720
Dendrimers, 709
Density, 2917
Density functional theory, 2011
Deoxybenzoin-based polymer, 301
Desalination, 2741
Dielectric constant, 2071
Diallydimethylammonium chloride, 668
Dibenzylpiperidinium salts, 1878
Diblock copolymers, 1942
Dibutylmagnesium, 429
Die drool, 1728
Dielectric behavior, 917
Dielectric properties, 1985
Dielectric relaxation and percolation, 1358
Differential pulse voltammetry, 709
Differential scanning calorimetry (DSC), 19, 1318, 1644, 1923, 2468, 2908, 2930
Diffusion, 57, 141, 417, 928, 1816, 2171, 2886, 2998, 3081
Diffusion coefficient, 2408
Dilute solution viscosity, 1884
DIN abrasion, 348
Disorder, 2837
Dispersion, 517, 1391
Dispersions, 2900
Distillation–precipitation polymerization, 1964
Divinyl ester (DVE), 1478
Divinylbenzene, 1257
DMS, 1311
DNA cleavage, 2485
Double irradiation, 2238
Down powder, 2204
Drawing, 1775
Drug carrier, 701
Drug delivery, 1564, 1905, 2275
Drug delivery systems, 444, 1417, 2220, 2452, 2731
Drying, 308
DSC, 114, 175, 476, 1151, 1311, 1690, 2204, 2590
Ductile, 854
Durability properties, 1892
Dye, 189
Dyes, 94, 1786
Dyes/pigments, 1991, 2545
Dynamic mechanical properties, 264
Dynamic mechanical thermal analysis, 2468

EB curing, 2318
Elastomer, 928, 1670
Elastomers, 348, 1094, 1780, 2049
Electric fatigue, 1105
Electrical properties, 685
Electro-optical property, 1353
Electrochemical double layer capacitors, 1615
Electrochemistry, 94, 1335, 1440, 3031
Electroluminescence, 978
Electron beam accelerator, 1892
Electron beam irradiation, 1063, 3113
Electron microscopy, 338, 1344, 1488, 1835, 1923
Electropolymerization, 876
Electrospinning, 1471, 1564
Electrospun, 301
Embrane, 2720
Embrittlement, 469
Emulsifier-free cationic emulsion, 2092
Emulsion polymerization, 185, 338, 388, 735, 1185, 1488, 1594, 1659
Enhancement, 917
Enthalpic relaxation, 114
Enzymes, 2647
EPDM, 2035
EPDM-*g*-TMEVS, 2859
EPDM-*g*-TMEVS/PS, 2859
EPM/EPDM elastomers, 482
Epoxidation, 48
Epoxide, 1878
Epoxidized natural rubber, 819
Epoxidized soybean oil, 1311
Epoxidized sunflower oil, 525
Epoxy, 746, 2318, 2562
Epoxy content, 2340
Epoxy networks, 2822
Epoxy resin, 917
Erasure, 2157
ESCA/XPS, 1034, 2992
Essential oil, 779
Esterification, 1540
ETFE film, 2238
Ethylene-propene-diene terpolymer, 1884
Ethylene–propylene rubber, 1177
Ethylene, 2697
EVA-60, 635
EVOH, 612
Exfolaited graphite, 1358
Expandable graphite, 2372
Experimental diffusivity, 380
Extruded, 114

Extrusion, 2279, 2657, 3121
Eyring process, 1190

5-Fluorouracil, 845
Fiber, 1156
Failure mechanisms, 685
Fe_3O_4, 1763
FEM modeling, 1728
Ferriferous oxide, 963
Ferrocene, 709
Ferroelectric film, 1105
Fiber, 189, 2085
Fibers, 132, 437, 1615, 1684, 1775, 1835, 2419, 2507, 2616, 2892, 2908, 2980
Filler, 1684
Fillers, 348, 680, 1057, 2419
Film, 2477
Film preparation, 2127
Films, 642, 970, 1488, 1947, 1976, 2157, 2507, 2715, 2992, 3074
Flake like fillers, 264
Flame retardant, 2085
Flame-retardant property, 2372
Flexible polyurethane foam, 1311
Flocculants, 2527
Flocculation, 1594
Flouroelastomers, 1358
Flow rule, 1190
Fluorene, 461
Fluorescence, 1931, 1976, 1991, 2006
Fluorescent chemosensor, 3137
Fluorooligomer, 1828
Fluorocarbon, 371
Fluoropolymers, 141, 1094, 2210
Foam extrusion, 2917
Foams, 1842
Force quantification, 2104
Fracture, 854, 2574
Fracture mechanics, 2245
Free radical, 545
Free radical polymerization, 2963
Free-radical grafting, 1600
FT-IR, 869, 1034, 1417, 1488, 2590, 2630
FTIR, 1311, 2134, 2204, 2299, 2837
Fullerenes, 1799
Functionalization of polymers, 1638
Functional hydrophilic hollow microsphere, 1964
Functionalization of polymers, 87, 1086, 1417, 2006, 2220, 2545, 2785

Gel permeation chromatography (GPC), 87, 1508, 2099, 2607
Gelatin, 779, 1471, 1478
Gelation, 1225, 3074
Gels, 1862, 2917
Genetic algorithm, 482
Genipin, 779
Glass fabric reinforced epoxy composite, 685
Glass transition, 175, 3026
Glass transition temperature, 917
Glycidyl methacrylate, 1381, 1600
Glycine max, 148
Glycosaminoglycan, 70
GM, 869
Gold colloids, 2044
Gold(III) adsorption, 2798
Gold(III) separation, 2798
Goodness-of-fit test, 2584
Gordon-Taylor-Fox, 175
Graft, 619
Graft copolymer, 2859, 2872
Graft copolymerization, 2238, 2527
Graft copolymers, 1268, 1300, 1508, 1862, 2553, 2647
Grafted cotton, 2056
Grafting yield, 1600
Grafting, 539, 1842
Graphite, 264, 759
Green chemistry, 1209
Green materials, 1549
Green strength, 2127
Greenhouse, 2299
Griseofulvin, 1690
Group contribution method, 1745

2-Hydroxy ethyl methacrylate, 2381
2-Hydroxyethyl methacrylate, 246
^{1}H-NMR, 1268
Halogenated, 1115
Halpin–Tsai, 37
Hancornia speciosa Gomes, 2986
Hevea brasiliensis, 2986
Hardness, 2062
Heavy metals, 57
Heck reaction, 3137
HEMA, 869
Hemolysis, 2269
Heterocyclic functional groups, 2148
High-density polyethylene, 1600
High flame-retarded polymer, 301
High molecular weight PVC, 237
High performance polymers, 2116
High temperature materials, 228, 1501
High-temperature vulcanizated silicone rubber, 658
Hollow fibers, 408
Hot spot temperature, 3065
HPLC, 1257, 2830
Hybrid, 2697
Hydrosilylation, 2785
Hydrogels, 108, 1369, 1400, 1417, 1557, 1786, 2025, 2452
Hydrogen-bonding interaction, 1964
Hydrogenated natural rubber, 2813
Hydrogenated rosin epoxy methacrylates, 1172
Hydrolytic resistance, 1828
Hydrophilic polymer, 1400
Hydrophilic polymers, 444, 1300, 2163, 2186, 2637, 2731, 2917
Hydrophilic, 1751
Hydrophobic, 1751
Hydroxyamine, 1549
Hydroxyl-terminated polydimethylsiloxane, 1454
Hyperbranched organic montmorillonite, 658
Hyperbranched poly(phenylene sulfide), 1900
Hyperbranched, 2141, 2822
Hyperelasticity, 1190

IEM, 869
Immobilization, 2844
Immobilized metal complexes, 2485
In situ compatibilization, 826
In situ emulsification, 735
In situ polymerization, 246, 1278
Infrared spectroscopy, 680, 839, 2703
Injection molding, 642, 890
Injection-molded, 114
Inorganic–organic composite, 1964
Instrumented Charpy impact test (ICIT), 2245
insulation of electric cables, 482
Interaction parameter, 452
Interface, 2691
Interfaces, 363, 577, 2062, 2806
Interpenetrating networks (IPN), 2675, 3150
Interpenetrating polymer networks (IPNs), 1478
Ion exchange membrane, 3128
Ion exchangers, 1216, 3039
Ion-exchange resin, 2741
Ionic liquid, 1019
Ionic liquids, 1209, 2468
Ionomers, 2998
Iron catalysts, 1151
Isomerization, 2157
Isotactic, 3050
Isothermal crystallization, 1624
Itaconic acid, 3163

Kinetic, 1900
Kinetic parameter, 1165
Kinetics, 1409, 2092
Kinetics (polym.), 168, 329, 735, 1318, 2930
Konjac, 2527

Liquid crystals, 2562
Laccase, 1
Lamellar, 2837
Landfill, 525
Lasquerella, 114
Latent initiators, 1878

Latex, 2986
Lattices, 185
Layered double hydroxide, 635
LCST, 998
LDPE (low-density polyethylene), 551
Leather fibers, 1670
Lewis acid-mediated polymerization, 87
Light scattering, 1449, 2630
Lignin, 1019, 2468
Lignocellulose, 2468
Linear low-density polyethylene, 1268
Linseed oil polymers, 1816
Liquefaction, 508
Liquid crystal, 1449
Liquid crystalline polymer, 2345
Liquid natural rubber, 48
Liquid-crystalline polymers (LCP), 396, 2078, 2426, 3016
Lithography, 3058
Lognormal, 2584
LOI, 635
Long-term degradation, 1462
Loss tangent, 2071

Macromolecule, 3089
Macroporous polymers, 1842, 2116, 2518
Magnetic nanogel, 2844
Magnetic response, 963
Magnetic tapes, 899
Magnetization property, 1763
Materials, 2468
Matrix, 255, 1911, 2157
Maximum likelihood estimation, 2584
Mechanical, 635
Mechanical performance, 1005
Mechanical properties, 237, 255, 348, 363, 602, 619, 685, 768, 805, 854, 890, 970, 1057, 1144, 1216, 1293, 1670, 1684, 1755, 1835, 2035, 2279, 2345, 2616, 2675, 2806, 2813, 2851, 2859, 3104
Mechanical property, 2372
Mechanism, 323, 658
Melt, 1045
Melt compounding, 2253
Melt extrusion, 237, 2468
Melt strength, 2253
Melting, 1624
Membrane, 57, 1235, 1286
Membrane fouling, 1653
Membranes, 78, 1144, 1216, 1697, 1745, 2194, 2518, 2537, 2998, 3104
Menthyl, 3016
Merrifield resin, 2485
Mesoporous silica, 2229
Metal ion uptake, 2872
Metal ions, 709
Metal-organic catalysts/organometallic, 1501
Metal–polymer complex, 2720
Metal-polymer complexes, 78, 1034, 1931
Metallization, 2044
Metallocene catalysts, 273
Methacrylonitrile, 2381
Methyl methacrylate, 845
Micelle, 1706
Microgels, 1199
Microstructure, 329
Microbes, 551
Microbiological, 1369
Microcapsule, 651
Microencapsulation, 1, 779, 2452
Microgels, 845
Microscopy, 2104
Microstructure, 577, 1923, 2290, 2381, 3050
Microtubes, 963
Milkweed, 175
Mineral oil, 2886
Miniemulsions, 735
Miscibility, 452, 577, 2691
MMA, 2238
Modeling, 189, 329, 363, 1286, 1508, 1775, 2171, 2657
Modification, 108, 1697, 3104
Modulus, 2071, 2290
Molecular imprinting, 2830
Molecular modeling, 3026
Molecular oxygen, 1999
Molecular weight, 37, 545
Molecular-weight distribution, 2171
Monomer structure, 1353
Monte Carlo simulation, 2260
Montmorillonite, 673
Morphology, 194, 371, 469, 602, 768, 786, 890, 1028, 1235, 1293, 1353, 1391, 2116, 2260, 2345, 2518, 2675, 2715, 2761
Mosquito repellent, 779
Multifunctional peroxides, 819
Multilayer coatings, 308
Multilayered films, 953
Multilayers, 709
Multiphase model, 203
Multistep analysis, 1005

N-vinyl-2-pyrrolidone, 2872
Nafion, 1144
Naltrexone, 1905
Nano-silica particle, 917
Nanosilica, 1936
Nanotechnology, 2186
Nanoclay-reinforced blends, 2859
Nanocomposite, 29, 619, 628, 1763, 1786, 2071, 2085, 2104, 2697
Nanocomposites, 155, 566, 589, 635, 658, 680, 759, 768, 934, 1028, 1045, 1094, 1144, 1278, 1300, 1358, 1936, 2062, 2253, 2400, 2477, 2574, 2621, 2684, 2769, 2938, 2957, 2963, 3150
Nanofiber, 301
Nanofibers, 1471
Nanogel, 358
Nanoindentation, 1063, 1391
Nanolayers, 2637
Nanoparticle, 2269
Nanoparticles, 1540, 1905
Nanotechnology, 317, 692, 2892
Natural fibers, 2279
Natural rubber, 19, 673, 2127, 2813, 2986
NaY zeolite, 2408
Negative pressure, 1728
Network, 1328
Networks, 108, 2025
Networks, fractal analysis, 1199
Nimodipine, 2830
NLO-properties, 794
NMR, 1433, 2381, 2630
Nonionic surfactant, 1268, 2299
NR, 2035
Nucleating agent, 2436
Nucleating agents, 1624
Nucleation, 94, 291, 786, 1076, 1738

1-Octene, 87
Oil spill clean-up, 1842
Oil well cement, 2018
Oleoylchitosan, 2269
Oligomer, 1720
Oligomers, 273
On-line, 2830
Optical property, 1763
Optics, 1449, 2134
Optimization, 308
Organic–inorganic hybrids, 794
Organoclay, 813, 1954, 2400, 2769, 3150
Orientation, 461, 945, 1353, 2157, 2426, 2715
Oxo-biodegradation, 1426

P(LLA-CL), 1564
P(VDF-TrFE), 1105
Packaging films, 953
Palm-based resin, 2353
Palygorskite, 566
Paraffin, 63
Particle formation mechanism, 1659
Particle morphology, 1659
Particle nucleation mechanism, 2092
Particle size distribution, 338, 735, 1185, 1659, 1923, 2204, 2362, 2761, 2900
Particulate composites, 203
PBMC, 2275
PC, 461
PDPCD, 1828

Peel test, 363
PEG, 452
PEGT-*b*-PBT copolymer, 1462
Pentyl-oxycyanobenzene, 794
Percent water uptake, 1478
Perfluoroalkoxy (PFA), 141
Persulfate/ascorbic acid redox pair, 539
Pervaporation, 2408
PES/PEES copolymers, 833
PET, 281
Phase diagrams, 396
Phase inversion method, 2387
Phase separation, 396, 417, 651, 1653, 1799, 2518, 2537, 3050
Phase transitions, 1690
PHB, 1720
Phenolic resin, 1177
Phillips catalyst, 1869
Phosphate glass fibers, poly(caprolactone), 246
Phosphorus containing, 1606
Photo acid generator, 2340
Photoactive polymers, 2562
Photochemistry, 945, 2597
Photocrosslinkable, 1606
Photoinitiator, 3089
Photonic crystal fibers, 730
Photophysical properties, 978
Photophysics, 1931, 1976
Photopolymerization, 57, 813, 1199, 1449, 1936, 2011, 2669, 2844, 3058, 3089
Photoreactivity, 2340
Photoresist, 2340
Photovoltaics, 1799
Pigment color, 1892
PLA, 1720
Plasma etching, 281
Plasma polymerization, 2545
Plasticization, 1549
Plasticized PLLA, 1530
Plasticizers, 525
PMMA, 452
PNIPAAm-*b*-OMMA, 701
PNIPAAm-MAA, 2584
POE-*g*-MAH, 1069
Polarization degradation, 1105
Polisiloxanes, 2637
Poly (L-lactic acid), 1720
Poly (3-hydroxybutyrate), 1720
Poly(ε-caprolactone), 429, 1676
Poly(*N*-isopropylacrylamide), 1905
Poly(*N*-vinylpyrrolidone), 1676
Poly(*p*-chloro styrene), 1328
Poly(1,3-cyclohexadiene), 2006
Poly(2-alkylaniline), 2328
Poly(2-methoxyethyl acrylate), 476
Poly(3-dodecyl thiophene), 155
Poly(3-hydroxybutyrate-*co*-3-hydroxyhexanoate) (PHBHx), 2308
Poly(3-hydroxybutyrate-*co*-3-hydroxyvalerate) (PHBV), 2308
Poly(acrylonitrile), 539
Poly(aniline), 988
Poly(aspartic acid), 1557
Poly(caprolactone diol), 1478
Poly(ether ketones), 2116, 2998
Poly(ether sulfones), 1653
Poly(ethylene glycol), 1706
Poly(ethylene naphthalate), 899
Poly(ethylene oxide), 1690
Poly(ethylene oxide) monomethylene ether, 560
Poly(lactic acid), 175
Poly(lactide-*co*-glycolide), 1905
Poly(methyl methacrylate) (PMMA), 388, 408, 1571, 2308
Poly(phenylene oxide), 3128
Poly(phosphoramide ester)s, 1606
Poly(propylene) (PP), 532, 854, 988, 1076, 1738, 2260, 2436, 2703
Poly(trimethylene carbonate), 1706
Poly(urethane-imide), 517
Poly(vinyl acetate), 2669
Poly(vinyl chloride) (PVC), 338, 2691, 3058
Poly(vinylidene difluoride) (PVDF), 1763
Polypropylene, 768, 819
Polyethylene (PE), 2507
Polyurethanes, 2290
Poly(caprolactone), 839
Polycondensation, 217
Poly(phenylene oxide), 1501
Polyacids, 869
Polyacrylamide, 1786, 2527
Polyacrylate, 2669
Polyacrylic acid, 358, 2741
Polyamide 6/polyamide 66 composite, 2245
Polyamides, 1209, 1278, 1588, 1769, 1780, 2460
Polyaniline, 2328
Polyaromatics, 2426
Polyaspartamides, 998
Polybenzoxazine, 628
Polycarbonate, 396
Polycarbonates, 217, 883
Polychloroprene, 1884
Polycondensation, 1588, 1850, 2018, 2056, 2426, 3039
Polyelectrolytes, 125, 1185, 1335, 2194, 2362, 2720, 3031
Polyester, 2751
Polyester nonwoven fabric, 1165
Polyesters, 805, 899, 1013, 1045, 1433, 1540, 1755, 2545
Polyethers, 2275, 3026
Polyethersulfone, 651
Polyethylene (PE), 380, 589, 1151, 1426, 2460, 2597, 2806
Polyethylene/polybutene-1 films, 363
Polyethyleneimine, 2741
Polyethylenemine, 1
Polyglycidol, 2275
Polyhedral oligomeric silsesquioxane, 2963
Polyimide, 2044
Polyimides, 228, 2210, 2980
Polylactic acid, 291
Polylactide, 37
Polymer, 963, 2104
Polymer blends, 452
Polymer composites, 2468
Polymer nanocomposites, 2229
Polymer optical fibers, 730
Polymer solar cell, 1850
Polymer solutions, 452
Polymer–polymer interaction parameter, 1328
Polymer–solvent interaction parameter, 1328
Polymerization rate, 2092
Polymeric beads, 148
Polymeric dinuclear metal complex, 1999
Polymerization, 358
Polymerization kinetics, 2669
Polymethyl methacrylate, 2099
Polymethylsilsesquioxane, 1454
Polymorphism, 1738
Polyolefins, 194, 1835, 1911, 2553, 2625, 2992
Polyoxymethylene (POM), 469, 759
Polyphthalocyanines, 1999
Polypropylene, 753, 786, 1028, 1624, 1684, 2085, 2616, 2769
Polypropylene fiber, 11
Polypropylene/polystyrene blends, 826
Polypyrrole films, 876
Polysaccharides, 1110, 1523, 2362, 2452, 2630, 3010, 3031
Polysilanes, 2078
Polysiloxanes, 794, 2025, 2715
Polystyrene, 1488, 1508, 2148, 2229, 2518, 2574, 2900, 3144
Polytetrafluoroethylene (PTFE) copolymer, 141
Polytetrahydrofuran (PTHF), 2308
Polyurethane, 19, 1246, 1293, 2946
Polyurethane-methacrylate, 724
Polyurethanes, 217, 371, 508, 1156, 1842, 2387, 3094, 3113
Polyvinylpyrrolidone (PVP), 566
Polyvinyl alcohol, 358
Polyvinyl chloride, 48
Polyvinyl pyrrolidone, 2963
PORE structure, 1615
Porous interconnected morphology, 1462

Porous microspheres, 1257
POSS, 628, 2697
Potassium peroxydiphosphate/Ag^+ system, 2872
PP/PET blend, 29
Preirradiation, 2238
Prepolymer, 724, 2353
Prepolymer process, 517
Printability, 2886
Processing, 417
Processing conditions, 768
Profiled fibers, 805
Proteins, 692, 970, 1942, 2141, 2647, 2777
Pseudo-Fickian diffusion, 1816
Pseudomonas aeruginosa, 1426
Pure organic liquid, 1745
Purification and measurement, 2830
PVAc/MF, 1165
PVC, 237, 525
Pyrene, 2006
Pyrolysis, 168, 323
Pyrrole, 1976

Radiation, 668, 945, 1369
Radiation grafting, 11
Radical polymerization, 329, 692, 2171, 2220, 2607
Radiopacity, 2493
Radius gyration, 70
Rare earth doped fibers, 730
Reactive extrusion, 826
Reactive processing, 2035
Reactive solvent, 63
Recycled wood fiber, 37
Recycling, 281, 323, 1051, 1805
Redox initiator, 388
Refinish coatings, 2946
Reinforced composites, 2616
Reinforcement, 1177, 1225, 1644, 1684, 2851
Release, 1369
Renewable resources, 2777
Resin-modified glass-ionomer cement, 869
Resins, 168, 1335, 2419, 3039, 3094
Response surface method, 1600
Rheological behavior, 1069
Rheology, 125, 1028, 1051, 1286, 1523, 2049, 2493, 2553, 2630, 2657, 2806
Rifampicin, 2269
Rigid polyurethane foams, 2372
Ring-opening polymerization, 839, 1676, 1805
Rocks, 348
Rubber, 437, 602, 1057, 1644
Rubber elastic behavior, 1005

Salicylic acid, 2731
Salphen schiff base metal complexes, 1999
Sand-fixing agent, 1557
SAXS, 2837
SBR, 264
Scaffolds, 1471
Scanning electron microscopy, 839
Scavenging, 545
Segmented-cladding fibers, 730
Selectivity, 2186
Self-assembly, 1581, 2445
Self-diffraction, 794
SEM, 1478, 2204
Semi-interpenetrating networks (s-IPN), 2669
Sensors, 1086, 1931, 3074
Separation techniques, 2141, 2186, 2647, 3128
Sequence distribution, 833
Shear, 786, 2290
Shear viscosity, 1019
Sheet polymer, 1999
Shrinkage, 2822
SiC filler, 685
Side chain liquid crystalline polymer, 2562
Silane, 37
Silanol condensation, 1454
Silazane, 1057
Silicas, 1644
Silicone modified alkyd resin, 3065
Silicones, 168
Silk fibroin, 1471
Silver nanoparticles, 953
Simulant, 928
Simulation, 2171
Simulations, 1440, 1775, 2657
SiO_2 nanoparticles, 1449
Sirotherm resin, 2741
Smectic phase, 3016
Sodium stearate, 2436
Sol-gel transition, 998
Sole source of carbon, 551
Solid catalysis, 2485
Solid dispersion, 1690
Solid-state polymerization, 94, 883
Solubility, 1588
Solution properties, 1523, 3031
Solvent gradient elution fractionation, 1151
Sorption, 1816, 2741
Soy protein, 1549
Soybean lectin, 148
Spacer arm, 2148
Specific surface area, 1615
Spherulites, 1713
Spin coating, 1917
Spray drying, 2881
Stability, 746
Stabilization, 1991, 2844
Staphylococcus, 1369
Star block copolymer, 1706
Star polymers, 602
Starch, 612
Starch nanocrystals, 619
Steam activation, 1615
Step-growth polymerization, 2194
Stimuli-sensitive polymers, 1156, 2025, 2220, 2607
Strain, 876, 2851
Strength, 869
Structure, 2477, 2621, 3026
Structure-properties relationship, 619
Structure–property relations, 141, 189, 1013, 1745, 1755, 2025, 2851
Styrene, 2011
Styrene-butadiene polymers, 2886
Sulfur mustard, 928
Supercritical, 291
Supports, 692
Surface grafting, 566
Surface modification, 2044
Surface properties, 2104
Surfaces, 1034, 1257, 1697, 1942
Surfactants, 1947
Suspension polymerization, 1659
Suzuki polymerization reaction, 978
Swelling, 108, 635, 934, 1057, 1185, 1300, 1369, 1400, 1745, 2163, 2998
Swelling behavior, 1328, 1670
Swelling kinetics, 1816
Synthesis, 444, 1496, 1638, 2562, 3010, 3039
Synthetic hectorite, 1094

Tackifiers, 1172
Tamarind gum, 539
Telechelics, 1571
TEM, 934, 2400
Template synthesis, 963
Tensile impact strength, 48
Tethering, 869
TGA, 114, 175, 635, 668, 1165, 2204
Theory, 2171
Therapeutic footwear, 2387
thermal analysis and swelling behavior, 2238
Thermal degradation, 1720
Thermal aging, 1985
Thermal analysis, 2468, 2872, 2946
Thermal characteristics, 1478
Thermal class, 3065
Thermal conductivity, 759
Thermal degradation, 1900
Thermal expansion coefficient, 203
Thermal oxidation, 469
Thermal properties, 429, 508, 805, 970, 1069, 1144, 1209, 1400, 1433, 1588, 1755, 2134, 2210, 2345, 2675, 2684, 2751, 2963, 3074, 3094
Thermally induced phase separation (TIPS), 1235
Thermogravimetric analysis (TGA), 323, 2400, 2590

Thermo set, 724
Thermo- and pH-responsive polymer, 998
Thermoplastic elastomer, 1246
Thermodynamics, 417, 2590
Thermogravimetric analysis (TGA), 1115, 1755, 1805
Thermogravimetric analysis, 19, 2468
Thermoplastic vulcanizate, 819
Thermoplastics, 2597
Thermoresponsive polymeric micelles, 701
Thermosensitive, 1905
Thermosets, 1225, 3094
THF, 452
Thickener, 1751
Thin films, 57, 1917, 2545, 2777
Thiourea–formaldehyde resin, 2798
Toughness, 194, 255, 2691, 2822
Toxicity, 2275
TPA-PPE, 1850
Tracking and arc resistance, 3065
Transparency, 194, 724, 2210, 2436
Triblock, 1780
Triblock polymers, 429
Triphenylamine, 978
Triphenylamine copolymers, 1850
Trithiocarbonate, 2011

UHMWPE/PP blends, 890
Ultrafine particle, 3050
Ultrasonic velocity, 452
Uni-HEUR, 1751
Urea–formaldehyde resin, 2798
Urease immobilization, 1381
UV coating, 2353
UV irradiation, 2340
UV-curing, 1936
UV-curing reaction, 1172
UV-vis spectroscopy, 934

Variational calculus, 380
Vesicles, 2445
Vinyl acetate, 2171
Vinyl ether, 1878
Vinylimidazole, 11
Viscoelastic polymers, 2387
Viscoelastic properties, 642, 753, 899, 1051
Viscosity, 452, 746, 1286, 3031
Voids, 577
Vulcanization, 482, 2813

Wang resin, 839
Water structure, 476
Water-soluble initiator, 3163
Water-soluble polymer, 2056
Water-soluble polymers, 78, 125, 444, 1594, 2018, 2607, 2720, 3010
Waterborne polyurethane, 619
WAXS, 476, 1433
Wear, 348
Weibull, 2584
Wheat straw, 508
Wood particles, 2769
Worm-like chain, 70
Wound healing, 1400

Xanthan gum, 2872
XLPE, 1985
XRD studies, 2859
Xylan, 1019

Ziegler–Natta polymerization, 2625

Journal of
Applied Polymer Science

CONTENTS

Volume 111

ISSUE NUMBER 1 / JANUARY 5, 2008

Confocal Microscopy Study of Polymer Microcapsules for Enzyme Immobilisation in Paper Substrates
L. Kouisni and D. Rochefort 1
Published online 26 September 2008

Chemical Modification of Polypropylene Fibers Grafted Vinyl Imidazole/Acrylonitrile Copolymer Prepared by Gamma Radiation and Its Possible Use for the Removal of Some Heavy Metal Ions
T. B. Mostafa 11
Published online 26 September 2008

Synthesis and Thermal Studies of Block Copolymers from NR and MDI-Based Polyurethanes
P. Sukumar, V. Jayashree, M. R. Gopinathan Nair, and M. N. Radhakrishnan Nair 19
Published online 26 September 2008

Morphology and Crystallization Behavior of the PP/PET Nanocomposites
C. I. W. Calcagno, C. M. Mariani, S. R. Teixeira, and R. S. Mauler 29
Published online 26 September 2008

Polylactide-Recycled Wood Fiber Composites
S. Pilla, S. Gong, E. O'Neill, L. Yang, and R. M. Rowell 37
Published online 26 September 2008

Blends of PVC and Epoxidized Liquid Natural Rubber: Studies on Impact Modification
M. N. R. Nair, P. K. Biju, G. V. Thomas, and M. R. G. Nair 48
Published online 26 September 2008

Transport Abilities of New Synthesised Membrane Materials Incorporating Tetrapyrazolic Tripods
F. Malek and S. Radi 57
Published online 26 September 2008

Union Production of Low Chlorinated Polyethylene and Chlorinated Paraffin via a Carbon Tetrachloride Solvent Free Process
K.-L. Tan, Y.-Z. Lu, A.-J. Sun, C.-X. Li, and Z.-H. Wang 63
Published online 26 September 2008

Polymer Model of Cancer Cell Adhesion to Glycosaminoglycan Substrates Using the Radius of Gyration
A. Peramo, M. B. Meads, W. S. Dalton, and W. G. Matthews **70**
Published online 26 September 2008

Poly(2-acrylamido glycolic acid-*co*-2-acrylamido-2-methyl-1-propane sulfonic acid): Synthesis, Characterization, and Retention Properties for Environmentally Impacting Metal Ions
B. L. Rivas, A. Maureira, C. Guzmán, and M. A. Mondaca **78**
Published online 26 September 2008

Methyl Acrylate/1-Octene Copolymers: Lewis Acid-Mediated Polymerization
S. Kaur, G. Singh, A. V. Kothari, and V. K. Gupta **87**
Published online 26 September 2008

Electrochemical Preparation of Pyronin Y Thin Films on Gold Substrates
M. Alanyalıoğlu and M. Arık **94**
Published online 26 September 2008

Synthesis and Properties of Monomer Casting Polyamide 6/Poly(methyl methacrylate) Blends
T. Wu, T. Xie, and G. Yang **101**
Published online 26 September 2008

Preparation of Polyacrylamide Hydrogels at Various Charge Densities by Postmodification
E. Turan, S. Demirci, and T. Caykara **108**
Published online 26 September 2008

Thermal Properties of Extruded and Injection-Molded Poly(lactic acid)-Based Cuphea and Lesquerella Bio-composites
A. Mohamed, V. L. Finkenstadt, P. Rayas-Duarte, P. Debra E, and S. H. Gordon **114**
Published online 30 September 2008

Rheological Behavior of Ph-Responsive Associating Ionic Polymers of Diallyammonium Salts and Sulfur Dioxide
Y. Umar, S. A. Ali, I. Hussein, and B. Abu-Sharkh **125**
Published online 2 October 2008

Poly(vinyl alcohol)/Chitosan Oligosaccharide Blend Submicrometer Fibers Prepared from Aqueous Solutions by the Electrospinning Method
H. W. Lee, M. R. Karim, J. H. Park, H. D. Ghim, J. H. Choi, K. Kim, Y. Deng, and J. H. Yeum **132**
Published online 2 October 2008

Gas Permeation Resistance of Various Grades of Perfluoroalkoxy–Polytetrafluoroethylene Copolymers
L. Monson, S. I. Moon, and C. W. Extrand **141**
Published online 2 October 2008

***N*-Acetyl-D-galactosamine-Specific Lectin Isolation from Soyflour with Poly(HPMA-GMA) Beads**
I. Perçin, H. Yavuz, E. Aksöz, and A. Denizli **148**
Published online 2 October 2008

Poly(3-dodecyl thiophene)—Organically Modified Montmorillonite Clay Nanocomposites: Influence of Chain Regioregularity and Preparation Condition on Physical, Mechanical, Optical, and Conductivity Properties
B. K. Kuila and A. K. Nandi **155**
Published online 2 October 2008

Flame-Retardant Epoxy Resin from a Caged Bicyclic Phosphate Quadridentate Silicon Complex
L.-L. Zhang, A.-H. Liu, and X.-R. Zeng **168**
Published online 2 October 2008

Thermal Properties of Extruded Injection-Molded Poly(lactic acid) and Milkweed Composites: Degradation Kinetics and Enthalpic Relaxation
A. A. Mohamed, V. L. Finkenstadt, D. E. Palmquist, and P. Rayas-Duarte **175**
Published online 2 October 2008

Preparation and Properties of Alkoxysilane/Butyl Acrylate/Methyl Methacrylate Copolymer Latices
Z.-G. Sun, D.-Q. Fan, and S.-Q. Huang **185**
Published online 3 October 2008

Accessibility of Acrylic Fiber to Basic Dye
H.-H. Wang **189**
Published online 3 October 2008

Polypropylene/Linear Low-Density Polyethylene Blends: Morphology, Crystal Structure, Optical, and Mechanical Properties
J. Wang and Q. Dou **194**
Published online 3 October 2008

The Effect of Low-Filler Volume Fraction on the Elastic Modulus and Thermal Expansion Coefficient of Particulate Composites Simulated by a Multiphase Model
E. Sideridis, V. N. Kytopoulos, G. A. Papadopoulos, and G. D. Bourkas **203**
Published online 3 October 2008

Synthesis of Linear Aliphatic Polycarbonate Macroglycols Using Dimethylcarbonate
E. Foy, J. B. Farrell, and C. L. Higginbotham **217**
Published online 3 October 2008

Effects of Prior Aging at 288 °C in Air and in Argon Environments on Creep Response of PMR-15 Neat Resin
M. B. Ruggles-Wrenn and J. L. Broeckert **228**
Published online 3 October 2008

Mechanical and Thermal Properties of Poly(vinyl chloride)/α-methyl-styrene-acrylonitrile Blends Prepared by Melt Extrusion
H. S. Moon, M. H. Kim, and O. O. Park **237**
Published online 3 October 2008

Surface Treatment of Phosphate Glass Fibers Using 2-Hydroxyethyl Methacrylate: Fabrication of Poly(caprolactone)-Based Composites
R. A. Khan, A. J. Parsons, I. A. Jones, G. S. Walker, and C. D. Rudd **246**
Published online 3 October 2008

Toughened Epoxy Resin Matrix for a Membrane Shell by Wet Filament Winding
W. Zhou, S. Qi, T. Ai, H. Zhao, M. Zhang, W. Li, and E. Lau **255**
Published online 3 October 2008

Effect of Filler Geometry on Viscoelastic Damping of Graphite/Aramid and Carbon Short Fiber-Filled SBR Composites: A New Insight
S. Praveen, B. C. Chakraborty, S. Jayendran, R. D. Raut, and S. Chattopadhyay **264**
Published online 3 October 2008

Post-Oligomerization of α-Olefin Oligomers: A Route to Single-Component and Multicomponent Synthetic Lubricating Oils
Y. V. Kissin and F. C. Schwab **273**
Published online 3 October 2008

Accelerated Aging and Contact with Food Simulants in Adhesion of Amorphous Hydrogenated Carbon Films Obtained by the PECVD Process from Recycled PET from Packaging
S. A. Cruz, M. Zanin, and M. A. B. de Moraes **281**
Published online 3 October 2008

Solvent- and Thermal-Induced Crystallization of Poly-L-Lactic Acid in Supercritical CO_2 Medium
A. López-Periago, C. A. García-González, and C. Domingo **291**
Published online 3 October 2008

Flame Resistant Electrospun Polymer Nanofibers from Deoxybenzoin-based Polymers
S. Moon, B.-C. Ku, T. Emrick, B. E. Coughlin, and R. J. Farris **301**
Published online 3 October 2008

Optimization of Operating Conditions in a Single-Zone Drier for Two-Layer Polymer Coatings
A. Khandelwal, M. Singhania, and M. Vinjamur **308**
Published online 3 October 2008

A Novel Method for the Determination of Cell Infiltration into Nanofiber Scaffolds Using Image Analysis for Tissue Engineering Applications
D. Semnani, L. Ghasemi-Mobarakeh, M. Morshed, and M.-H. Nasr-Esfahani **317**
Published online 3 October 2008

Anhydride Production as an Additional Mechanism of Poly(3-hydroxybutyrate) Pyrolysis
H. Ariffin, H. Nishida, Y. Shirai, and M. A. Hassan **323**
Published online 3 October 2008

Reactivity Ratios and Monomer Partitioning in the Microemulsion Copolymerization of VInyl Acetate and Butyl Acrylate
V. M. Ovando-Medina, H. Martínez-Gutiérrez, E. Mendizábal, M. A. Corona, and R. D. Peralta **329**
Published online 3 October 2008

Batch Emulsion Polymerization of Vinyl Chloride: Application of Experimental Design to Investigate the Effects of Operating Variables on Particle Size and Particle Size Distribution
M. Pourmehr and A. H. Navarchian **338**
Published online 3 October 2008

Wear Characteristics of Styrene Butadiene Rubber/Natural Rubber Blends with Varying Carbon Blacks by DIN Abrader and Mining Rock Surfaces
K. Pal, T. Das, R. Rajasekar, S. K. Pal, and C. K. Das **348**
Published online 3 October 2008

Synthesis and pH-Induced Phase Transition Behavior of PAA/PVA Nanogels in Aqueous Media
R.-S. Yao, Q.-D. You, P.-J. Liu, and Y.-F. Xu **358**
Published online 3 October 2008

Evaluation and Simulation of the Peel Behavior of Polyethylene/Polybutene-1 Peel Systems
M. Nase, B. Langer, H. J. Baumann, W. Grellmann, G. Geißler, and M. Kaliske **363**
Published online 3 October 2008

Influence of Fluorocarbon Chains on the Crystallization Behaviors of Aliphatic Polyurethanes
K.-Y. Chen and J.-F. Kuo **371**
Published online 3 October 2008

Experimental Determination of Concentration-Dependent Carbon Dioxide Diffusivity in LDPE
J. Tendulkar, S. R. Upreti, and A. Lohi **380**
Published online 3 October 2008

Thermal Degradation Behavior of PMMA Synthesized by Emulsifier-Free Emulsion Polymerization with a Cu^{2+}/HSO_3^- Redox System
T.-P. Chiu and T.-M. Don **388**
Published online 3 October 2008

Determination of the Phase Diagram of HBA-HNA Liquid Crystalline Polymer/Polycarbonate Blends
K.-W. D. Lee, P. K. Chan, and M. R. Kamal **396**
Published online 3 October 2008

Fabrication and Morphology Control of Poly(methyl methacrylate) Hollow Structures via Coaxial Electrospinning
K. H. K. Chan and M. Kotaki **408**
Published online 3 October 2008

Mechanism of Bubble Formation in the Drying of Polymer Films
R. Pourdarvish, R. P. Danner, and J. L. Duda **417**
Published online 3 October 2008

Synthesis and Characterization of Poly(ε-caprolactone)-*b*-Poly(ethylene glycol)-*b*-Poly(ε-caprolactone) Triblock Copolymers with Dibutylmagnesium as Catalyst
Z. Wei, L. Liu, F. Yu, P. Wang, and M. Qi **429**
Published online 3 October 2008

Effect of Bis(3-triethoxysilylpropyl) Tetrasulfide on the Crosslink Structure, Interfacial Adhesion, and Mechanical Properties of Natural Rubber/Cotton Fiber Composites
Z. Zeng, W. Ren, C. Xu, W. Lu, Y. Zhang, and Y. Zhang **437**
Published online 3 October 2008

Water-Soluble Poly(ethylene glycol) Prodrug of Pemetrexed: Synthesis, Characterization, and Preliminary Cytotoxicity
T. Min, H. Ye, P. Zhang, J. Liu, C. Zhang, W. Shen, W. Wang, and L. Shen **444**
Published online 3 October 2008

Miscibility of Polymethylmethacrylate and Polyethyleneglycol Blends in Tetrahydrofuran
M. Selvakumar, D. K. Bhat, and N. G. Renganathan **452**
Published online 3 October 2008

Preparation of a Novel Alloy Composed of Fluorene-Based Polyester and Polycarbonate and Their Properties for the Optical Uses
S. Kawasaki, M. Yamada, K. Kobori, H. Sakamoto, Y. Kondo, F. Jin, and T. Takata **461**
Published online 9 October 2008

Thermooxidative Aging of Polyoxymethylene, Part 2: Embrittlement Mechanisms
B. Fayolle, J. Verdu, D. Piccoz, A. Dahoun, J. M. Hiver, and C. G'sell **469**
Published online 9 October 2008

Comparative Study on Water Structures in PolyHEMA and PolyMEA by XRD-DSC Simultaneous Measurement
A. Kishi, M. Tanaka, and A. Mochizuki **476**
Published online 9 October 2008

Optimization of Power Cable Production Lines for EPM/EPDM Elastomers by Genetic Algorithm with Different Peroxides
G. Milani and F. Milani **482**
Published online 9 October 2008

Liquefaction of Wheat Straw and Preparation of Rigid Polyurethane Foam from the Liquefaction Products
F. Chen and Z. Lu **508**
Published online 9 October 2008

Synthesis and Properties of Novel Poly(urethane-imide) Dispersions Based on 2,2-Bis[*N*-(3-hydroxyphenyl)phthalimidyl]hexafluoropropane
R.-S. Chen, Y.-L. Cheng, and K.-W. Chang ***517***
Published online 9 October 2008

Migration of Additives in Simulated Landfills and Soil Burial Degradation of Plasticized PVC
N. Lardjane and N. Belhaneche-Bensemra ***525***
Published online 9 October 2008

New Hyperdispersant Agent for Polypropylene/$CaSO_4$ Composites
S. Wang, W. Xu, Z. Zhou, and F. Ren ***532***
Published online 9 October 2008

Persulfate/Ascorbic Acid Initiated Synthesis of Poly(acrylonitrile)-Grafted Tamarind Seed Gum: A Potential Commercial Gum
V. Singh, D. N. Tripathi, T. Malviya, and R. Sanghi ***539***
Published online 9 October 2008

Free Radical Scavenging Activity of Cellulase-Treated Chitosan
T. Feng, J. Gong, Y. Du, and Z. Huang ***545***
Published online 9 October 2008

Biodegradability and Degrading Microbes of Low-Density Polyethylene
T. Watanabe, Y. Ohtake, H. Asabe, N. Murakami, and M. Furukawa ***551***
Published online 9 October 2008

A New Synthetic Approach to Asymmetric Amphiphilic ABA′ Block Copolymers by ATRP and Click Reactions
X. He, L. Liang, K. Wang, S. Lin, D. Yan, and Y. Zhang ***560***
Published online 9 October 2008

Surface Grafting Modification of Fibrous Silicates with Polyvinylpyrrolidone and Its Application in Nanocomposites
X. Yuan, C. Li, G. Guan, Y. Xiao, and D. Zhang ***566***
Published online 9 October 2008

ISSUE NUMBER 2 / JANUARY 15, 2008

New Method of Determining Miscibility in Binary Polymer Blends Through Hydrodynamic Interaction: The Free Volume Approach
C. Ranganathaiah and G. N. Kumaraswamy ***577***
Published online 10 October 2008

Silica Supported Single-Walled Carbon Nanotubes as a Modifier in Polyethylene Composites
N. D. McDaniel, M. P. McDaniel, L. Balzano, and D. E. Resasco ***589***
Published online 10 October 2008

Tin-Coupled Star-Shaped Block Copolymer of Styrene and Butadiene (II) Properties and Application
H. Feng, X. Zhang, and S. Zhao ***602***
Published online 10 October 2008

Biodegradable Composites Based on Starch/EVOH/Glycerol Blends and Coconut Fibers
M. F. Rosa, B.-s. Chiou, E. S. Medeiros, D. F. Wood, L. H. C. Mattoso, W. J. Orts, and S. H. Imam ***612***
Published online 10 October 2008

Effects of Starch Nanocrystal-*graft*-Polycaprolactone on Mechanical Properties of Waterborne Polyurethane-Based Nanocomposites
P. R. Chang, F. Ai, Y. Chen, A. Dufresne, and J. Huang **619**
Published online 10 October 2008

Preparation of VB-a/POSS Hybrid Monomer and Its Polymerization of Polybenzoxazine/POSS Hybrid Nanocomposites
J.-M. Huang, S.-W. Kuo, H.-J. Huang, Y.-X. Wang, and Y.-T. Chen **628**
Published online 10 October 2008

Rubber/LDH Nanocomposites by Solution Blending
T. Kuila, S. K. Srivastava, and A. K. Bhowmick **635**
Published online 12 October 2008

Molded Geometry and Viscoelastic Behavior of Film Insert Molded Parts
S. Y. Kim, S. H. Kim, H. J. Oh, S. H. Lee, S. J. Baek, J. R. Youn, S. H. Lee, and S.-W. Kim **642**
Published online 12 October 2008

Preparation of Polyethersulfone–Alginate Microcapsules for Controlled Release
Y. Zhang, Q. Wei, C. Yi, C. Hu, W. Zhao, and C. Zhao **651**
Published online 12 October 2008

Synthesis of Hyperbranched Organo-Montmorillonite and Its Application into High-Temperature Vulcanizated Silicone Rubber Systems
J. Wang, Y. Chen, and J. Wang **658**
Published online 13 October 2008

Thermogravimetric Approach for Determining the Degree of Conversion in Radiation-Polymerized DADMAC
S. Francis, L. Varshney, D. Mitra, and S. Sabharwal **668**
Published online 13 October 2008

An Effect of OMMT on the Anti-Reversion in NR/CR Blend System
P. Zhang, G. Huang, and Z. Liu **673**
Published online 13 October 2008

Conducting Polymer Composites of Multiwalled Carbon Nanotube Filled Doped Polyaniline
F. Yılmaz and Z. Küçükyavuz **680**
Published online 13 October 2008

Influence of Silicon Carbide Filler on Mechanical and Dielectric Properties of Glass Fabric Reinforced Epoxy Composites
B. Suresha, G. Chandramohan, and N. M. Renukappa, and Siddaramaiah **685**
Published online 13 October 2008

Synthesis and Investigation of a New Macroporous Monolithic Material Based on an *N*-Hydroxyphthalimide Ester of Acrylic Acid-*co*-Glycidyl Methacrylate-*co*-Ethylene Dimethacrylate Terpolymer
M. Y. Slabospitskaya, E. G. Vlakh, N. N. Saprykina, and T. B. Tennikova **692**
Published online 13 October 2008

Synthesis of Thermoresponsive Polymeric Micelles of PNIPAAm-*b*-OMMA as a Drug Carrier for Loading and Controlled Release of Prednisolone
W. Li, W. Tu, and D. Cao **701**
Published online 13 October 2008

Voltammetric Studies of Dendrimer Multilayers: Layer-by-Layer Assembly of Metal-Peptide Dendrimers Multilayers
F. E. Appoh and H.-B. Kraatz **709**
Published online 13 October 2008

Synthesis and Characterization of Excellent Transparency Poly(urethane-methacrylate)
S. Fang, L. Gao, L. Zhou, Z. Zheng, B. Guo, and C. Zhang **724**
Published online 13 October 2008

Design and Fabrication of SCPOF Preform Doped with Rare Earth Complexes
W. Wu, J. Xu, Y. Luo, J. Yang, H. Ming, B. Chen, and Q. Zhang **730**
Published online 13 October 2008

***In Situ* Surfactant Generation as a Means of Miniemulsification?**
Ö. Saygı-Arslan, E. David Sudol, E. S. Daniels, M. S. El-Aasser, and A. Klein **735**
Published online 13 October 2008

A Study on Formation and Stability of Epoxy Resin Inverse Concentrated Water/Oil Emulsion
J. Wang, Z. Du, C. Li, H. Li, and C. Zhang **746**
Published online 13 October 2008

The Impact of Polypropylene-*graft*-Maleic Anhydride on the Crystallization and Dynamic Mechanical Properties of Isotactic Polypropylene
D. P. Harper, M.-P. G. Laborie, and M. P. Wolcott **753**
Published online 13 October 2008

Study on the Thermal Conductive Polyoxymethylene/Graphite Composites
X. Zhao and L. Ye **759**
Published online 13 October 2008

Mechanical Properties of Polypropylene/Clay Nanocomposites: Effect of Clay Content, Polymer/Clay Compatibility, and Processing Conditions
J. A. Tarapow, C. R. Bernal, and V. A. Alvarez **768**
Published online 13 October 2008

Microencapsulation of *Zanthoxylum limonella* Oil (ZLO) in Genipin Crosslinked Chitosan–Gelatin Complex for Mosquito Repellent Application
T. K. Maji and Md. R. Hussain **779**
Published online 13 October 2008

Morphological Distribution of Polymeric Nucleating Agents in Injection-Molded Isotactic Polypropylene Plates and Its Influence on Nucleating Efficiency
Z.-Q. Su, X.-N. Chen, Z.-Z. Yu, and L. Zhang **786**
Published online 13 October 2008

Structural and Thermal Characterization of Hybrid Materials Based on TEOS and DCN
M. Trejo-Durán, A. Martínez-Richa, R. Vera-Graziano, E. Alvarado-Méndez, and V. M. Castaño **794**
Published online 13 October 2008

Comparison of Tensile, Thermal, and Thermo-Mechanical Properties of Polyester Filaments Having Different Cross-Sectional Shape
M. M. B. Hasan, V. Dutschk, H. Brünig, E. Mäder, L. Häussler, R. Hässler, Ch. Cherif, and G. Heinrich **805**
Published online 13 October 2008

Preparation of Ultraviolet-Cured Bisphenol A Epoxy Diacrylate/Montmorillonite Nanocomposites with A Bifunctional, Reactive, Organically Modified Montmorillonite as the Only Initiator via *In Situ* Polymerization
Y. Zang, W. Xu, G. Liu, D. Qiu, and S. Su **813**
Published online 13 October 2008

Multifunctional Peroxide as Alternative Crosslink Agents for Dynamically Vulcanized Epoxidized Natural Rubber/Polypropylene Blends
A. Thitithammawong, C. Nakason, K. Sahakaro, and J. W. M. Noordermeer **819**
Published online 13 October 2008

In Situ Compatibilization of Polypropylene/Polystyrene Blend by Controlled Degradation and Reactive Extrusion
R. Li, X. Zhang, L. Zhou, J. Dong, and D. Wang **826**
Published online 13 October 2008

Thermal Behavior of PES/PEES Copolymers with Different Sequence Distribution: Comparative Study of the Kinetics of Degradation
X.-M. Zhou **833**
Published online 16 October 2008

Esterification on Solid Support by Surface-Initiated Ring-Opening Polymerization of ε-Caprolactone from Benzylic Hydroxyl-Functionalized Wang Resin Bead
H. J. Lee, B. Ramaraj, and K. R. Yoon **839**
Published online 16 October 2008

PMMA-Based Microgels for Controlled Release of an Anticancer Drug
K. S. V. K. Rao, I. Chung, K. M. Reddy, and C.-S. Ha **845**
Published online 16 October 2008

Characterization of Material Ductility of PP/EPR/talc Blend Under Wide Range of Stress Triaxiality at Intermediate and High Strain Rates
H. Mae **854**
Published online 16 October 2008

Alternative Methacrylate-Tethering Methods for Resin-Modified Glass-Ionomer Cements
D. Xie, Y. Weng, and J. Zhao **869**
Published online 16 October 2008

The Actuation Behavior and Stability of _p_-Toluene Sulfonate Doped Polypyrrole Films Formed at Different Deposition Current Densities
J. Sui, J. Travas-Sejdic, S. Y. Chu, K. C. Li, and P. A. Kilmartin **876**
Published online 16 October 2008

Solid-State Polymerization of Bisphenol A Polycarbonate with a Spray-Crystallizing Method
J. H. Kim **883**
Published online 16 October 2008

Morphology and Mechanical Properties of Injection-Molded Ultrahigh Molecular Weight Polyethylene/Polypropylene Blends and Comparison with Compression Molding
M. Xie, J. Chen, and H. Li **890**
Published online 17 October 2008

Viscoelastic Characteristics of Magnetic Tapes with PEN Substrates
B. L. Weick **899**
Published online 17 October 2008

Epoxy/Nano-Silica Composites: Curing Kinetics, Glass Transition Temperatures, Dielectric, and Thermal–Mechanical Performances
Y. Zheng, K. Chonung, G. Wang, P. Wei, and P. Jiang **917**
Published online 17 October 2008

Thiocompounds as Simulants of Sulphur Mustard for Testing of Protective Barriers
V. Dubey, T. Parmar, A. Saxena, and D. D. Agarwal **928**
Published online 17 October 2008

Breathing-In/Breathing-Out Approach to Preparing Nanosilver-Loaded Hydrogels: Highly Efficient Antibacterial Nanocomposites
V. Thomas, M. M. Yallapu, B. Sreedhar, and S. K. Bajpai **934**
Published online 17 October 2008

Effect of Dry/Wet Spinning on the Photooxidative Degradation of Acrylic Fibers
A. Aghanouri, A. Zadhoush, and M. Haghighat **945**
Published online 17 October 2008

Mechanical and Antimicrobial Properties of Multilayer Films with a Polyethylene/Silver Nanocomposite Layer
S. Sánchez-Valdes, H. Ortega-Ortiz, L. F. Ramos-de Valle, F. J. Medellín-Rodríguez, and R. Guedea-Miranda **953**
Published online 17 October 2008

Template Synthesis and Magnetic Response of Polyaniline/Fe_3O_4 Composite Microtubes
S. Xiong, Q. Wang, and Y. Chen **963**
Published online 17 October 2008

Structure and Mechanical Properties of Soy Protein Materials Plasticized by Thiodiglycol
R. Kumar, L. Wang, and L. Zhang **970**
Published online 17 October 2008

Electroluminescent Fluorene-Based Alternating Polymers Bearing Triarylamine or Carbazole Moieties in the Main Chain: Synthesis and Properties
Y. Zou, Y. Zhou, G. Wu, Y. Li, and C. Pan **978**
Published online 17 October 2008

Investigation on the Microstructure and the Electric Property of Poly(propylene)/Chlorinated Poly(propylene)/Poly(aniline) Composites
L. Yang, J. Chen, and H. Li **988**
Published online 17 October 2008

Synthesis and Characterization of Novel Thermo- and pH-Responsive Copolymers Based on Amphiphilic Polyaspartamides
J. R. Moon, Y. H. Park, and J.-H. Kim **998**
Published online 17 October 2008

Multistep Analysis of the Mechanical Performance of an Air Spring
L. Fengxiang, D. Yumei, Y. Hua, G. Changfeng, and Y. Weimin **1005**
Published online 17 October 2008

Structure Development during Crystallization and Solid-State Processing of Poly(glycolic acid)
H. Montes de Oca, I. M. Ward, R. A. Chivers, and D. F. Farrar **1013**
Published online 17 October 2008

Rheology of 1-Butyl-3-Methylimidazolium Chloride Cellulose Solutions. II. Solution Character and Preparation
J. R. Collier, J. L. Watson, B. J. Collier, and S. Petrovan **1019**
Published online 17 October 2008

Effect of Compatibilizer on Morphology, Thermal, and Rheological Properties of Polypropylene/Functionalized Multi-Walled Carbon Nanotubes Composite
S. H. Jin, C. H. Kang, K. H. Yoon, D. S. Bang, and Y.-B. Park **1028**
Published online 17 October 2008

Electroless Copper Plating on Acrylonitrile Butadiene Styrene Material Surfaces Without Chromic Acid Etching and a Palladium Catalyst
N. Inagaki and H. Kimura **1034**
Published online 17 October 2008

Poly(L-Lactic Acid)/Silicon Dioxide Nanocomposite Prepared via the *In Situ* Melt Polycondensation of L-Lactic Acid in the Presence of Acidic Silica Sol: Isothermal Crystallization and Melting Behaviors
D. Cao and L. Wu **1045**
Published online 17 October 2008

Rheological Properties of Recycled Chlorinated Polyethylene/Natural Rubber Blends Vulcanized by Sulfur
P. Prasopnatra, P. Saeoui, and C. Sirisinha **1051**
Published online 17 October 2008

Effects of Polymeric Curing Agent Modified with Silazanes on the Mechanical Properties of Silicone Rubber
L. Dai, Z. Zhang, Y. Zhao, H. Liu, and Z. Xie **1057**
Published online 17 October 2008

Preparation of Crosslinked Chitosan by Electron Beam Irradiation in the Presence of CCl_4
A. T. Ramaprasad, V. Rao, M. Praveena, G. Sanjeev, S. P. Ramanani, and S. Sabharwal **1063**
Published online 17 October 2008

Properties of Poly(ethylene 1-octene)-*g*-Maleic Anhydride Copolymers Prepared via Solvothermal Process
R. Qi, Q. Liu, Y. Wang, and M. Huang **1069**
Published online 17 October 2008

Influence of a Novel β-Nucleating Agent on the Structure, Morphology, and Nonisothermal Crystallization Behavior of Isotactic Polypropylene
W. Xiao, P. Wu, J. Feng, and R. Yao **1076**
Published online 17 October 2008

Toluene-Vapor Sorption of Chemically Modified Methyl Methacrylate-*co*-Chloromethyl Styrene Copolymers with *N,N,*-Dimethyl-1,3-Propanediamine Measured with a Quartz Crystal Microbalance
M. Matsuguchi and M. Kagemoto **1086**
Published online 17 October 2008

Synthesis and Properties of New Fluoroelastomer Nanocomposites from Tailored Anionic Layered Magnesium Silicates (Hectorite)
M. Maiti and A. K. Bhowmick **1094**
Published online 17 October 2008

Electric Fatigue of Ceramic–Polymer Composite Film Under Cyclic Electric Field
F. Fang, W. Yang, M. Z. Zhang, and Z. Wang **1105**
Published online 17 October 2008

Adsorption and Desorption of Zinc(II) on Water-Insoluble Starch Phosphates
L. Guo, J. Liu, G. Xing, and Q. Wen **1110**
Published online 17 October 2008

Ignition, Combustion, Toxicity, and Fire Retardancy of Polyurethane Foams: A Comprehensive Review
H. Singh and A. K. Jain **1115**
Published online 17 October 2008

Mechanical and Hydration Properties of Nafion®/Ceramic Nanocomposite Membranes Produced by Mechanical Attrition
A. L. Moster and B. S. Mitchell **1144**
Published online 17 October 2008

ISSUE NUMBER 3 / FEBRUARY 5, 2009

Characterization of Compositional Heterogeneity in the Polyethylene Prepared with Bis(imino)pyridyl Iron(II) Precatalyst and Triethylaluminum
S. Wang, D. Liu, and B. Mao **1151**
Published online 20 October 2008

The Influence of Heat Treatment on the Properties of Shape Memory Fibers. II. Tensile Properties, Dimensional Stability, Recovery Force Relaxation, and Thermomechanical Cyclic Properties
Q. Meng, J. Hu, L. Y. Yeung, and Y. Hu **1156**
Published online 20 October 2008

Thermogravimetric Analysis and Morphological Behavior of Melamine-Formaldehyde Filled Polyvinyl Acetate—Polyester Nonwoven Fabric Composites
M. N. S. Kumar and Siddaramaiah **1165**
Published online 22 October 2008

Synthesis and Characteristics of Photoactive-Hydrogenated Rosin Epoxy Methacrylate for Pressure Sensitive Adhesives
H.-S. Do, J.-H. Park, and H.-J. Kim **1172**
Published online 22 October 2008

***In-Situ* Polymerized Phenolic Resin for Reinforcement of Chloroprene and Ethylene–Propylene Rubber Vulcanizates**
L. Ye and Y. Zhang **1177**
Published online 22 October 2008

Swelling Properties of Copolymers of Styrene and Divinylbenzene Containing Sulfonic and Carboxylic Acid Groups
S. Y. Chee and S. N. Gan **1185**
Published online 22 October 2008

Viscoplastic Constitutive Modeling of Polymers—Flow Rules and the Plane Strain Response
J. Sweeney, S. Naz, and P. D. Coates **1190**
Published online 22 October 2008

Multifractality in the Copolymerization of Bis-GMA/TEGDMA by Pulsed Photoacoustics
M. Navarrete, J. Pineda, and R. Vera-Graziano **1199**
Published online 22 October 2008

Preparation and Characterization of Thermostable Chiral Extended Polyamides Bearing *N*-Phthaloyl-L-leucine Pendent Architectures in Green Media
S. Mallakpour and S. Meratian **1209**
Published online 22 October 2008

Preparation, Characterization, and Adsorption Properties of Cellulose Acetate-Polyaniline Membranes
F. Rodríguez, M. M. Castillo-Ortega, J. C. Encinas, H. Grijalva, F. Brown, V. M. Sánchez-Corrales, and V. M. Castaño **1216**
Published online 22 October 2008

Highly Processable Ternary Systems Based on Benzoxazine, Epoxy, and Phenolic Resins for Carbon Fiber Composite Processing
S. Rimdusit, P. Jongvisuttisun, C. Jubsilp, and W. Tanthapanichakoon **1225**
Published online 22 October 2008

Membrane Formation of Poly(vinylidene fluoride)/Poly(methyl methacrylate)/Diluents via Thermally Induced Phase Separation
W. Ma, S. Chen, J. Zhang, X. Wang, and W. Miao **1235**
Published online 22 October 2008

Crystallization Behavior of Elastomeric Block Copolymers: Thermoplastic Polyurethane and Polyether-*block*-Amide
A. Begenir, S. Michielsen, and B. Pourdeyhimi **1246**
Published online 22 October 2008

Porous Microspheres, Copolymers of Bis[4-(2-hydroxy-3-methacryloyloxypropoxy)phenyl]sulfide, and Divinylbenzene as Stationary Phase for HPLC
B. Podkościelna, A. Bartnicki, and B. Gawdzik **1257**
Published online 22 October 2008

Preparation and Physical Properties of LLDPE Grafted with Novel Nonionic Surfactants
L. Li, J. Yin, G. Costa, and P. Stagnaro **1268**
Published online 22 October 2008

***In Situ* Synthesis of Polyamide 6/MWNTs Nanocomposites by Anionic Ring Opening Polymerization**
D. Yan, T. Xie, and G. Yang **1278**
Published online 22 October 2008

A Study of the Rheological Behavior of High-Temperature Polymer Electrolyte Membrane Solutions
T. A. L. Harris and D. Walczyk **1286**
Published online 22 October 2008

Polyurethane-Solid Wood Composites Prepared with Various Catalysts. I. Mechanical Properties and Dimensional Stabilities
Z. Gao, D. Wu, W. Su, and X. Ding **1293**
Published online 22 October 2008

Self Assembled Hydrophobic Nanoclusters of Poly(methyl methacrylate) Embedded into Polyvinyl Alcohol Based Hydrophilic Matrix: Preparation and Water Sorption Study
S. K. Shukla, A. W. Shaikh, N. Gunari, A. K. Bajpai, and R. A. Kulkarni **1300**
Published online 22 October 2008

Thermal and Mechanical Behavior of Flexible Polyurethane-Molded Plastic Films and Water-Blown Foams with Epoxidized Soybean Oil
Y.-C. Tu, G. J. Suppes, and F.-H. Hsieh **1311**
Published online 22 October 2008

Nonisothermal Crystallization Kinetics of Nucleated Poly(ethylene terephthalate)
V. D. Deshpande and S. Jape **1318**
Published online 22 October 2008

A Study on Swelling Behavior of Poly(*p*-chloro styrene) Networks in Some Aromatic Hydrocarbons and Linear Poly(*p*-chloro styrene) Solutions
O. Celik, D. Sakar, F. Cakar, O. Cankurtaran, and F. Karaman **1328**
Published online 22 October 2008

Sulfonated Poly(ether ether ketone)/Epoxy/Phenol Novolac Blend Proton-Exchange Membranes with Low Methanol Permeability
T. Fu, S. Zhong, Z. Cui, C. Zhao, Y. Shi, W. Yu, H. Na, and W. Xing **1335**
Published online 22 October 2008

Improving the Antibacterial Activity of Cotton Fabrics Finished with Triclosan by the Use of 1,2,3,4-Butanetetracarboxylic Acid and Citric Acid
M. Orhan, D. Kut, and C. Gunesoglu **1344**
Published online 30 October 2008

Effects of Monomer Structure on the Morphology of Polymer Network and the Electro-Optical Property of Reverse-Mode Polymer-Stabilized Cholesteric Texture
Y. Yin, W. Li, H. Cao, J. Guo, B. Li, S. He, C. Ouyang, M. Cao, H. Huang, and H. Yang **1353**
Published online 30 October 2008

Dielectric Properties of Exfoliated Graphite Reinforced Flouroelastomer Composites
D. Xu, V. Sridhar, S. P. Mahapatra, and J. K. Kim **1358**
Published online 30 October 2008

Equilibrium Adsorption Isotherm and Controlled Release of Antibiotic Drug Chloroamphenicol from Poly(2-vinyl pyridine/acrylic acid) Hydrogels Prepared by Gamma Radiation
N. A. Maziad, S. E. Abd El-Aal, and N. A. El-Kelesh **1369**
Published online 30 October 2008

Surface Modification of Cellulose Filter Paper by Glycidyl Methacrylate Grafting for Biomolecule Immobilization: Influence of Grafting Parameters and Urease Immobilization
C. Tyagi, L. K. Tomar, and H. Singh **1381**
Published online 30 October 2008

Effect of Chemical Structure and Shear Force on the Morphology and Properties of Jet Printed Black Micropatterns Using Imide Epoxy Binders
C.-J. Chang, M.-W. Wu, and C.-M. Wu **1391**
Published online 30 October 2008

Synthesis, Characterization and Efficacy of Chemically Crosslinked PVA HYdrogels for Dermal Wound Healing in Experimental Animals
A. Gupta, R. Kumar, N. K. Upadhyay, P. Surekha, and P. K. Roy **1400**
Published online 30 October 2008

A New Polymerization Method and Kinetics for Acrylamide: Aqueous Two-phase Polymerization
S. Guorong and C. Zhihai **1409**
Published online 30 October 2008

Preparation and Characterization of a Positive Thermoresponsive Hydrogel for Drug Loading and Release
Q. Wang, S. Li, Z. Wang, H. Liu, and C. Li **1417**
Published online 30 October 2008

Biodegradation of Oxo-Biodegradable Polyethylene
M. M. Reddy, M. Deighton, R. K. Gupta, S. N. Bhattacharya, and R. Parthasarathy **1426**
Published online 30 October 2008

Synthesis and Characterization of Poly(ethylene succinate) and Its Copolyesters Containing Minor Amounts of Butylene Succinate
C.-H. Chen, H.-Y. Lu, M. Chen, J.-S. Peng, C.-J. Tsai, and C.-S. Yang **1433**
Published online 30 October 2008

Numerical Investigation of the Performance and Transport Phenomena of a Proton-Exchange Membrane Fuel Cell with a Wavelike Gas Flow Channel Design
J.-K. Kuo, C.-W. Chang-Jian, and C.-K. Chen **1440**
Published online 30 October 2008

Studies on Electro-Optical Properties of Polymer MaTrix/LC/SiO_2 Nanoparticles Composites
W. Li, M. Zhu, X. Ding, B. Li, W. Huang, H. Cao, Z. Yang, and H. Yang **1449**
Published online 30 October 2008

Polymethylsilsesquioxane and Hydroxyl-Terminated Polydimethylsiloxane Composite: Vapor Incubation bEfore Thermal Curing
Y. Li, S. Yang, H. Liu, X. Li, Z. Dai, N. Zhao, and J. Xu **1454**
Published online 30 October 2008

Long-Term Investigation on Hydrolytic Degradation and Morphology of Poly(ethylene glycol Terephthalate)-*b*-Poly(butylene terephthalate) copolymer films
A. Zhang, Z. Feng, and Z. Xie **1462**
Published online 30 October 2008

Study on the Properties of the Electrospun Silk Fibroin/Gelatin Blend Nanofibers for Scaffolds
Yin-Guibo, Zhang-Youzhu, Bao-Weiwei, Wu-Jialin, S. De-bing, Dong Zhi-hui, and Fu Wei-guo **1471**
Published online 30 October 2008

Synthesis and Characterization of Biodegradable Interpenetrating Polymer Networks Based on Gelatin and Divinyl Ester Synthesized from Poly(caprolactone diol)
R. Mohamed, V. Choudhary, and V. Koul **1478**
Published online 30 October 2008

Styrene and Butyl Methacrylate Copolymers and Their Application in Leather Finishing
O. A. Mohamed, A. B. Moustafa, M. A. Mehawed, and N. H. El-Sayed **1488**
Published online 30 October 2008

Electrodeposition of Poly(4-methyl carbazole-3-carboxylic acid) on Steel Surfaces and Corrosion Protection of Steel
M. Düdükcü, Y. A. Udum, Y. Ergün, and F. Köleli **1496**
Published online 30 October 2008

New Manganese Catalyzed Regiocontrolled Synthesis of Poly(2,5-dialkyl-1,4-phenylene oxide)s
K.-Y. Lin, C.-T. Su, L.-J. Wang, C.-L. Huang, and M. Liang **1501**
Published online 30 October 2008

Bulk Prepolymerization of Styrene in the Presence of Polybutadiene: Determination of Grafting Efficiency by Size Exclusion Chromatography Combined with a New Extended Model
N. Casis, D. A. Estenoz, J. R. Vega, and G. R. Meira **1508**
Published online 30 October 2008

Hydrodynamic Properties of Aqueous Dextran Solutions
X. Xu, H. Li, Z. Zhang, and X. Qi **1523**
Published online 30 October 2008

Crystallization Behavior and Mechanical Properties of Crosslinked Plasticized Poly(L-lactic Acid)
Z. Jia, K. Zhang, J. Tan, C. Han, L. Dong, and Y. Yang **1530**
Published online 30 October 2008

Synthesis and Characterization of Brush Copolymers Based on Methoxy Poly(ethylene glycol) and Poly(ε-caprolactone)
M. P. Bajgai, S. Aryal, D. C. Parajuli, M.-S. Khil, D. R. Lee, and H. Y. Kim **1540**
Published online 30 October 2008

Structure and Properties of Soy Protein Films Plasticized with Hydroxyamine
H. Tian, D. Liu, and L. Zhang **1549**
Published online 30 October 2008

Controlling Degradation and Physical Properties of Chemical Sand Fixing Agent-Poly(aspartic acid) by crosslinking density and composites
J. Yang, F. Wang, and T. Tan **1557**
Published online 30 October 2008

Fabrication and Properties of Core-Shell Structure P(LLA-CL) Nanofibers by Coaxial Electrospinning
L. Xiaoqiang, S. Yan, C. Rui, H. Chuanglong, W. Hongsheng, and M. Xiumei **1564**
Published online 30 October 2008

High Yield Synthesis of Diverse Well-Defined End-Functionalized Polymers by Combination of Anionic Polymerization and "Click" Chemistry
C.-C. Ho, C.-A. Dai, and W.-F. Su **1571**
Published online 30 October 2008

Synthesis of Poly(vinyl acetate) Containing Diblock Copolymer by DPE Method
D. Chen, Y. Shi, and Z. Fu **1581**
Published online 30 October 2008

Synthesis of Polyamides from Substituted Fluorene and Diamides in the Presence of a Copper(I) Catalyst
M. Ghaemy and M. Barghamadi **1588**
Published online 30 October 2008

Synthesis, Characterization, and Flocculation Properties of Poly(acrylamide-methacryloxyethyltrimethyl Ammonium Chloride-Methacryloxypropyltrimethoxy Silane)
H. Shang, J. Liu, Y. Zheng, and L. Wang **1594**
Published online 30 October 2008

Investigation of Styrene-Assisted Free-Radical Grafting of Glycidyl Methacrylate onto High-Density Polyethylene Using Response Surface Method
M. R. Saeb and H. Garmabi **1600**
Published online 30 October 2008

Photocrosslinkable Phosphorus Containing Homo- and Copolyesters: Synthesis, Characterization, and Photosensitive Properties
K. Kaniappan and S. C. Murugavel **1606**
Published online 30 October 2008

Activation of Ultra-Thin Activated Carbon Fibers as Electrodes for High Performance Electrochemical Double Layer Capacitors
Y.-J. Su, T.-H. Ko, S.-H. Cheng, W.-S. Chen, T.-H. Han, and J.-H. Lin **1615**
Published online 30 October 2008

A Comparative Study of Polypropylene Nucleated by Individual and Compounding Nucleating Agents. I. Melting and Isothermal Crystallization
H. Bai, Y. Wang, Q. Zhang, L. Liu, and Z. Zhou **1624**
Published online 30 October 2008

Kinetic Analysis and Improvement of the Williamson Reaction for the Synthesis of Poly(ethylene glycol) Propionaldehyde
Y.-J. Zhao, Y.-Q. Zhai, G.-H. Ma, and Z.-G. Su **1638**
Published online 30 October 2008

Using Modulated-Temperature Differential Scanning Calorimetry to Study Interphases in Blends of Styrene–Butadiene and Polybutadiene Rubbers Filled with a Silanized Silica Nanofiller
S. Ostad-Movahed, A. Ansarifar, and M. Song **1644**
Published online 30 October 2008

Fouling Reduction of a Poly(ether sulfone) Hollow-Fiber Membrane with a Hydrophilic Surfactant Prepared via Non-Solvent-Induced Phase Separation
N. Arahman, T. Maruyama, T. Sotani, and H. Matsuyama **1653**
Published online 30 October 2008

ISSUE NUMBER 4 / FEBRUARY 15, 2009

Preparation of Polystyrene/Poly(methyl methacrylate) Core-Shell Composite Particles by Suspension-Emulsion Combined Polymerization
Z. Zhenqian, B. Yongzhong, H. Zhiming, and W. Zhixue **1659**
Published online 30 October 2008

Using of Leather Fibers as an Additive in Elastomeric Compounds: Its Effect on Curing Behavior and Physico-Mechanical Properties
I. Shabani, A. J. Arani, H. R. Dakhel, and Gh. Iranmehr **1670**
Published online 30 October 2008

Novel Biodegradable Amphiphilic Poly(ε-caprolactone)/Poly(*N*-vinylpyrrolidone) Blends via Successive *In Situ* Polymerizations
Z. Xing, T. Xie, and G. Yang **1676**
Published online 30 October 2008

Polypropylene Cellulose-Based Composites: The Effect of Bagasse Reinforcement and Polybutadiene Isocyanate Treatment on the Mechanical Properties
A. Ashori and A. Nourbakhsh **1684**
Published online 30 October 2008

Preparation and Thermal Characterization of Poly(ethylene oxide)/Griseofulvin Solid Dispersions for Biomedical Applications
I. Stachurek and K. Pielichowski **1690**
Published online 30 October 2008

Development of Antimicrobial Membranes via the Surface Tethering of Chitosan
R. Nigmatullin, V. Konovalova, and G. Pobigay **1697**
Published online 30 October 2008

Comparison of Micelles Formed by Amphiphilic Poly(ethylene glycol)-*b*-Poly(trimethylene carbonate) Star Block Copolymers
B. S. Kim, J. M. Oh, J. S. Cho, S. H. Lee, B. Lee, G. Khang, H. B. Lee, and M. S. Kim **1706**
Published online 30 October 2008

Cracking in Poly(trimethylene terephthalate) Spherulites
C. Yao and G. Yang **1713**
Published online 30 October 2008

Thermal and Crystallinity Property Studies of Poly (L-Lactic Acid) Blended with Oligomers of 3-Hydroxybutyrate or Dendrimers of Hydroxyalkanoic Acids
C. Ni, R. Luo, K. Xu, and G.-Q. Chen **1720**
Published online 30 October 2008

Effect of Die Design on Die Drool Phenomenon for Metallocene Based LLDPE: Theoretical and Experimental Investigation
K. Chaloupková and M. Zatloukal **1728**
Published online 30 October 2008

Effect of *N,N'*-Diphenyl Adipamide on the Formation of the β-Crystalline Form in Isotactic Polypropylene
Q. Dou **1738**
Published online 30 October 2008

Application of the Group Contribution Approach to Nafion Swelling
A. Randová, L. Bartovská, S. Hovorka, M. Poloncarzová, Z. Kolská, and P. Izák **1745**
Published online 30 October 2008

Study of the Effect of PEG Length in Uni-HEUR Thickener Behavior
M. Barmar **1751**
Published online 30 October 2008

Synthesis and Modification of Aromatic Polyesters with Chloroacetyl 3,5-Dibromo-*p*-hydroxybenzoic Acid
S. Ozden, A. M. Charayev, and R. C. Bazheva **1755**
Published online 30 October 2008

Magnetic and Optical Properties of Poly(vinylidene difluoride)/Fe_3O_4 Nanocomposite Prepared by Coprecipitation Approach
C. Xu, C. Ouyang, R. Jia, Y. Li, and X. Wang **1763**
Published online 30 October 2008

Synthesis and Characterization of New Polyamides Derived from 1,3-(4-carboxy phenoxy) Propane and Aromatic Diamines
H. Nasr-Isfahani, K. Faghihi, and N. Valikhani **1769**
Published online 31 October 2008

Numerical Computation of the Fiber Diameter of Melt Blown Nonwovens Produced by the Inset Die
T. Chen, C. Zhang, X. Chen, and L. Li **1775**
Published online 31 October 2008

Tensile and Elastic Properties of Triblock Copolymer Based on Aramide End-Segments and Polyether Mid-Segments
A. Arun and R. J. Gaymans **1780**
Published online 31 October 2008

Poly(acrylamide/laponite) Nanocomposite Hydrogels: Swelling and Cationic Dye Adsorption Properties
P. Li, Siddaramaiah, N. H. Kim, G.-H. Yoo, and J.-H. Lee **1786**
Published online 31 October 2008

Solvent Vapor-Induced Self Assembly and Its Influence on Optoelectronic Conversion of Poly(3-hexylthiophene): Methanofullerene Bulk Heterojunction Photovoltaic Cells
Y. Zhao, X. Guo, Z. Xie, Y. Qu, Y. Geng, and L. Wang **1799**
Published online 31 October 2008

Anionic Copolymerization of Diglycidyl Ether of Bisphenol a with Meldrum's Acid Derivatives Initiated by 4-(*N*,*N*-Dimethylamino) Pyridine
L. González, X. Ramis, J. M. Salla, A. Mantecón, and A. Serra **1805**
Published online 4 November 2008

Swelling Kinetics of Linseed Oil-Based Polymers
V. Sharma, J. S. Banait, and P. P. Kundu **1816**
Published online 4 November 2008

Mechanical and Surface Properties and Hydrolytic Stability of Cycloaliphatic Polyester-Based Waterborne Polyurethanes Modified with Fluoro Oligomer
S. H. Park, S. K. Lee, H. Y. Choi, E. M. Lee, E. Y. Kim, C. H. Lim, D. W. Lee, and B. K. Kim **1828**
Published online 4 November 2008

Cellulose/Polypropylene Composites: Influence of the Molecular Weight and Concentration of Oxidatively Degraded and Maleated Polypropylene Compatibilizers on Tensile Behavior
K. Miyazaki, K. Moriya, N. Okazaki, M. Terano, and H. Nakatani **1835**
Published online 4 November 2008

Evaluation of Flexible Postconsumed Polyurethane Foams Modified by Polystyrene Grafting as Sorbent Material for Oil Spills
V. O. A. Tanobe, T. H. D. Sydenstricker, S. C. Amico, J. V. C. Vargas, and S. F. Zawadzki **1842**
Published online 4 November 2008

TPA-PPEs – New Alternating Donor Copolymers for Potential Application in Photovoltaic Devices
L. Blankenburg, M. D. Hager, S. Sell, S. Sensfuss, and E. Klemm **1850**
Published online 4 November 2008

Preparation of Comb-Type Grafted Hydrogels Composed of Polyacrylamide and Chitosan and Their Use for DNA Adsorption
B. Başer, G. B. Demirel, L. Açık, and T. Çaykara **1862**
Published online 4 November 2008

Copolymerization of Ethylene and Cyclopentene with the Phillips CrO_x/SiO_2 Catalyst in the Presence of an Aluminum Alkyl Cocatalyst
W. Xia, K. Tonosaki, T. Taniike, M. Terano, T. Fujitani, and B. Liu **1869**
Published online 6 November 2008

Novel Piperidinium Salts as Latent Initiators for Cationic Polymerization of Epoxide and Vinyl Ether
J. Y. Kim, N. S. Kim, P. S. Patil, K. D. Ahn, J. Kim, and T. H. Kim **1878**
Published online 6 November 2008

Evidences of Solvent-Induced Miscibility in Polychloroprene-*co*-Ethylene-Propene Diene Terpolymer Blends
K. A. Dubey, Y. K. Bhardwaj, C. V. Chaudhari, V. Kumar, N. K. Goel, and S. Sabharwal **1884**
Published online 6 November 2008

Pigment Color Printing on Cotton and Polyester Fabrics with Electron Beam Irradiation Curable Formulations
L. A. W. Abdoua, O. A. Hakeim, M. S. El-Din, M. S. El-Gammal, and A. W. M. El-Naggar **1892**
Published online 6 November 2008

Kinetics of the Thermal Degradation of Hyperbranched Poly(phenylene sulfide)
Y. Bo, C. Yanmo, Y. Hao, S. Bin, and Z. Meifang **1900**
Published online 6 November 2008

Thermosensitive Nanoparticles Prepared from Poly(*N*-isopropylacrylamide-acrylamide-vinilpyrrolidone) and its Blend with Poly(lactide-*co*-glycolide) for Efficient Drug Delivery System
R. Salehi, S. Davaran, M. R. Rashidi, and A. A. Entezami **1905**
Published online 6 November 2008

Microwave-Absorbing Properties of Linear Low-Density Polyethylene/Ethylene–Octene Copolymer/Carbonyl Iron Powder Composites
Q. Ling, J. Sun, Q. Zhao, and Q. Zhou **1911**
Published online 6 November 2008

Preparation and Characterization of Thin Films of the Poly(*p*-phenylene vinylene) Semiconducting Polymer
N. Gomathi, V. K. Prasad, and S. Neogi **1917**
Published online 6 November 2008

Physicochemical Characterization of Maize Tassel as an Adsorbent. I. Surface Texture, Microstructure, and Thermal Stability
C. M. Zvinowanda, J. O. Okonkwo, N. M. Agyei, and P. N. Shabalala **1923**
Published online 6 November 2008

Synthesis and Properties of a New Green Water-Soluble Polymer for Proton and Metal-Cation Sensing
Y. Hu, B. Wang, and Z. Su **1931**
Published online 6 November 2008

Preparation of Silica/Polyurethane Nanocomposites by UV-Induced Polymerization from Surfaces of Silica
H. Tan, D. Yang, M. Xiao, J. Han, and J. Nie **1936**
Published online 6 November 2008

Modification of Polysulfone Membranes via Surface-Initiated Atom Transfer Radical Polymerization and Their Antifouling Properties
L. Li, G. Yan, and J. Wu **1942**
Published online 6 November 2008

Effects of pH and Temperature on the Sorption of Sodium Dodecyl Sulfate by Cellulose Acetate/Polyaniline Blend Membranes
R. F. P. Pereira, D. A. Cerqueira, A. J. M. Valente, A. Y. Polishchuk, H. D. Burrows, and V. M. M. Lobo **1947**
Published online 6 November 2008

Interfacially Compatibilized Poly(lactic acid) and Poly(lactic acid)/Polycaprolactone/Organoclay Nanocomposites with Improved Biodegradability and Barrier Properties: Effects of the Compatibilizer Structural Parameters and Feeding Route
S. S. Sabet and A. A. Katbab **1954**
Published online 6 November 2008

Facile Synthesis of Functional Silica/Polymer Composite Materials and Hydrophilic Hollow Polymer Microspheres
G. Liu, H. Zhang, X. Yang, and Y. Wang **1964**
Published online 6 November 2008

Novel 1,4-Diketo-3,6-diphenyl pyrrolo[3,4-c]pyrrole (DPP)-based Copolymers with Large Stokes Shift
K. Liu, Y. Li, and M. Yang **1976**
Published online 6 November 2008

Effect of Thermal Aging on the Electrical Properties of Crosslinked Polyethylene
M. Nedjar **1985**
Published online 6 November 2008

Synthesis and Properties of Some Fluorescent 1,8-Naphthalimide Derivatives and Their Copolymers with Methyl Methacrylate
T. N. Konstantinova and P. M. Miladinova **1991**
Published online 6 November 2008

Polymeric Salphen-Phthalocyanine Dinuclear Metal Complexes for Activation of Molecular Oxygen
R.-M. Wang, E.-X. Hao, G.-R. Shen, Y.-F. He, and Z.-Q. Lei **1999**
Published online 6 November 2008

Synthesis of ω-Pyrenyl-Functionalized Poly(1,3-Cyclohexadiene)
I. Natori and S. Natori **2006**
Published online 6 November 2008

Substituent Effects on Trithiocarbonates-Mediated Polymerization of Styrene
R. Ran, Z. Chen, and X. L. Wang **2011**
Published online 6 November 2008

Modification of the Molar Anionic Charge Density of Acetone–Formaldehyde–Sulfite Dispersant to Improve Adsorption Behavior and Effectiveness in the Presence of CaAMPS® -*co*-NNDMA Cement Fluid Loss Polymer
J. Plank, F. Dugonjić-Bilić, and N. R. Lummer **2018**
Published online 6 November 2008

Effect of Silane Coupling Agent on Swelling Behaviors and Mechanical Properties of Thermosensitive Hybrid Gels
W.-J. Huang and W.-F. Lee **2025**
Published online 4 November 2008

Improved Mechanical Properties of NR/EPDM Blends by Controlling the Migration of Curative and Filler via Reactive Processing Technique
K. Sahakaro, C. Pongpaiboon, and C. Nakason **2035**
Published online 4 November 2008

Surface Modification and Metallization of Polyimide Using Gold Colloids As a Seed Layer
Y. Kong, J. Shao, W. Wang, Z. Chen, and H. Chu **2044**
Published online 7 November 2008

Flow Properties of Natural Rubber Composites Filled with Defatted Soy Flour
J. A. Byars and L. Jong **2049**
Published online 7 November 2008

Grafting of Cotton Fiber by Water-Soluble Cyclodextrin-Based Polymer
I. Shown and C. N. Murthy **2056**
Published online 10 November 2008

Novel Polymer Composites Based on a Mixture of Preformed Nanosilica-Filled Poly(methyl methacrylate) Particles and a Diepoxy/Diamine Thermoset System
P. D. Castrillo, D. Olmos, and J. González-Benito **2062**
Published online 10 November 2008

Thermal, Mechanical, and Dielectric Properties of Polystyrene/Expanded Graphite Nanocomposites
R. K. Goyal, P. A. Jagadale, and U. P. Mulik **2071**
Published online 10 November 2008

Synthesis and Characterization of Side-Chain Cholesteric Liquid-Crystalline Polysiloxanes Containing Different Space Groups
J.-W. Wang, F.-B. Meng, Y.-H. Li, and B.-Y. Zhang **2078**
Published online 10 November 2008

Flame Retardancy Behaviors and Structural Properties of Polypropylene/Nano-SiO_2 Composite Textile Filaments
N. Erdem, A. A. Cireli, and U. H. Erdogan **2085**
Published online 10 November 2008

Kinetics and Particle Nucleation Mechanism of St/BA/QBVPBr Emulsifier-Free Cationic Emulsion Polymerization
J. Zhang, S. Cheng, G. Lu, and S. Chai **2092**
Published online 10 November 2008

GPC Observations of Branching Effects in Anionic Polymerization of Methyl Methacrylate: A Preliminary Study
Y. Tsai, J.-H. Wu, and F.-J. Tsai **2099**
Published online 10 November 2008

Quantification of Surface Forces of Thermoplastic Elastomeric Nanocomposites Based on Poly(styrene-ethylene-*co*-butylene-styrene) and Clay by Atomic Force Microscopy
A. Ganguly and A. K. Bhowmick **2104**
Published online 10 November 2008

Controlling Cellular Morphology by Supercritical Carbon Dioxide
D. Wang, W. Jiang, H. Gao, and Z. Jiang **2116**
Published online 10 November 2008

Green Strength of Natural Rubber: The Origin of the Stress–Strain Behavior of Natural Rubber
S. Amnuaypornsri, J. Sakdapipanich, and Y. Tanaka **2127**
Published online 10 November 2008

Synthesis and Characterization of Novel Optically Active Poly(urethane urea)s: Effect of Left/Right Rotation Conformation
Z.-Q. Wang, Y.-M. Zhou, X.-Y. Ye, J. Chen, and Y.-Q. Sun **2134**
Published online 10 November 2008

Preparation and Characterization of Hyperbranched Polyester Capillary Columns Used for the Separation of Basic Proteins
C. Shou and Z. Zhang **2141**
Published online 10 November 2008

Macroporous Chelating Resins Incorporating Heterocyclic Functional Groups via Hydrophilic Poly(ethylene oxide) Spacer Arms. II. Adsorption Properties
C. Ji, R. Qu, Q. Xu, C. Sun, C. Wang, Y. Cheng, and Y. Song **2148**
Published online 10 November 2008

Erasure Mechanisms of Polarization Holographic Gratings in Spirooxazine-Doped Polymer Films
S. Fu, W. Hu, M. Xie, Y. Liu, and Q. Duanmu **2157**
Published online 11 November 2008

ISSUE NUMBER 5 / MARCH 5, 2009

Photoinduced Surface Crosslinking of Superabsorbent Polymer Particles
S. Jockusch, N. J. Turro, Y. Mitsukami, M. Matsumoto, T. Iwamura, T. Lindner, A. Flohr, and G. di Massimo **2163**
Published online 10 November 2008

Modeling Gel Effect in Branched Polymer Systems: Free-Radical Solution Homopolymerization of Vinyl Acetate
G. D. Verros and D. S. Achilias **2171**
Published online 11 November 2008

Incorporation of Multiwalled Carbon Nanotubes into Poly(vinyl alcohol) Membranes for Use in the Pervaporation of Water/Ethanol Mixtures
J.-H. Choi, J. Jegal, W.-N. Kim, and H.-S. Choi **2186**
Published online 11 November 2008

How the Monomer Concentration of Polymerization Influences Various Properties of Polybenzimidazole: A Case Study with Poly(4,4′-diphenylether-5,5′-bibenzimidazole)
A. Sannigrahi, S. Ghosh, J. Lalnuntluanga, and T. Jana **2194**
Published online 11 November 2008

Characterization of Superfine Down Powder
W. Xu, X. Wang, W. Cui, X. Peng, W. Li, and X. Liu **2204**
Published online 11 November 2008

Synthesis and Properties of Fluorinated Polyimides from 1,1-Bis(4-amino-3,5-Dimethylphenyl)-1-(3,4,5-trifluorophenyl)-2,2,2-trifluoroethane and Various Aromatic Dianhydrides
X.-J. Zhao, J.-G. Liu, H.-S. Li, L. Fan, and S.-Y. Yang **2210**
Published online 11 November 2008

New Binary Thermoresponsive Polymeric System for Local Chemoradiotherapy
M. Hruby, J. Kucka, H. Mackova, C. Konak, M. Vetrik, J. Kozempel, and O. Lebeda **2220**
Published online 11 November 2008

Effect of the Chemical Characteristics of Mesoporous Silica MCM-41 on Morphological, Thermal, and Rheological Properties of Composites Based on Polystyrene
L. D. Pérez, J. F. López, V. H. Orozco, T. Kyu, and B. L. López **2229**
Published online 12 November 2008

Toughness Optimization of Glass-Fiber Reinforced PA 6/PA 66-Based Composites: Effect of Matrix Composition and Colorants
M. Nase, B. Langer, S. Schumacher, and W. Grellmann **2245**
Published online 13 November 2008

Estimation of Reinforcement in Compatibilized Polypropylene Nanocomposites by Extensional Rheology
S. Laske, M. Kracalik, M. Gschweitl, M. Feuchter, G. Maier, G. Pinter, R. Thomann, W. Friesenbichler, and G. R. Langecker **2253**
Published online 13 November 2008

Stochastic Simulation for Morphological Development during the Isothermal Crystallization of Semicrystalline Polymers: A Case Study of Syndiotactic Polypropylene
S. Anantawaraskul, S. Ketdee, and P. Supaphol **2260**
Published online 13 November 2008

***In Vitro* Release of Rifampicin and Biocompatibility of Oleoylchitosan Nanoparticles**
Y. Y. Li, X. G. Chen, J. Zhang, C. S. Liu, Y. P. Xue, G. Z. Sun, and W. F. Zhang **2269**
Published online 18 November 2008

Biocompatibility of Polyglycidol with Human Peripheral Blood Mononuclear Cells
Y.-C. Huang, A. T. Royappa, S. Tundel, K. Tsukamoto, and V. Sharma **2275**
Published online 18 November 2008

Effect of Fiber/Matrix Chemical Modification on the Mechanical Properties and Water Absorption of Extruded Flax/Polypropylene Composite
A. Elsabbagh, L. Steuernagel, and G. Ziegmann **2279**
Published online 18 November 2008

Shear Behavior of Flexible Polyurethane Foams Under Uniaxial Compression
A. Andersson, S. Lundmark, A. Magnusson, and F. H. J. Maurer **2290**
Published online 18 November 2008

Migration of Antifog Additives in Agricultural Films of Low-Density Polyethylene and Ethylene-Vinyl Acetate Copolymers
L. Irusta, A. González, M. J. Fernández-Berridi, J. J. Iruin, J. M. Asúa, I. Albizu, A. Ibarzabal, A. Salmerón, E. Espi, A. Fontecha, Y. García, and A. I. Real **2299**
Published online 18 November 2008

The Synthesis of PHA-*g*-(PTHF-*b*-PMMA) Multiblock/Graft Copolymers by Combination of Cationic and Radical Polymerization
H. Macit, B. Hazer, H. Arslan, and I. Noda **2308**
Published online 19 November 2008

Investigation of Influence Factors in Electron Beam Curing of Epoxy Resins Using a Calorimetry Technique
J. H. Chen, A. Johnston, L. Petrescue, and M. Hojjati **2318**
Published online 19 November 2008

Synthesis and Characterization of Proccessible Polyaniline Derivatives for Corrosion Inhibition
H. Bhandari, S. Sathiyanaranayan, V. Choudhary, and S. K. Dhawan **2328**
Published online 19 November 2008

Spectral, Thermal, and Photoreactivity Studies on Epoxy Resin Containing Benzylidene Units in the Main Chain
P. S. Balakrishnan and S. C. Murugavel **2340**
Published online 21 November 2008

Studies on Morphology, Mechanical, Thermal, and Dynamic Mechanical Behavior of Extrusion Blended Polypropylene and Thermotropic Liquid Crystalline Polymer in Presence of Compatibilizer
P. K. Mandal and D. Chakraborty **2345**
Published online 21 November 2008

Synthesis and Characterization of Palm-Based Resin for UV Coating
M. Y. Cheong, T. L. Ooi, S. Ahmad, W. Md Z. W. Yunus, and D. Kuang **2353**
Published online 21 November 2008

Effects of Different Parameters on the Characteristics of Chitosan–Poly(acrylic acid) Nanoparticles Obtained by the Method of Coacervation
N. Davidenko, M. D. Blanco, C. Peniche, L. Becherán, S. Guerrero, and J. M. Teijón **2362**
Published online 21 November 2008

Flame-Retardant and Mechanical Properties of High-Density Rigid Polyurethane Foams Filled with Decabrominated Dipheny Ethane and Expandable Graphite
L. Ye, X.-Y. Meng, X.-M. Liu, J.-H. Tang, and Z.-M. Li **2372**
Published online 21 November 2008

Stereochemical Elucidation of Complex α-Methyl and β-Methylene Carbon Resonances in Poly(2-hydroxy ethyl methacrylate-*co*-methacrylonitrile) by 2D NMR
S. Hooda, A. K. Goyal, and A. S. Brar **2381**
Published online 21 November 2008

Development of Polyurethane-Based Sheets by Phase Inversion Method for Therapeutic Footwear Applications: Synthesis, Fabrication, and Characterization
G. Saraswathy, G. Gopalakrishna, B. N. Das, G. Radhakrishnan, and S. Pal **2387**
Published online 21 November 2008

Preparation and Characterization of Exfoliated Organic Montmorillonite/ Poly(3,4-Ethyldioxythiophene) Nanocomposites
Y. Han and Y. Lu **2400**
Published online 21 November 2008

Dehydration of THF-Water Mixtures Using Zeolite-Incorporated Polymeric Membranes
J. G. Varghese, A. A. Kittur, and M. Y. Kariduraganavar **2408**
Published online 21 November 2008

Tribological Behavior of Kevlar Fabric Composites Filled with Nanoparticles
F. Guo, Z. Zhang, H. Zhang, and W. Liu **2419**
Published online 21 November 2008

Synthesis and Chemical Properties of Dielectric Polyphenylenes with Nitro Group
M. Abe, M. Tokita, J. Watanabe, Y. Sakai, and T. Yamamoto **2426**
Published online 21 November 2008

Study on Transparent Poly(propylene) Nucleated by the ""*In Situ*"" Reaction Products of Dehydroabietic Acid and Sodium Stearate
Q. Dou and J. Wang **2436**
Published online 21 November 2008

Comparison Between the Self-Assembling Behaviors of PLLA-PEO-PLLA Triblock Copolymers and PLLA-PEO-PPO-PEO-PLLA Pentablock Copolymers
X. Y. Xiong, Z. L. Li, K. C. Tam, Y. P. Li, J. Q. Leng, H. Q. Chen, and Y. Wang **2445**
Published online 21 November 2008

Evaluation of Alginate–Chitosan Bioadhesive Beads as a Drug Delivery System for the Controlled Release of Theophylline
A. A. Elzatahry, M. S. M. Eldin, E. A. Soliman, and E. A. Hassan **2452**
Published online 25 November 2008

Study of the Biodegradation Behavior of Soy Protein-Grafted Polyethylene by the Soil Burial Method
I. Kaur, T. C. Bhalla, N. Deepika, and N. Gautam **2460**
Published online 25 November 2008

Highly Compatible Wood Thermoplastic Composites from Lignocellulosic Material Modified in Ionic Liquids: Preparation and Thermal Properties
H. Xie, P. Jarvi, M. Karesoja, A. King, I. Kilpelainen, and D. S. Argyropoulos **2468**
Published online 25 November 2008

Structure and Magnetic Properties of Regenerated Cellulose/Fe_3O_4 Nanocomposite Films
J. Zhou, R. Li, S. Liu, Q. Li, L. Zhang, L. Zhang, and J. Guan **2477**
Published online 25 November 2008

Immobilization Cyclen Copper (II) on Merrifield Resin: Efficient Oxidative Cleavage of Plasmid DNA
K. Li, J. Zhang, Z.-W. Zhang, Y.-Z. Xiang, H.-H. Lin, and X.-Q. Yu **2485**
Published online 25 November 2008

Radiopaque Acrylic Bone Cements with Bromine-Containing Monomer
M. C. Rusu, C. Ibanescu, I. C. Ichim, G. Riess, M. Popa, D. Rusu, and M. Rusu **2493**
Published online 25 November 2008

Application of Ultraviolet Photografting Technology to Acrylamide/Polyethylene to Improve the Interfacial Adhesion of Polyethylene/Unsaturated Polyester Resin Composites
H.-T. Chiu and Z.-J. Shong **2507**
Published online 25 November 2008

Preparation of a Polymeric Membrane with a Fine Porous Structure by Dry Casting
J.-K. Kim, K. Taki, S. Nagamine, and M. Ohshima **2518**
Published online 25 November 2008

Novel Biodegradable Flocculating Agents Prepared by Grafting Polyacrylamide to Konjac
C. Xie, Y. Feng, W. Cao, H. Teng, J. Li, and Z. Lu **2527**
Published online 25 November 2008

Effect of Poly(vinyl pyrrolidone) Concentration and Coagulation Bath Temperature on the Morphology, Permeability, and Thermal Stability of Asymmetric Cellulose Acetate Membranes
E. Saljoughi, M. Amirilargani, and T. Mohammadi **2537**
Published online 25 November 2008

Ammonia/Acetylene Plasma Deposition: An Alternative Approach to the Dyeing of Poly(ethylene terephthalate) Fabrics at Low Temperatures
M. M. Hossain, J. Müssig, A. S. Herrmann, and D. Hegemann **2545**
Published online 25 November 2008

Synthesis and Characterization of High-Density Polypropylene-Grafted Polyethylene via a Macromolecular Reaction and Its Rheological Behavior
Z. Yao, Z.-Q. Lu, X. Zhao, B.-W. Qu, Z.-C. Shen, and K. Cao **2553**
Published online 25 November 2008

Synthesis and Characterization of High Molecular Weight Side Chain Liquid Crystalline/Photoactive Polymers
M. Murali, P. Sudhakar, B. S. Kumar, and A. B. Samui **2562**
Published online 25 November 2008

Effect of a Dodecylsulfate-Modified Magnesium–Aluminum Layered Double Hydroxide on the Morphology and Fracture of Polystyrene and Poly(styrene-*co*-acrylonitrile) Composites
V. Realinho, M. Antunes, D. Arencón, A. I. Fernández, and J. I. Velasco **2574**
Published online 25 November 2008

Modeling Diameter Distributions of Poly(*N*-isopropylacrylamide-*co*-methacrylic acid) Nanoparticles
Q. Cao, P. Tian, and Q. Wu **2584**
Published online 25 November 2008

Reaction Kinetics and Thermal Properties of Cyanate Ester-Cured Epoxy Resin with Phenolphthalein Poly(ether ketone)
J. Li, P. Chen, Z. Ma, K. Ma, and B. Wang **2590**
Published online 25 November 2008

Self-Cleaning, Titanium Dioxide Based, Multilayer Coating Fabricated on Polymer and Glass Surfaces
J. Kasanen, M. Suvanto, and T. T. Pakkanen **2597**
Published online 25 November 2008

Synthesis of Thermosensitive Glycopolymers Containing D-Glucose Residue: Copolymers with *N*-isopropylacrylamide
V. S. Shinde and V. U. Pawar **2607**
Published online 25 November 2008

Mechanical Behavior of Agro-Residue-Reinforced Polypropylene Composites
A. Ashori and A. Nourbakhsh **2616**
Published online 25 November 2008

Plasticity Structural Analysis of Polymer Nanocomposites Filled with Carbon Nanotubes
G. E. Zaikov, G. V. Kozlov, Z. K. Aphashagova, and A. K. Mikitaev **2621**
Published online 25 November 2008

Copolymerization of Ethylene and Propylene Catalyzed by Novel Magnesium Chloride Supported, Vanadium-Based Catalysts
T. Jiang, W. Du, L. Zhang, X. Song, G. Zhang, and Y. Ning **2625**
Published online 25 November 2008

Carboxymethyl Guar: Its Synthesis and Macromolecular Characterization
S. Pal **2630**
Published online 25 November 2008

Topography Characterization and Initial Cellular Interaction of Plasma-Based Ar^+ Beam-Treated PDMS Surfaces
I. Keranov, T. G. Vladkova, M. Minchev, A. Kostadinova, G. Altankov, and P. Dineff **2637**
Published online 2 December 2008

Immobilized Metal Ions Cellophane–PGMA-Grafted Membranes for Affinity Separation of β-Galactosidase Enzyme. I. Preparation and Characterization
M. S. M. Eldin, E. A. Soliman, E. A. Hassan, and M. A. Abu-Saied **2647**
Published online 2 December 2008

Prediction and Experimental Verification of Bubble and Processing Characteristics in Blown-Film Extrusion
K. K. Majumder, Y. Ding, G. Hobbs, and S. N. Bhattacharya **2657**
Published online 2 December 2008

ISSUE NUMBER 6 / MARCH 15, 2009

Poly(vinyl acetate)/Polyacrylate Semi-Interpenetrating Polymer Networks, Part 1: Synthesis and Polymerization Kinetics
A. Martinelli, L. Tighzert, L. D'Ilario, I. Francolini, and A. Piozzi **2669**
Published online 2 December 2008

Poly(vinyl acetate)/Polyacrylate Semi-Interpenetrating Polymer Networks. II. Thermal, Mechanical, and Morphological Characterization
A. Martinelli, L. Tighzert, L. D'Ilario, I. Francolini, and A. Piozzi **2675**
Published online 2 December 2008

Preparation and Thermal Properties of Hybrid Nanocomposites of Poly(methyl methacrylate)/Octavinyl Polyhedral Oligomeric Silsesquioxane Blends
Y. Feng, Y. Jia, and H. Xu **2684**
Published online 2 December 2008

Influence of Impact Load-Temperature Conformity on Toughening of Poly(vinyl chloride) by Core-Shell Rubber Particles
A. Javadi, N. Mohammadi, H. Garmabi, A. M. Pourrahimi, and J. Mashayekhi **2691**
Published online 2 December 2008

Preparation and Properties of Ethylene/POSS Copolymer with *rac*-Et(Ind)$_2$ZrCl$_2$ Catalyst
H.-x. Zhang, M.-s. Jung, Y.-j. Shin, K.-b. Yoon, and D.-h. Lee **2697**
Published online 2 December 2008

Thermooxidative Reactions of Polypropylene Wax in the Molten State
A. Salimi, M. Atai, M. Mirabedini, and M. Mohseni **2703**
Published online 2 December 2008

Polyurethane/Multiwalled Carbon Nanotube Nanowebs Prepared by an Electrospinning Process
D. Kimmer, P. Slobodian, D. Petráš, M. Zatloukal, R. Olejník, and P. Sáha **2711**
Published online 2 December 2008

Synthesis of *N*-β-Aminoethyl-γ-aminopropyl Polydimethyl-*co*-polydiphenylsiloxane and Its Film Morphology and Orientation
M. Li, Q. An, L. Huang, G. Yang, and Q. Wang **2715**
Published online 3 December 2008

Synthesis and Characterization of New Water-Soluble Metal–Polymer Complex and Its Application for Arsenite Retention
B. L. Rivas, M. del Carmen Aguirre, and J. Yáñez **2720**
Published online 3 December 2008

Preparation, Characterization, and Salicylic Acid Release Behavior of Chitosan/Poly(vinyl alcohol) Blend Microspheres
O. Şanlı, İ. Karaca, and N. Işıklan **2731**
Published online 3 December 2008

A Thermally Regenerable Composite Sorbent of Crosslinked Poly(acrylic acid) and Ethoxylated Polyethyleneimine for Water Desalination by Sirotherm Process
M. Chanda, S. A. Pillay, A. Sarkar, and J. M. Modak **2741**
Published online 3 December 2008

Sequence Distribution, Thermal Properties, and Crystallization Studies of Poly(trimethylene terephthalate-*co*-1,4-cyclohexylene dimethylene terephthalate) Copolyesters
J. Yang, W. Li, A. Yu, P. Xi, X. Huang, and S. Li **2751**
Published online 3 December 2008

Porous Acrylonitrile/Itaconic Acid Copolymers Prepared by Suspended Emulsion Polymerization
M. Yu, H. Chen, Y. Liang, H. Cui, W. Zhou, X. Cui, and D. Li **2761**
Published online 3 December 2008

Preparation and Physical Properties of Wood/Polypropylene/Clay Nanocomposites
H. Lee and D. S. Kim **2769**
Published online 3 December 2008

Water Vapor Absorption and Permeability of Films Based on Chitosan and Sodium Caseinate
M. Pereda, M. I. Aranguren, and N. E. Marcovich **2777**
Published online 3 December 2008

Functionalization of Polymethylhydrosiloxane Gels with an Allyl Ureido Benzocrown Ether Derivative: Complexation Properties
G. Nasr, H. Bestal, M. Barboiu, B. Bresson, and T. Thami **2785**
Published online 3 December 2008

Separation of Gold(III) Ions from Copper(II) and Zinc(II) Ions Using Thiourea–Formaldehyde or Urea–Formaldehyde Chelating Resins
E. Ertan and M. Gülfen **2798**
Published online 3 December 2008

Effects of Filler–Filler and Polymer–Filler Interactions on Rheological and Mechanical Properties of HDPE–Wood Composites
H.-X. Huang and J.-J. Zhang **2806**
Published online 3 December 2008

Cure Characteristics and Mechanical Properties of Hydrogenated Natural Rubber/Natural Rubber Blends
N. Hinchiranan, W. Lertweerasirikun, W. Poonsawad, G. L. Rempel, and P. Prasassarakich **2813**
Published online 3 December 2008

A New Strategy for Controlling Shrinkage of DGEBA Resins Cured by Cationic Copolymerization with Hydroxyl-Terminated Hyperbranched Polymers and Ytterbium Triflate as an Initiator
X. Fernández-Francos, J. M. Salla, A. Cadenato, J. M. Morancho, A. Serra, A. Mantecón, and X. Ramis **2822**
Published online 3 December 2008

Uniformly Sized Molecularly Imprinted Polymers for On-Line Concentration, Purification, and Measurement of Nimodipine in Plasma
Q. Fu, L. He, Q. Zhang, E. Amut, Q. Fang, and C. Chang **2830**
Published online 3 December 2008

Variations in Polymeric Structure of Ferroelectric Poly(vinylidene fluoride) Films During Annealing at Various Temperatures
M. Inoue, Y. Tada, K. Suganuma, and H. Ishiguro **2837**
Published online 3 December 2008

Stability and Activity of Chymotrypsin Immobilized on Magnetic Nanogels Covered with Carboxyl Groups
J. Hong, J. Huang, S. Liu, J. Yu, and S. Luo **2844**
Published online3 December 2008

Piezoresistive Behavior of Epoxy Matrix-Carbon Fiber Composites with Different Reinforcement Arrangements
A. Boschetti-de-Fierro, R. Pardey, V. Savino, and A. J. Müller **2851**
Published online 3 December 2008

Studies on Mechanical and Morphological Behavior of Hybrid Nanoclay-Reinforced EPDM-g-TMEVS/PS Blends
P. Ramar and M. Alagar **2859**
Published online 4 December 2008

One Pot Synthesis of Xanthan gum-*g*-*N*-vinyl-2-pyrrolidone and Study of Their Metal Ion Sorption Behavior and Water Swelling Property
A. Srivastava, D. K. Mishra, J. Tripathy, and K. Behari **2872**
Published online 5 December 2008

Preparation, Characterization, and Adsorption Properties of Chitosan Microspheres Crosslinked by Formaldehyde for Copper (II) from Aqueous Solution
W.-L. Du, S.-S. Niu, Z.-R. Xu, and Y.-L. Xu **2881**
Published online 5 December 2008

Diffusion of Mineral Oil in Styrene-Butadiene Polymer Films
B. Fouchet **2886**
Published online 5 December 2008

Antibacterial Electrospun Chitosan/Poly(vinyl alcohol) Nanofibers Containing Silver Nitrate and Titanium Dioxide
B. Son, B.-Y. Yeom, S. H. Song, C.-S. Lee, and T. S. Hwang **2892**
Published online 5 December 2008

Synthesis of Poly(styrene-*co*-4-vinylpyridine) Microspheres via Dispersion Polymerization: Effect of the Concentration of 4-Vinylpyridine
H. Han, C. K. Hong, J. Hong, D. W. Park, and S. E. Shim **2900**
Published online 5 December 2008

Nonisothermal Crystallization Behaviors of Silk-Fibroin-Fiber-Reinforced Poly(ε-caprolactone) Biocomposites
X. Qiao, W. Li, K. Sun, S. Xu, and X. Chen **2908**
Published online 5 December 2008

Development of Cross-Linked Starch Microcellular Foam by Solvent Exchange and Reactive Supercritical Fluid Extrusion
S. Patel, R. A. Venditti, J. J. Pawlak, A. Ayoub, and S. S. H. Rizvi **2917**
Published online 5 December 2008

Isothermal Crystallization Kinetics of High-Flow Nylon 6 by Differential Scanning Calorimetry
F. Zhang, L. Zhou, Y. Xiong, G. Liu, and W. Xu **2930**
Published online 5 December 2008

Multiwalled Carbon Nanotube Nucleated Crystallization Behavior of Biodegradable Poly(butylene succinate) Nanocomposites
K. P. Pramoda, N. T. T. Linh, C. Zhang, and T. Liu **2938**
Published online 5 December 2008

Comparisons of Weathering Performance of Two Automotive Refinish Coatings: A Case Study
H. Yari, M. Mohseni, and B. Ramezanzadeh **2946**
Published online 5 December 2008

Wedge Test of Carbon-Nanotube-Reinforced Epoxy Adhesive Joints
S. Yu, M. N. Tong, and G. Critchlow **2957**
Published online 5 December 2008

Poly(vinyl pyrrolidone-*co*-octavinyl polyhedral oligomeric silsesquioxane) Hybrid Nanocomposites: Preparation, Thermal Properties, and T_g Improvement Mechanism
B. Yang, J. Li, J. Wang, H. Xu, S. Guang, and C. Li **2963**
Published online 5 December 2008

Synthesis and Characterization of Monomer-Casting Polyamide 6/Polymethacrylic Ionomer Blends
T. Wu and G. Yang **2970**
Published online 5 December 2008

Friction and Wear Properties of Polyimide Matrix Composites Reinforced with Short Basalt Fibers
X. Zhang, X. Pei, and Q. Wang **2980**
Published online 5 December 2008

Comparative Study on the Technological Properties of Latex and Natural Rubber from *Hancornia speciosa* Gomes and *Hevea brasiliensis*
J. A. Malmonge, E. C. Camillo, R. M. B. Moreno, L. H. C. Mattoso, and C. M. McMahan **2986**
Published online 5 December 2008

Surface Characterization of Hydrophilic Coating Obtained by Low-Pressure CH_4—O_2 Plasma Treatment on a Polypropylene Film
R. López, R. Sanchis, D. García, O. Fenollar, and R. Balart **2992**
Published online 5 December 2008

Behavior of Sulfonated Poly(ether ether ketone) in Ethanol–Water Systems
K. S. Roelofs, A. Kampa, T. Hirth, and T. Schiestel **2998**
Published online 5 December 2008

Synthesis of 2-Hydroxypropyl Dimethylbenzylammonium *N,O*-(2-carboxyethyl) Chitosan Chloride and Its Antibacterial Activity
Z.-S. Cai, Z.-Q. Song, C.-S. Yang, S.-B. Shang, and Y.-B. Yin **3010**
Published online 8 December 2008

Synthesis, Structure, and Phase Behavior of New Chiral Liquid-Crystalline Polysiloxanes Based on Mesogenic Menthyl Monomers
B.-Y. Zhang, J.-S. Hu, S.-C. Ren, and C. Liu **3016**
Published online 9 December 2008

The Fractal Analysis of Copolymerization Processes
G. V. Kozlov, G. B. Shustov, and G. E. Zaikov **3026**
Published online 11 December 2008

Transport Properties of Some Cationic Amphiphilic Polysaccharides: Effects of the Side-Chain Length and Solvent Polarity
L. Ghimici and M. Nichifor **3031**
Published online 11 December 2008

Copolymer Resin. VII. 8-Hydroxyquinoline-5-sulfonic Acid–Thiourea–Formaldehyde Copolymer Resins and Their Ion-Exchange Properties
V. D. Mane, N. J. Wahane, and W. B. Gurnule **3039**
Published online 11 December 2008

Preparation of Microporous Particles of Isotactic Polypropylene via a Thermally Induced Phase Separation Method
Y. Lu, K. Tan, A. Sun, C. Li, and Z. Wang **3050**
Published online 11 December 2008

New Ultraviolet-Curable Formulations for Bonding Poly(vinyl chloride)-Coated Fiberglass Wire Mesh for Reinforcement Applications
D. E. Nikles and M. S. Farahat **3058**
Published online 11 December 2008

An Antitracking Varnish for Rated Electrical Application
P. K. Maiti **3065**
Published online 11 November 2008

Poly(vinyl alcohol) Films Crosslinked by Glutaraldehyde Under Mild Conditions
K. C. S. Figueiredo, T. L. M. Alves, and C. P. Borges **3074**
Published online 11 November 2008

Removal of Phosphate Anions from Aqueous Solutions Using Polypyrrole-Coated Sawdust as a Novel Sorbent
S. K. Bajpai, V. K. Rohit, and M. Namdeo **3081**
Published online 11 December 2008

Benzoin-Terminated Polyurethane as Macrophotoinitiator for Synthesis of Polyurethane–Polymethyl Methacrylate Block Copolymers
S. R. Deka and D. K. Kakati **3089**
Published online 5 December 2008

Polyurethane-Modified Epoxy Resin: Solventless Preparation and Properties
S. Ong, J. Ismail, M. A. Bakar, I. A. Rahman, C. S. Sipaut, and C. K. Chee **3094**
Published online 11 November 2008

Modification of Electrospun Poly(vinylidene fluoride-*co*-hexafluoropropylene) Membranes Through the Introduction of Poly(ethylene glycol) Dimethacrylate
L. Zhao, H. Zhang, X. Li, J. Zhao, C. Zhao, and X. Yuan **3104**
Published online 11 December 2008

Influence of Electron Beam Sterilization on Polymers When Incubated in Different Media
O. Mrad, J. Saunier, C. A. Chodur, F. Agnely, and N. Yagoubi **3113**
Published online 11 December 2008

Extrusion Coating Performances of iPP/LDPE Blends
G. B. Kang, M. H. Kim, Y. Son, and O. O. Park **3121**
Published online 11 December 2008

Novel Hollow-Fiber Anion-Exchange Hybrid Membranes: Preparation and Characterization
T. Xu, F. Lu, and Y. Wu **3128**
Published online 11 December 2008

Fluorescent Chemosensor Based on the Conjugated Polymer Incorporating 2,2′-Bipyridyl Moiety for Transition Metal Ions
Q. Miao, X. Huang, Y. Cheng, Y. Liu, L. Zong, and Y. Cheng **3137**
Published online 11 November 2008

Highly Crosslinked Poly(styrene-*co*-divinylbenzene) Microspheres Prepared by Precipitation Polymerization: Effects of the Polymerization Parameters on the Characteristics of the Particles
H. Cui, H. Chen, R. Qu, C. Wang, C. Sun, W. Zhou, M. Yu, and H. Jiang **3144**
Published online 11 December 2008

Reinforcement of Polyurethane/Epoxy Interpenetrating Network Nanocomposites with an Organically Modified Palygorskite
Z. Lei, Q. Yang, S. Wu, and X. Song **3150**
Published online 11 November 2008

Aqueous Deposited Copolymerization of Acrylonitrile and Itaconic Acid
Y. Zhao, C. Wang, Y. Wang, and B. Zhu **3163**
Published online 11 December 2008

Volume Title Page ***I***

Author Index to Volume 111 ***III***

Subject Index to Volume 111 ***XXIV***

Volume Contents to Volume 111 ***XXXI***